

Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 53.

List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Metastatic Breast Cancer formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abelmoschus crinitus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abelmoschus esculentus* (L.) MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abelmoschus manihot* (L.) MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abelmoschus moschatus* MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abies densa* W. Griff. ex. Parker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abies pindrow* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abies spectabilis* (D.DON) SPACH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abies webbiana* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abrus fruticosus* WALL. EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abrus precatorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abrus pulchellus* WALL. EX THWAITES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon asiaticum* (L.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon avicennae* GAETR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon glaucum* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon graveolens* (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon hirtum* (LAM.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon indicum* (L.) SWEET guineense (SCHUMACH.) BORSSUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon indicum* (L.) SWEET and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon pannosum* (G. FORST.) SCHLTDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon persicum* (BURM.F.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon theophrasti* MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia arabica* SENSU BAKER *vediana* COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia arabica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia caesia* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia catechu* (L.F.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia chundra* (ROXB. EX ROTTLER) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia concinna* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia dealbata* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia decurrens* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia eburnea* (L.F.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia farnesiana* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia ferruginea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia indica* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia intsia* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia jacquemontii* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia leucophloea* (ROXB.) WILLD. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia melonoxylon* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia modesta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia nilotica* (L.) WILLD. EX DEL. indica (BENTH.) BRENNAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia pennata* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia planifrons* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia polyacantha* WILLD. *polyacantha* BRENNAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia polyantha* SPRENG EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia pseudo-eburnea* DRUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia pycnantha* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia rugata* (LAM.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia senegal* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia sinuata* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia speciosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia suma* (ROXB.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia tomentosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia torta* (ROXB) CRAIB NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha alnifolia* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha betulina* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha ciliata* FORSK. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha fruticosa* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha hispida* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha paniculata* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha racemosa* WALL. EX BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acampe carinata* (GRIFF) PANIGR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acampe papillosa* (LINDL.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acampe wightiana* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acanthopanax trifoliatum* (LINN.) VOSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acanthospermum hispidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acanthospermum hispidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acanthus ilicifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acer caesium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acer cappadocicum* GLEDITSCH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acer laevigatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acer mono* MAXIM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acer oblongum* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acer pentapomicum* STEWART.EX BRAND NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acer pictum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achillea millefolium* LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achillea santolina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achras zapota* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achyranthes aquatica* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achyranthes aspera* L. *rubrofusca* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achyranthes bidentata* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achyranthes lanata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achyranthes porphyrostachya* WALL. EX MOQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum atrox* (BRUHL) MUK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum balfourii* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum bisma* (HAM.) RAPAICS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum chasmanthum* STAPF EX HOLMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum deinorrhizum* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum elwesii* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum falconeri* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum ferox* WALL. EX SERINGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum heterophyllum* WALL. EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum kashmiricum* STAPF EX COVENTRY NULL and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum laciniatum* (BRUEHL) STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum laeve* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum lethale* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum luridum* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum moschatum* (BRUEHL) STAPF NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum napellus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum palmatum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum rotundifolium* KAR. & KIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum soonoricum* STAPF NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum spicatum* (BRUHL) STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconitum violaceum* JACQ. EX STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aconogonum tortuosum* (D.DON)HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acorus calamus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acorus gramineus* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrocarpus fraxinifolius* WIGHT & ARNOLAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrocephalus hispidus* (L.) NICOLS. & SIVADASAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrocephalus indicus* (BURM.F.) KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acronychia laurifolia* BLUME and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acronychia pedunculata* (L.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acroptilon repens* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrostichum aureum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrotrema arnottianum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actaea racemosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actaea spicata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actiniopteris australis* (L.F.) LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actiniopteris dichotoma* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actiniopteris radiata* (SW.) LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne angustifolia* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne dichotoma* FLORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne hookeri* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne obovata* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adansonia digitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenanthera pavonina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenema hyssopifolium* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenia heterophylla* (BLUME) KOORD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenia hondala* (GAERTN.) W.J.DE WILDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenia nicobarica* KING and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenia palmata* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenia penangiana* (DON) DE WILDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenia wightiana* (WALL. EX WIGHT & ARN.) ENGLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenosma capitatum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenosma indianum* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenosma indicum* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenostemma lavenia* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adhatoda beddomei* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adhatoda vasica* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adhatoda zeylanica* MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum aethiopicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum capillus-veneris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum caudatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum flabellulatum* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum incisum* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum lunulatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum melanacaulon* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum pedatum* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum peruvianum* A.BR.F. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum philippense* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum tinetum* MOORE F. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum trapiziforme* L. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adiantum venustum* DON. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adina cordifolia* BENTH. & HOOK.F. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adinobotrys atropurpureus* DUNN. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adonis aestivalis* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adonis majus* GAERTN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adonis scrobiculata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adonis vernalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aegiceras corniculatum* (L.) BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeginetia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerides crispum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerides fieldingii* WILLMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerides multiflorum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerides odorata* LOUR. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerides rosea* LINDL. & PAXT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerides williamsii* WARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva lanata* (L.) JUSS. EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva monsonia* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva pseudotomentosa* BLATT. & HALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva sanguinolenta* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva tomentosa* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva wightii* HOOK .F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeschynanthus hookerii* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeschynanthus maculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeschynomene aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeschynomene indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aesculus assamica* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aesculus hippocastanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aesculus indica* COLEBR. EX CAMBESS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aframomum melegueta* (ROSC.) K. SCHUM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aganosma calycina* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aganosma caryophyllata* G.DON and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aganosma cymosa* (ROXB.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aganosma dichotoma* (ROTH) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aganosma marginata* G. DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aganosma wallichii* G.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agapanthus africanus* (L.)HOFFMANN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agathis robusta* F.M.BAILEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agati grandiflora* (L.) DEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agave americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agave angustifolia* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agave cantala* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agave sisalana* PERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agave vera-cruz* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agave vivipara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ageratina adenophora* (SPR.) KING & ROB., NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ageratum conyzoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ageratum houstonianum* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia diepenhorstii* MIQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia elaeagoidea* (JUSS.) BENTH. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia lawii* (WIGHT.) SALDANHA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia minutiflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia odorata* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia odoratissima* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia roxburghiana* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agni-jwalamonia eupatoria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agni-jwalamonia pilosa* LEDEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agropyron repens* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostemma githago* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostis linearis* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostistachys meeboldii* PAX & HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ailanthus altissima* SWINGLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ailanthus excelsa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ailanthus glandulosa* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ailanthus malabarica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ailanthus triphysa* (DENNST.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ainsliaea aptera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ainsliaea pteropoda* DC. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aisandra butyracea* (ROXB.) BAEHNI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ajuga bracteosa* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ajuga macrocarpa* WALL EX. BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ajuga macrosperma* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ajuga parviflora* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alangium begonifolium* MARM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alangium decapetalum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alangium hexapetalum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alangium kurzii* CRAIB NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alangium lamarckii* THWAITES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alangium salvifolium* (L.F.) WANG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia amara* (ROXB.) BOIVIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia chinensis* (OSBECK) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia julibrissin* DURASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia lebbeck* (L.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia lucida* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia lucidior* (STEND.) NIELSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia marginata* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia myriophylla* BENTH. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia odoratissima* (L.F.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia procera* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia stipulata* BOIVIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alcornoeca javensis* MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alcornoeca rugosa* (LOUR) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alcea rosea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alchornea tiliaceifolia* MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alectra parasitica* RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aleurites moluccana* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alhagi camelorum* FISCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alhagi maurorum* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alhagi pseudalhagi* (BIEB.) DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alisma plantago* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alisma plantago-aquatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alisma plantagoauatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alkanna tinctoria* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *AllamKalam cathartica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alliaria officinalis* ANDRZEJ and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alliaria petiolata* (BIEB.) CAVARA & GRANDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium ampeloprasum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium ascalonicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium carolinianum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium cepa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium chinense* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium consanguineum* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium hookeri* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium humile* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium leptophyllum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium macleani* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium porrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium rubellum* M.BIEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium schoenoprasum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium stracheyi* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium tuberosum* ROTTL. EX SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium victorialis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium wallichii* KUNTH and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allmania nodiflora* (L.) R.BR. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allophylus cobbe* (L.) RAEUSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allophylus rheedii* (WIGHT.) RADLK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allophylus serratus* (ROXB.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alloteropsis cimicina* (L.) STAPR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alnus nepalensis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alnus nitida* ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alocasia cucullata* SCHOTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alocasia denudata* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alocasia fornicata* (ROXB.) SCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alocasia indica* (LOUR.) SPACH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alocasia macrorrhiza* (L.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alocasia montana* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alocasia odora* (ROXB.) C.KOCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe abyssinica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe barbadensis* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe ferox* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe indica* (SCHOTT) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe littoralis* KOEN. EX. BAKER and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe perryi* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe spicata* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe succotrina* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe vera* L. *chinensis* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe vera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe vera* L. *littoralis* KOEING EX BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe vera*(typica) (L.) BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloysia triphylla* (L'HER.) BRITT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alphonsea verntricosa* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia allhugas* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia calcarata* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia chinensis* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia conchigera* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia galanga* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia khulanjan* M. SHERIFF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia malaccensis* (BURM.F.) ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia nigra* (GAERTN.) BURTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia nutans* ROSCOE and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia officinarum* HANCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia speciosa* K.SCHWM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia zerumbet* BURTT & R.M. SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alseodaphne semicarpifolia* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alstonia constricta* F MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alstonia kurzii* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alstonia macrophylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alstonia scholaris* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alstonia spectabilis* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alstonia venenata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera ficoidea* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera philoxeroides* (MAR.) GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera pungens* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera sessilis* (L.) R.BR.EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera triandra* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Althaea ludwigii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Althaea officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Althaea rosea* (L.) CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Altingia excelsa* NORONHA and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus bupleurifolius* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus longifolius* WIGHT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus monilifer* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus vaginalis* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alyxia reinwartii* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alyxia stellata* ROEM. & SCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus atropurpureus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus blitum* L. oleracea DUTHIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus blitum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus campestris* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus caudatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus dubius* E.H.L.KRAUSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus fasciatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus gangeticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus gangeticus* LINN. tristis PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus gracilis* DESF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus graecizans* AUCT. HISP. EX CUT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus hybridus* L. hybridus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus hybridus* L. paniculatus THELL. cruentus and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus hypochondriacus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus lividus* L. *polygonoides* (MIQ.) THELL. EX PROBS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus lividus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus mangostanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus oleraceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus paniculatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus polygamus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus polygonoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus spinosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus tenuifolius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus tricolor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus tristis* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus viridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaryllis belladonna* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amberboa divaricata* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amberboa hookeri* (HASSK.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amberboa ramosa* (ROXB.) JAFRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amblyanthus glandulosus* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ambroma augusta* (L.) L.f. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amentotaxus assamica* D.K.Ferguson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amischophacelus axillaris* ROLLA RAO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amischotolype hookeri* (HASSK.) HARA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ammannia auriculata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ammannia baccifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ammannia senegalensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ammannia vesicatoria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ammi majus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum aromaticum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum costatum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum dealbatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum fenzlii* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum granum-paradisi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum kepulaga* SPRAGUE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum melegueta* ROSC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum racemosum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum subulatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum xanthioides* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum zingiber* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amoora cucullata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amoora rohituka* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorpha fruticosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorphophallus bulbifer* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorphophallus campanulatus* BLUME EX DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorphophallus commutatus* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorphophallus dubius* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorphophallus paeoniifolius* (DENNST.) NICOLSON *campanulatus* (DECNE.) SIVADASAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorphophallus paeoniifolius* (DENNST.) NICOLSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorphophallus prainii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorphophallus sylvaticus* (ROXB.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus araneosa* (DALZ. & CRIBBS.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus arnottiana* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus barbata* (WALL.) PLANCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus indica* (L.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus latifolia* (ROXB.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus tomentosa* (ROTH.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amphicome emodi* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amphilophis odorata* CAMUS and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amphineuron extensum* (BL.) HOLTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amyris gileadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anacardium occidentale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anacolsa densiflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anacyclus pyrethrum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anagallis arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anamirta cocculus* (L.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ananas comosus* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ananas sativus* SCHULT.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis adnata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis brevifolia* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis cinnamomea* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis contorta* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis cuneifolia* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis neelgerriana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis nubigena* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis sarmentosa* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis semepervivoides* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis triplinervis* CL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anastatica hierochuntica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anchusa strigosa* LABILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ancistrocladus heyneanus* WALL. EX GRAHAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ancistrocladus tectorius* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andira araroba* AGUIAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrachne cadishaw* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrachne cordifolia* MUELL. ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis echioides* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis lineata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis macrobotrys* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis serpyllifolia* (ROTTL. EX VAHL) WIGHT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon citratus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon contortus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon halepensis* BROT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon jwarancusa* JONES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon laniger* DUTHIE NON DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon martini* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon muricatus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon nardus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon odoratus* DNA LISBOA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum phlomidis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum serratum* (L.) Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum thomsonae* Balf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum waiiichii* Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Duranta erecta* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gmelina arborea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gmelina asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gmelina philippensis* Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holmskioldia sanguinea* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lantana camara* L. var. *aculeata* (L.) Mold. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lantana camara* L. var. *splendens* (Medic.) Mold. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lantana indica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lantana trifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lantana veronicifolia* Hayek and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lippia citriodora* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lippia javanica* (Burm.f.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Petrea volubilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyla nodiflora* (L.) Greene and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna balakrishnanii* Rajendran & P.Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna coriacea* Clarke var. *coriacea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna glaberrima* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna herbacea* Roxb. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna latifolia* Rozb. var. *latifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna latifolia* Roxb. var. *henryi* D. Naras. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna latifolia* Roxb. var. *viburnoides* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna mundanthuraiensis* Rajendran & P.Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna paucinervis* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna serratifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna tomentosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna wightiana* Schauer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Priva cordifolia* (L.f.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachytarpheta jamaicensis* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachytarpheta mutabilis* (Jacq.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachytarpheta urticaefolia* (Salisb.) Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tectona grandis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbena bipinnatifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbena bonariensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbena x hybrida* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbena rigida* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex altissima* L.f. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex leucoxydon* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex negundo* L. var. *negundo* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex peduncularis* Wall. ex Schauer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex pinnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex trifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Congea tomentosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphenodesme paniculata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symphorema involucreatum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avicennia alba* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avicennia marina* (Forssk.) Vierh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avicennia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrocephalus palniensis* Mukerjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus argenteus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus eriocephalus* Benth. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus henryi* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus paniculatus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus robustus* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus scaber* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus sericeus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus suffruticosus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisomeles heyneana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisomeles indica* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisomeles malabarica* (L.) R. Br. ex Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Basilicum polystachyon* (L.) Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Becium filamentosum* (Forssk.) Chiov. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clinopodium umbrosum* (M. Bieb.) K. Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colebrookea oppositifolia* J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elsholtzia ciliata* (Thunb.) Hyland and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Endostemon viscosus* (Roth) M. Ashby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eusteralis cruciata* (Benth.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eusteralis deccanensis* Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eusteralis quadrifolia* (Benth.) Panigrahi and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geniosporum elongatum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geniosporum menthoides* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphostemma eriocarpon* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphostemma strobilinum* Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyptis suaveolens* (L.) Poit. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isodon coetsa* (D. Don) Kudo and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isodon nigrescens* (Benth.) H. Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isodon nilgherriensis* (Benth.) H. Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isodon walkeri* (Arn.) H.Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isodon wightii* (Benth.) H. Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lavandula angustifolia* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lavandula lawii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leonotis leonurus* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leonotis nepetifolia* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leonurus sibiricus* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas anKalamraoana* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas angularis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas aspera* (Willd.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas biflora* (Vahl) R.Br. var. *biflora* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas cephalotes* (Roth) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas chinensis* (Retz.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas ciliata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas diffusa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas eriostoma* Hook.f. var. *eriostoma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas helianthemifolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas hirta* (Heyne ex Roth) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas indica* (L.) R.Br. ex Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas lamifolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas lanata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas lanceaefolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas marrubioides* Desf. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas martinicensis* (Jacq.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas montana* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas nutans* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas prostrata* (Hook.f.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas pubescens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas rosmarinifolia* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas stelligera* Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas stricta* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas suffruticosa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas ternifolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas urticaefolia* (Vahl) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas vestita* Benth. var. *vestita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas wightiana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas zeylanica* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha canadensis* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha x piperita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meriandra bengalensis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micromeria capitellata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta hindostana* (Roth) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum americanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum basilicum* L. var. *basilicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum basilicum* L. var. *pilosum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum basilicum* L. var. *purpurascens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum basilicum* L. var. *thyrsiflorum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum gratissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum tenuiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Origanum hortensis* Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon aristatus* (Blume) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon comosus* Wight ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon pallidus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon rubicundus* (D.Don) Benth. var. *hohenackeri* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon thymiflorus* (Roth) Sleensen and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus amboinicus* (Lour.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus barbatus* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus bishopianus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus bourneae* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus caninus* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus coleoides* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus deccanicus* Briq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus malabaricus* (Benth.) Willemse and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus mollis* (Ait.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus rivularis* Wight ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus rotundifolius* (Poir.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus scutellarioides* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus stocksii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus subincisus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus urticifolius* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon atropurpureus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon auricularius* (L.) Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon benghalensis* (Burm.f.) Kuntze and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon cablin* (Blanco) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon gardneri* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon hedgei* V.S. Kumar & B. Sharma and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon heyneanus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon mollis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon nilagiricus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon paludosus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon paniculatus* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon pubescens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon purpurascens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon rotundatus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon speciosus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon wightii* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunella vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosmarinus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia coccinea* Buc'hoz ex Etlinger and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia farinacea* Benth. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia grahamii* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia involucrata* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia leucantha* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia patens* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia rutilans* Carr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia splendens* Sell. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia uliginosa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia verbenacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Satureja umbrosa* (Bieb.) Scheele and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria colebrookiana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria rivularis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria violacea* Heyne ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria wightiana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetradenia riparia* (Hochst.) Codd and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teucrium fruticans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teucrium plectranthoides* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teucrium tomentosum* Heyne ex Benth. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teucrium wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thymus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago afra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago erosa* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago exigua* Juss.ex Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago lanceolata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago ovata* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commicarpus chinensis* (L.) Heimerl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boerhavia crispa* Heyne ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wild Boerhavia diffusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boerhavia erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boerhavia helenae* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bougainvillea glabra* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bougainvillea spectabilis* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mirabilis jalapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mirabilis longiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisonia aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisonia grandis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achyranthes aspera* L. var. *aspera* and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achyranthes bidentata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva lanata* (L.) Juss. ex Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva persica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva sanguinolenta* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerva wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allmania nodiflora* (L.) R. Br. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera paronychioides* A.St. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera philoxeroides* (C. Martiu) Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera pungens* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera sessilis* (L.) R.Br. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera tenella* Colla. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus blitum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus caudatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus spinosus* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus tricolor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaranthus viridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celosia argentea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celosia cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celosia polygonoides* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celosia pulchella* Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathula prostrata* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digera muricata* (L.) Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphrena globosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphrena serrata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indobanalia thyrsiflora* (Moq.) Henry & Roy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iresine herbstii* Hook.f. ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothosaerva brachiata* (L.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psilotrichum elliotii* Baker & Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pupalia lappacea* (L.) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichuriella monsoniae* (L.f.) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthrocnemum indicum* (Willd.) Moq. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atriplex repens* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atriplex stockesii* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Beta vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium ambrosioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium carinatum* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium giganteum* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium murale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium pumilo* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haloxylon recurvum* (Moq.) Bunge and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kochia indica* Wight. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salicornia brachiata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spinacia oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Suaeda maritima* (L.) Dumort. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Suaeda monoica* Forssk. ex Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Basella rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ercilla spicata* Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Petiveria alliacea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phytolacca dioica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phytolacca octandra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rivina humilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antigonon leptopus* Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coccoloba uvifera* (L.) L. Syst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Emex spinosus* (L.) Campdera and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagopyrum esculentum* Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Muehlenbeckia gracillima* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria attenuata* (R.Br.) Sojak subsp. *pulchra* (Blume) K.L.Wilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria barbata* (L.) Hara var. *gracilis* (Danser) H.Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria barbata* (L.) Hara var. *stagnina* (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria capitata* (Buch.-Ham. ex D.Don) H.Gross and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria chinensis* (L.) H.Gross and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria dichotoma* (Blume) S.K.Dixit B.Datt & G.P.Roy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria hydropiper* (L.) Spach var. *hydropiper* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria hydropiper* (L.) Spach subsp. *flaccida* (Meisn.) Munshi & Javeid and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria lapathifolia* (L.) Gray var. *lanigera* (R.Br.) Chantar. & Tubtimtong and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria nepalensis* (Meisn.) H.Gross and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persicaria peduncularis* (Meissner) Nemato and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum glabrum* Willd. var. *glabrum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum minus* Huds. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum molle* D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum plebeium* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum sphaerocephalum* Wall.ex Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum rhaponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex crispus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex maritimus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex nepalensis* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex vesicarius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalzellia zeylanica* (Gard.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Farmeria indica* Willis and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indotristicha ramosissima* (Wight) Royen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Podostemon barberi* Willis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Podostemon subulatus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polypleurum dichotomum* (Gard.) Hall and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polypleurum stylosum* (Wight) Hall and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Willisia selaginoides* (Bedd.) Warm. ex Willis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zeylanidium lichenoides* (Kurz) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zeylanidium olivaceum* (Gard.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia bracteolata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia cymbifera* Mart. & Zucc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia grandiflora* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia ringens* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia tagala* Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thottea barberi* (Gamble) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thottea siliquosa* (Lam.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepianthes umbellata* (L.) Rafin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq.) Huber

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peperomia heyneana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peperomia pellucida* (L.) H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peperomia candolleana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peperomia tetraphylla* (Forst.f.) Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peperomia pseudo - rhombi* C. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peperomia wightiana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper argyrophyllum* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper betle* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper galeatum* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper glaberrimum* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper hapnium* Buch.-Ham. ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper hymenophyllum* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper longum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper mullesia* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper obtusistigmum* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper ootacamunbense* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper opacilimum* C.DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper ovatostemon* C.DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper pykarrhense* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper schmidtii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper trichostachyon* (Miq.) C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper trioicum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper wightii* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcandra chloranthoides* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knema attenuata* (Wall. ex Hook.f.& Thoms.) Warb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myristica dactyloides* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myristica fragrans* Houtt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne bourneae* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne campanulata* Hook.f. var. *campanulata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne lanata* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne malabarica* Balakr. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne salicina* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actinodaphne tadulingamii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alseodaphne semecarpifolia* Nees var. *angustifolia* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apollonias arnottii* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Beilschmiedia bourdillonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Beilschmiedia gammieana* King ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Beilschmiedia wightii* (Nees) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassytha capillaris* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassytha filiformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum camphora* (L.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum filipedicellatum* Kosterm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum keralaense* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum macrocarpum* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum malabatum* (Burm.f.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum multiflorum* (Roxb.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum nitidum* Blume and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum perrottetii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum riparium* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum sulphuratum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum travancoricum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum verum* Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum walaiwarensense* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum wightii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocarya anamalayana* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocarya beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocarya bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocarya lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocarya neilgherrensis* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocarya stocksii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laurus nobilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea deccanensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea floribunda* (Blume) Gamble and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea glabrata* (Wall. ex Nees) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea glutinosa* (Lour.) C. Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea hookeriana* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea insignis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea laevigata* (Nees) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea monopetala* (Roxb.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea nigrescens* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea oleoides* (Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea quinqueflora* (Dennst.) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea travancorica* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea venulosa* (Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolitsea cassia* (L.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolitsea fischeri* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolitsea scrobiculata* (Meisner) Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persea americana* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persea macrantha* (Nees) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoebe lanceolata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoebe paniculata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoebe wightii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gyrocarpus asiaticus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Banksia marginata* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grevillea banksii* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grevillea bipinnatifida* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grevillea hilliana* F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grevillea punicea* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grevillea robusta* A. Cunn. ex R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hakea laurina* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hakea salicifolia* (Vent.) Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hakea sericea* Schrader and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helicia nilagirica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helicia robusta* (Roxb.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucadendron argenteum* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macadamia ternifolia* F.v. Muell. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Petrophile pulchella* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenocarpus salignus* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gyrinops walla* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ovidia humboldtia* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wikstroemia indica* (L.) C. Meyer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus conferta* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus indica* Servettaz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus kologae* Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helicanthus elastica* (Desr.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helixanthera hookeriana* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helixanthera intermedia* (Wight) Danser and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helixanthera lepidophylla* (Walp.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helixanthera obtusata* (Schultes) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helixanthera wallichiana* (Schultes) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macrosolen capitellatus* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macrosolen parasiticus* (L.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scurrula cordifolia* (Wall.) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scurrula parasitica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taxillus courtallensis* (Gamble) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taxillus cuneatus* (Heyne ex Roth) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taxillus heyneanus* (Schultes) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taxillus recurvus* (Wall. ex DC.) Tieghem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taxillus sclerophyllus* (Thw.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Korthalsella japonica* (Thunb.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum angulatum* Heyne ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum articulatum* Burm.f. var. *articulatum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum capitellatum* J.E. Smith and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum heyneanum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum monoicum* Roxb.ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum orientale* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum ramosissimum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum trilobatum* Talbot and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Santalum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleropyrum pentandrum* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thesium wightianum* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *agastyamalayana* Viswanathan Prem Kumar & Ramesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *tirunelveliensis* Viswanathan Prem Kumar & Ramesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha alnifolia* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha brachystachya* Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha ciliata* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha fruticosa* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha hispida* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha lanceolata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha malabarica* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha racemosa* Heyne ex Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Actephila excelsa* (Dalz.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostistachys borneensis* Becc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostistachys indica* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aleurites moluccana* (L.) Willd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma acidum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma alexiteria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma buniis* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma ghaesembilla* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma walkeri* (Tul.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aporosa acuminata* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aporosa fusiformis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aporosa lindleyana* (Wight) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Baccaurea courtallensis* (Wight) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Baliospermum montanum* (Willd.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bischofia javanica* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blachia calycina* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blachia reflexa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blachia umbellata* (Willd.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Breynia retusa* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Breynia vitis-idaea* (Burm.f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia cinerascens* Gehrm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia crenulata* Roxb. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia retusa* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia scandens* (Roxb.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrozophora prostrata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrozophora rottleri* (Geiseler) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Claoxylon anomalum* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleidion spiciflorum* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleistanthus travancorensis* Jablonszky and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Codiaeum variegatum* (L.) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelodepas calycinum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton bonplandianum* Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton caudatus* Geiseler var. *caudatus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton caudatus* Geiseler var. *obovoideus* Balakr. & Chakrab. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton hirtus* L'Herit and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton klotzchianus* (Wight) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton laccifer* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton malabaricus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton oblongifolius* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton tiglium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton zeylanicus* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalechampia indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimorphocalyx glabellus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes elata* (Bedd.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes longifolia* (Blume) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes malabarica* (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes porteri* (Gamble) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes roxburghii* (Wall.) Hurusawa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes venusta* (Wight) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia agowensis* Hochst. ex Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia antiquorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia balakrishnanii* Binojk. & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia barnhartii* Croizat and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia chamaesyce* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia corrigioloides* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia cristata* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia cyathophora* Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia dracunculoides* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia heterophylla* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia helioscopia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia heyneana* Spreng. subsp. *heyneana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia hirta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia indica* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia laciniata* Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia longistyla* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia neriifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia milii* Des and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia nivulia* Buch.-Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia pulcherrima* Willd.ex Klotzsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia pycnostegia* Boiss. var. *zornoides* (Boiss.) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia rosea* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia rothiana* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia santapau* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia serpens* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia thymifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia tirucalli* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia trigona* Mill. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia tortilis* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia vajravelui* Binojk. & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Excoecaria agallocha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Excoecaria cochinchinensis* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Excoecaria crenulata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Excoecaria robusta* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flueggea leucopyrus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flueggea virosa* (Willd) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Givotia rottleriformis* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion arboreum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion candolleianum* (Wight & Arn.) Chakrab. & Gangop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion ellipticum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion fagifolium* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion malabaricum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion neilgherrense* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion pauciflorum* Gamble and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion tomentosum* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion velutinum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion zeylanicum* (Gaertn.) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Homonoia riparia* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hura crepitans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha curcas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha glandulifera* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha gossypifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha heynei* Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha integerrima* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha maheshwarii* Subram. & Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha multifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha tanjorensis* Ellis & Saroja and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha villosa* Wight var. *villosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macaranga flexuosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macaranga indica* Wight and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macaranga peltata* (Roxb.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus atrovirens* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus aureo-punctatus* (Dalz.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus distans* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus philippensis* (Lam.) Muell.-Arg. var. *tomentosus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus repandus* (Willd.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus resinous* (Blanco) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus rhamnifolius* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus stenanthus* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus subramanyamii* Ellis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus tetracoccus* (Roxb.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manihot esculenta* Crantz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manihot glaziovii* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Margaritaria indica* (Dalz.) Airy Shaw and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meineckia longipes* (Wight) Webster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meineckia parvifolia* (Wight) Webster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micrococca beddomei* (Hook.f.) Prain and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micrococca mercurialis* (L.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micrococca wightii* (Hook.f.) prain var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mischodon zeylanicus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedilanthus tithymaloides* (L.) Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus acidus* (L.) Skeels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus amarus* Schum. & Thonn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus baillonianus* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus beddomei* (Gamble) Mohanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus chandrasei* Govaerts & Radcl. - Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus debilis* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus emblica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus gageana* (Gamble) Mohanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus gardnerianus* (Wight) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus indofischeri* Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus kozhikodianus* Sivar. & Manilal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus lawii* Graham ex Muell.-Arg. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus leschenaultii* Muell. Arg., and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus longiflorus* Heyne ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus macrocalyx* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus maderaspatensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus myrtifolius* Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus pinnatus* (Wight) Webster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus polyphyllus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus reticulatus* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus rheedii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus rotundifolius* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus speciosus* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus urinaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus virgatus* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudoglochidion anamalayanum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ricinus communis* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapium insigne* (Royle) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapium sebiferum* (Michaux) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sauropus androgynus* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sauropus bacciformis* (L.) Airy Shaw and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sebastiania chamaelea* (L.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Suregada lanceolata* (Willd.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Synadenium grantii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia bicolor* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia involucrata* L. var. *involucrata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia involucrata* L. var. *angustifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia muelleriana* Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia plukenetii* R. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trewia nudiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trewia polycarpa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonostemon nemoralis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernicia montana* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buxus sempervirens* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcococca saligna* (D. Don.) Muell. Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boehmeria glomerulifera* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boehmeria macrophylla* Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boehmeria nivea* (L.) Gaudich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chamabaina cuspidata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Debregeasia ceylanica* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Debregeasia longifolia* (Burm.f.) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Debregeasia wallichiana* (Wedd.) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrocnide sinuata* (Blume) Chew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) friis & Wilmot- Dear and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema acuminatum* (Poir.) Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema cuneatum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema lineolatum* Wight var. *lineolatum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema lineolatum* Wight var. *falcigera* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema lineolatum* Wight var. *linearis* Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema lineolatum* Wight var. *setosum* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema sessile* Forst. var. *sessile* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema surculosum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Girardinia diversifolia* (Link) Friis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laportea interrupta* (L.) Chew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oreocnide frutescens* (Thunb.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parietaria micrantha* Ledeb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pellionia heyneana* Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pilea angulata* (Blume) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pilea kingii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pilea melastomoides* (Poir.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pilea microphylla* (L.) Liebm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pilea wightii* Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia auriculata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia bennettiana* Wight var. *bennettiana* and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia bennettiana* Wight var. *quadrialata* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia cymosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia hirta* (Blume) Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia pentandra* (Roxb.) Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia wightii* Benn. var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia wightii* Benn. var. *caudata* (Benn.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia wightii* Benn. var. *lawsoniana* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia wightii* Benn. var. *nilghirensis* (Wight) Hook.f and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia wightii* Benn. var. *scabra* (Wight) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia zeylanica* (L.) Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Procris crenata* Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urtica hyperborea* Jacq. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urtica parviflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aphananthe cuspidata* (Blume) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis australis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis tetrandra* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis timorensis* Spanoghe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holoptelea integrifolia* (Roxb.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trema orientalis* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cannabis sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antiaris toxicaria* (Pers.) Lesch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus incisus* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus gomezianus* Wall. ex Trec. subsp. *zeylanicus* Jarrett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus heterophyllus* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus hirsutus* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Broussonetia papyrifera* Vent. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cudrania cochinchinensis* (Lour.) Kudo & Masamune and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dorstenia indica* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus albipila* (Miq.) King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus amplissima* J.E. Smith and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus amplocarpa* Govindarajulu & Masilamoney and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus angladei* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus arnottiana* (Miq.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus auriculata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus beddomei* King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus benghalensis* L. var. *benghalensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus benghalensis* L. var. *krishnae* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus benjamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus callosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus carica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus dalhousiae* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus elastica* Roxb. ex Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus exasperata* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus glaberrima* Blume var. *bracteata* Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus guttata* (Wight) Kurz ex King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus heterophylla* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus hispida* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus hookeriana* Corner and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus microcarpa* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus mollis* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus nervosa* Heyne ex Roth var. *nervosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus nervosa* Roth var. *minor* King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus palmata* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus pumila* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus religiosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus talbotii* King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus tinctoria* Forst.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus tsjahela* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus virens* Ait. var. *virens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morus alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morus australis* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plecosperrum spinosum* Trec. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Streblus asper* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Streblus taxoides* (Heyne ex Roth) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Platanus orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juglans regia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casuarina glauca* Sieber. ex A.Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casuarina equisetifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casuarina junghuhniana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casuarina stricta* Dryand. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casuarina suberosa* Otto & Dietr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casuarina torulosa* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alnus nepalensis* D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Betula alnoides* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Castanea crenata* Sieb. & Zucc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Castanea sativa* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Castanopsis indica* (Roxb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Castanopsis roxburghiana* S.N. Biswas and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagus sylvatica* L. var. *sylvatica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagus sylvatica* L. var. *cuprea* Loud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus baloot* Griff. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus coccifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus leucotrichophora* A. Camus ex Bahadur and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus robur* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus serrata* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix babylonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix tetrasperma* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceratophyllum demersum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blyxa octandra* (Roxb.) Planch ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enhalus acoroides* (L. f.) Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halophila beccarii* Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halophila decipiens* Ostenf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halophila ovata* Gaudich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halophila stipulacea* (Forssk.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrilla verticillata* (L. f.) Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nechamandra alternifolia* (Roxb.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ottelia alismoides* (L.) Pers. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalassia hemprichii* (Ehrenb.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vallisneria natans* (Lour.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Burmannia candelabrum* Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Burmannia coelestis* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Burmannia wallichii* (Miers) Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acampe praemorsa* (Roxb.) Blatter & McCann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acanthephippium bicolor* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerides crispa* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerides maculosum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aerides ringens* (Lindl.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anoectochilus elatus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anoectochilus rotundifolius* (Blatter) Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aphyllorchis montana* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundina graminifolia* (D. Don) Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachycorythis iantha* (Wight) Summerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachycorythis splendida* Summerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum acutiflorum* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum albidum* (Wight) Hook. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum fischeri* Seidenfaden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum fuscopurpureum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum kaitiense* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum sterile* (Lam) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum tremulum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum xylophyllum* Par. & Reichb. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calanthe sylvatica* (Thouars) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calanthe triplicata* (Willem.) Ames and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calanthe vestita* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cheirostylis flabellata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cheirostylis parvifolia* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chiloschista fasciata* (F. Muell.) Seidenf. & Ormerod and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysoglossum hallbergii* Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysoglossum maculatum* (Thw.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne breviscapa* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne mossiae* Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne nervosa* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne odoratissima* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne ovalis* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne prolifera* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne uniflora* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corymborkis veratrifolia* (Reinw.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cottonia peduncularis* (Lindl.) Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crepidium purpureum* (L.) Szlach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbidium aloifolium* (L.) Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbidium bicolor* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium aqueum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium barbatulum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium diodon* Reichb.f. subsp. *kodayarensis* Gopalan & A.N. Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium haemoglossum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium herbaceum* Lindl. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium heterocarpum* Wall. ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium heyneanum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium macrostachyum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium microbulbon* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium nanum* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium nutantiflorum* Hawkes & Heller and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium wightii* A. Hawkers & A. H. Heller and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymoplexis pallens* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diplocentrum congestum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diplocentrum recurvum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Disperis neilgherrensis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epidendrum radicans* Pav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epipactis veratrifolia* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epipogium roseum* (D. Don) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria albiflora* Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria dalzellii* (Hook. ex Dalz) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria microchilos* (Dalz.) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria mysorensis* Lindl. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria nana* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria pauciflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria polystachya* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria pseudoclavicaulis* Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria reticosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia cullenii* (Wight) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia epidendrea* (Koen.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia graminea* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia pulchra* (Thouars) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia pratensis* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia spectabilis* (Dennst.) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flickingeria nodosa* (Dalz.) Seidenfaden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gastrochilus acaulis* (Lindl.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geodorum densiflorum* (Lam.) Schlte and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goodyera fumata* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goodyera procera* (Ker-Gawl) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria acuminata* (Thw.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria barnesii* Summerh. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria cephalotes* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria crassifolia* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria crinifera* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria decipiens* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria denticulata* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria digitata* Lindl. var. *digitata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria elliptica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria elwesii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria furcifera* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria grandifloriformis* Blatter & McCann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria heyneana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria hollandiana* Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria longicorniculata* Granham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria longicornu* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria macrostachya* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria marginata* Coleb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria multicaudata* Sedgw. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria pallideviridis* Seidenf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria perrottetiana* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria plantaginea* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria polyodon* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria rariflora* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria richardiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria roxburghii* Nicolson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria virens* (Lindl.) Abeyw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria viridiflora* (Rottl. Ex Sw.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hetaeria ovalifolia* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kingidium deliciosum* (Reichb.f.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis atropurpurea* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis beddomei* Ridley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis biloba* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis caespitosa* (Thouars) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis duthiei* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis elliptica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis nervosa* (Sw.) Lindl. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis platyphylla* Ridley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis prazeri* King & Pantl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis resupinata* Ridley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis viridiflora* (Blume) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis walkeriae* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis wightiana* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luisia birchea* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luisia zeylanica* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malleola gracilis* (Lindl.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nervilia aragoana* Gaudich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nervilia carinata* (Roxb.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nervilia plicata* (Andr.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia anamalayana* Joseph and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia balakrishnanii* R. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia brunoniana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia ensiformis* (J. E. Smith) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia iridifolia* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia platycaulon* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia proudlockii* King & Pantl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia santapaui* Kapadia and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia sebastiana* Shetty & Vivek and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia seidenfadeniana* Joseph & Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia tenuis* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia verticillata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia wightiana* Lindl. var. *wightiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia wightiana* Lindl. var. *nilgirienis* R. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oberonia zeylanica* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pachystoma senile* (Lindl.) Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paphiopedilum druryi* (Bedd.) Pfitz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papilionanthe cylindrica* (Lindl.) Seidenf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pecteilis gigantea* (J. E. Smith) Rafin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus aristatus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus brachyphyllus* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus densus* (Lindl.) Sant. & Kapadia and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus goodyeriodes* (D. Don) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus lawii* Wight and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus plantagineus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus richardianus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus secundus* (Lindl.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus spiralis* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus stocksii* (Hook. f.) Kraenzl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pholidota pallida* Lindl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Podochilus falcatus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polystachya concreta* (Jacq.) Garay & Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Porpax jerdoniana* (Wight) Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Porpax reticulata* Lindl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Proteroceras leopardianum* (Par. Reichb.f.) Seidenf. & Smitin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchostylis retusa* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhytionanthos nodosus* (Rolfe) Garay Hamer & Siegerist and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Robiquetia josephiana* Manilal & Satish Kumar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Satyrium nepalense* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schoenorchis jerdoniana* (Wight) Garay and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Seidenfia densiflora* (A. Rich.) Szlach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Seidenfia intermedia* (A. Rich.) Szlach. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Seidenfia rheedii* (Sw.) Szlach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sirhookera lanceolata* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sirhookera latifolia* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithsonia maculata* (Dalz.) Saldanha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spathoglottis plicata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiranthes sinensis* (Pers.) Ames var. *sinensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiranthes sinensis* (Pers.) Ames var. *wightiana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taeniophyllum alwisii* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tainia bicornis* (Lindl.) Reichb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thelasis pygmaea* (Griff.) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thrixspermum muscaeflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trias stocksii* Benth ex Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichoglottis tenera* (Lindl.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tropidia angulosa* (Lindl.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tropidia curculigoides* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam spathulata* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam tessellata* (Roxb.) Hook ex. G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam testaceae* (Lindl.) Reichb and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam wightii* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vanilla planifolia* Andrews and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vanilla walkeriae* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vanilla wightiana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zeuxine gracilis* (Breda) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zeuxine longilabris* (Lindl.) Benth ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia abundiflora* Burt & Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia calcarata* Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia galanga* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia malaccensis* (Burm.f.) Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia nigra* (Gaertn.) B. L. Brutt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alpinia zerumbet* (Pers.) B. L. Burt & R. M.Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum cannicarpum* (Wight) Benth. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum hypoleucum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum masticatorium* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum muricatum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amomum pterocarpum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma amada* Roxb. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma aromatica* Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma longa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma montana* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma neilgherrensis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma pseudomontana* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma zedoaria* (Christm.) Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elettaria cardamomum* (L.) Maton var. *major* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Globba marantina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Globba ophioglossa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium coronarium* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium flavescens* Carey ex Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium venustum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kaempferia galanga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber nimmonii* (J. Graham) Dalzell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber officinale* Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber roseum* (Roxb.) Roscoe and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber wightianum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber zerumbet* (L.) J. E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Costus pictus* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Costus speciosus* (Koen.) J. E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maranta arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phrynium pubinerve* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schumannianthus virgatus* (Roxb.) Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ensete superbum* (Roxb.) Cheesman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ensete ventricosum* (Welw.) Cheesman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliconia psittacorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa acuminata* Colla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa balbisiana* Colla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa parasidiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ravenala madagascarensis* Sonner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strelitzia reginae* Aiton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canna indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ananas comosus* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anigozanthos flavidus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Disporum leschenaultianum* D. Don var. *leschenaultianum* and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lilium trigrinum* Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense* (Wight) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiopogon intermedius* D. Don var. *intermedius* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peliosanthes teta* Andr. subsp. *humilis* (Andr.) Jessop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristea ecklonii* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Babiana stricta* (Aiton) Ker Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Babiana villosa* Ker Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crocasmia pottsii* (Baker) N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dierama pulcherrima* (Hook. F.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleutherine palmifolia* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Freesia refracta* Klatt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gladiolus primulinus* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris germanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris japonica* Thunb. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris unguicularis* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moraea iridioides* L. Mant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Watsonia rosea* Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amaryllis belladonna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum asiaticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum latifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum moorei* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucharis x grandiflora* Planch. & Linden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eurycles sylvestris* Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haemanthus coccineus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haemanthus matalensis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hippeastrum x johnsonii* (Hort.) Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hippeastrum reginae* Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hippeastrum vittatum* (L'Her.) Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenocallis littoralis* (Jacq.) Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucojum aestivum* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucojum pulchellum* Salisb. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Narcissus tazetta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nerine flexuosa* (Jacq.) Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nerine undulata* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pancratium triflorum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaedranassa dubia* (Kunth) J. F. Macbr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sprekelia formosissima* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenomesson coccineum* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zephyranthes carinata* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zephyranthes grandiflora* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zephyranthes tubispatha* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agave americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agave angustifolia* Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agave sisalana* Perrine ex Engelm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agave vera-cruz* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordyline australis* (Forst. F.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Furcraea foetida* (L.) Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polianthes tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Yucca gloriosa* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dianella ensifolia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phormium tenax* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracaena fruticosa* (L.) A. Chev. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracaena terniflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria roxburghiana* Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria trifasciata* Hort. ex Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria thyridiflora* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria varians* N.E.Br and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria zeylanica* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alstroemeria aurea* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bomarea caldasiana* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bomarea oligantha* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curculigo orchoides* Gaertn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypoxis aurea* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Molineria trichocarpa* (Wight) Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tacca leontopetaloides* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea alata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea belophylla* Voigt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea bulbifera* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea esculenta* (Lour.) Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea hamiltonii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea hispida* Dennst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea kalkapershadii* Prain & Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea oppositifolia* L. var. *oppositifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea oppositifolia* L. var. *dukhumensis* Prain & Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea spicata* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea tomentosa* Koen ex Spreng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea wallichii* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea wightii* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichopus zeylanicus* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stemona tuberosa* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucomis autumnalis* (Miller) Chitt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucomis punctata* L'Herit. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ornithogalum arabicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ornithogalum conicum* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scilla hyacinthina* (Roth) Mecbr. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urginea congesta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urginea indica* (Roxb.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urginea polyantha* Blatter & Mc Cann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asphodelus tenuifolius* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloe vera* (L.) Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kniphofia uvaria* (L.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus asiaticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus fyonii* Macbr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus gonocladus* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus laevis* Steud. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus setaceus* (Kunth) Jessop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus racemosus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum acaule* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum arundinaceum* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum attenuatum* (Wight) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum heynei* Rottl. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum laxum* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum malabaricum* Baker and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum nimmonii* (Graham) Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum tuberosum* (Roxb.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gloriosa rothschildiana* O'Brien and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gloriosa superba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iphigenia indica* (L.) A. Gray ex Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iphigenia magnifica* Ansari & R. S. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemerocallis aurantiaca* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F. Leight. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agapanthus praecox* Willd. var. *albus* Hort. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium cepa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium porrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allium sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruscus aculeatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax perfoliata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax wightii* A. DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eichhornia crassipes* (Mart.) Solms-Laub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Monochoria hastata* (L.) Solms-Laub. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Monochoria vaginalis* (Burm. F.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xyris pauciflora* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aclisia secundiflora* (Blume) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aneilema montana* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aneilema ovalifolia* (Wight) Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Belosynapsis kewensis* Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Belosynapsis vivipara* (Dalz.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina attenuata* Koen var. Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina benghalensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina clavata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina diffusa* Burm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina ensifolia* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina erecta* L. var. *erecta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina forskalaei* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina hirsuta* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina imberbis* Ehrenb. ex Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina indehiscens* Barnes and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina longifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina paleata* Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina paludosa* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina subulata* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina tricolor* Barnes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina wightii* R. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis adscendens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis arachnoidea* Clarke var. *arachnoidea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammaty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis arcotensis* R. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis axillaris* (L.) D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis burmanniana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis concanensis* Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis cristata* (L.) D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis cucullata* (Roth) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis obtusa* Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis papilionacea* (L.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis pilosa* Schultes & Schultes and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis villosa* (Spreng.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis wightii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Floscopa scandens* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia dimorpha* (Dalz.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia edulis* (Stokes) Faden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia esculenta* (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mudannia gigantea* (Vahl.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia glauca* (Thw. ex Clarke) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia japonica* (Thunb.) Faden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia juncooides* (Wight) R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia lanceolata* (Wight) Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia lanuginosa* (Wall ex Clarke) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia nudiflora* (L.) Brenan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia pauciflora* Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia semiteres* (Dalz.) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia simplex* (Vahl.) Brenan and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia spirata* (L.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia vaginata* (L.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhoeo discolor* Hance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setcreasea purpurea* Boom and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zebrina pendula* Schnitzl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flagellaria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juncus bufonius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juncus effusus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juncus inflexus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juncus leschenaultii* J. Gay and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luzula indica* Kirschner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Areca catechu* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arenga wightii* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bentinckia condapanna* Berry ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Borassus flabellifer* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus brandisii* Beccari ex Beccari & Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus gamblei* Beccari ex Beccari & Hook. var.

sphaerocarpa Beccari ex Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus huegelianus* Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus rheedii* Griff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus rotang* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus travancoricus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caryota urens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocos nucifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corypha umbraculifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corypha macropoda* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Livistona chinensis* (Jacq.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Livistona rotundifolia* (Lam.) Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix canariensis* Hort ex Chabaud and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix loureirii* Kunth var. *loureirii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix pusilla* Gaertn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix rupicola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix sylvestris* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinanga dicksonii* (Roxb.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhapis excelsa* (Thunb.) A. Henry ex Rehder and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Roystonea regia* (Kunth) O. F. Cook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sabal mauritiformis* (Karsten) Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachycarpus fortunei* (Hook.) Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Washingtonia robusta* Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus amaryllifolius* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus canaranus* Warb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus odoratissimus* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus tectorius* Parkinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus thwaitesii* Martelli and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Typha angustifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acorus calamus* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alocasia indica* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amorphophallus sylvaticus* (Roxb.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphyllum beddomei* Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphyllum wightii* Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthurium spathiphyllum* N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema auriculatum* Barnes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema barnesii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema leschenaultii* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema murrayi* (Graham) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema tortuosum* (Wall.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema translucens* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema tuberculatum* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema tylophorum* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema wightii* Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caladium bicolor* (Ait.) Vent. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colocasia esculenta* (L.) Schott and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocoryne ciliata* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocoryne consobrina* Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocoryne retrospiralis* (Roxb.) Kunth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocoryne spiralis* (Retz.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epipremnum pinnatum* cv aureum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagenandra meeboldii* (Engler) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Monstera deliciosa* Liebm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pistia stratiotes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plesmonium margaritifera* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pothos armatus* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pothos scandens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pothos thomsonianus* Schott. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Remusatia vivipara* (Lodd.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhaphidophora pertusa* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Theriophonum fischeri* Sivadasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Theriophonum minutum* (Willd.) Baillon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xanthosoma sagittifolium* (L.) Schott and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zantedeschia aethiopica* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lemna gibba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lemna perpusilla* Torrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spirodela polyrhiza* (L.) Schleiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyalisma janthina* Champ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caldesia parnassiifolia* (L.) Parl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophyton obtusifolium* (L.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sagittaria guayanensis* H.B.K. subsp. *lappula* (D Don) Bogin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sagittaria sagittifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Najas graminea* Del. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Najas indica* (Willd.) Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Najas malesiana* Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Najas marina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Najas minor* All. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruppia maritima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aponogeton appendiculatus* Bruggen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aponogeton echinatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aponogeton natans* (L.) Engler and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aponogeton undulatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halodule pinifolia* (Miki) Hartog and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halodule uninervis* (Forssk.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halodule wrightii* Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potamogeton crispus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potamogeton nodosus* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potamogeton pectinatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potamogeton perfoliatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syringodium isoetifolium* (Asch.) Dandy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon brownianum* Martius ex Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon cinereum* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon conica* (Fyson) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon elenorae* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon ensiforme* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon leucomelas* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon longicuspis* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon nairii* Chandrabose & Chandrasekaran and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon nepalense* Prescott ex Bongard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon odoratum* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon panagudianum* Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon pectinatum* Ruhl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon quinquangulare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon ramnadense* Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon ritchieanum* Ruhl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon robusto-brownianum* Ruhland and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon robustum* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon talbotii* Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon thwaitesii* Koern. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon xeranthemum* Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ascopholis gamblei* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbostylis barbata* (Rottb.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbostylis densa* (Wall.) Hand.-Mazz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis*

C. Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex baccans* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex breviculmis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex brunnea* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex christii* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex eluta* Nelmes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex foliosa* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex filicina* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex glaucina* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex hebecarpa* C. Meyer var. *ligulata* (Nees) Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex lateralis* Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex lenta* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex leucantha* Arn. ex Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex lindleyana* Nees var. *lindleyana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex lindleyana* Nees var. *mercurensis* (Hochst. ex Steud.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex longicruris* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex longipes* D. Don var. *longipes* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex longipes* D. Don var. *dissitiflora* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex maculata* Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex myosurus* Nees and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex nubigena* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex phacota* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex pseudoaperta* Boeckeler ex Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex raphidocarpa* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex rara* Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex speciosa* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex vicinalis* Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex walkeri* Arn. ex Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex wallichiana* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex wightiana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus alopecuroides* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus arenarius* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus articulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus bulbosus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus castaneus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus cephalotes* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus compressus* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus corymbosus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus curvibracteatus* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus cuspidatus* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus difformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus diffusus* Vahl. var. *diffusus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus digitatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus distans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus distans* L. var. *pseudonutans* Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus elatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus esculentus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus exaltatus* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus halpan* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus imbricatus* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus iria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus laevigatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus latovaginatus* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus lurida* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus michelianus* (L.) Link. subsp. *pygmaeus* (Rottb.) Asch.

& Graebn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus nutans* Vahl var. *nutans* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus pangorei* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus pilosus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus platyphyllus* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus platystylis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus plumbeonucea* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus polyanthelus* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus procerus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus pygmaeus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus rotundus* L. subsp. *rotundus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus rubicundus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus rubriglomosus* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus sesquiflorus* (Torr.) Mattf. & Kuek. var. *cylindricus* (Nees) Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus sphacelatus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus stoloniferous* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus strictulmis* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus sulcinus* Clarke and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus tenuiculmis* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus tenuispica* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleocharis acutangula* (Roxb.) Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleocharis atropurpurea* (Retz.) Presl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleocharis congesta* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleocharis dulcis* (Burm.f.) Henschel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleocharis geniculata* (L.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria* (Roem. & Schult.) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleocharis tetraquetra* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis aestivalis* (Retz.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis aggregata* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis amplocarpa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis aphylla* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis argentea* (Rottb.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis bisumbellata* (Forssk.) Bubani and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis cinnamometorum* (Vahl) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis complanata* (Retz.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis consanguinea* Kunth and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis contorta* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis crystallina* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis dichotoma* (L.) Vahl subsp. *glauca* (Vahl) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis dipsacea* (Rottb.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis eragrostis* (Nees & Meyen ex Nees) Hance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis falcata* (Vahl.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis ferruginea* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis kingii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis latiglumifera* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis latinucifera* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis longistigmata* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis miliacea* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis monospicula* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis monticola* Hochst. ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis narayanii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis nutans* (Retz.) Vahl and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis ovata* (Burm. F.) Kern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis paupercula* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis pentaptera* (Nees) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis pierotii* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis polytrichoides* (Retz.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis pustulosa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis rectifolia* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis rigidiuscula* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis rugosa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis salbundia* (Nees) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis scabrisquama* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis schoenoides* (Retz.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis semidisticha* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis sieberiana* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis strigosa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis tenera* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis tetragona* R. Br. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis tortifolia* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis triflora* (L.) Schum. ex Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis tristachya* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis uliginosa* Hochst. ex Steud and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis woodrowii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fuirena ciliaris* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fuirena pubescens* (Lam.) Kunth var. *pergametacea* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fuirena trilobites* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fuirena umbellata* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fuirena uncinata* (Willd.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fuirena wallichiana* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypolytrum nemorum* (Vahl) Spreng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kylinga brevifolius* Rottboell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kylinga bulbosa* P. Beavu. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kylinga hyalina* (Vahl) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kyllingia nemoralis* (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kyllingia malanosperma* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lipocarpha chinensis* (Osbeck.) Kern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lipocarpha raynaleana* Govindarajalu and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lipocarpa sphacelata* (Vahl.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mariscus clarkei* (Cooke) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mariscus compactus* (Retz.) Bolding and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mariscus cyperinus* (Retz.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mariscus paniceus* (Rottboell.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mariscus squarrosus* (L.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mariscus sumaterensis* (Retz.) A. Raynal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycnus flavescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycreus flavidus* (Retz.) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycreus polystachyos* (Rottboell) Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycreus pumilus* (L.) Nees ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycreus puncticulatus* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycreus sanguinolentus* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycreus stramineus* (Nees) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycreus unioides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchospora corymbosa* (L.) Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchospora gracillima* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchospora rubra* (Lour.) Makino and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchospora rugosa* (Vahl.) Gale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Riklrella squarrosa* (L.) Raynal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schoenoplectus articulatus* (L.) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schoenoplectus grossus* (L. f.) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schoenoplectus juncoideus* (Roxb) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schoenoplectus littoralis* (Schrader.) Palla subsp. *subulatus* (Vahl) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schoenoplectus mucronatus* (L.) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus fluitans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus maritimus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus subcapitatus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria caricnia* (R. Br.) Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria corymbosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria levis* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria mikawana* Makino and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria parvula* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria terrestris* (L.) Fassett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrachne henrardiana* (Bor) Phillips and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrachne racemosa* (Heyne ex Roth) Ohwi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrachne sundararajii* Umamahesw. et al and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeluropus lagopoides* (L.) Trin ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostis micrantha* Stue. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostis peninsularis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostis pilosula* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostis schmidii* (Hook. f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostis stolonifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostis zenkeri* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alloteropsis cimicina* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon hallii* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon lividus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon longipes* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon polytychus* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon pumilus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthoxanthum borii* Jain & Pal and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthoxanthum odoratum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apluda mutica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apocopsis courtallumensis* (Steud.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apocopsis vaginata* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristida adscensionis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristida funiculata* Trin & Rupr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristida hystrix* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristida mutabilis* Trin. & Rupr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristida setacea* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthraxon depressus* Stapf ex Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthraxon lanceolatus* (Roxb.) Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthraxon micans* (Nees) Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthraxon prionodes* (Steud.) Dandy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthraxon quartianus* (A. Rich) Nash and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinaria walkeriana* Munro and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinaria wightiana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella ciliata* (Roxb.) Nees ex Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella hookeri* Munro ex Keng and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella leptochloa* (Nees ex Steud.) Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella mesophylla* Nees ex Steud and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella nepalensis* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella purpurea* Hochst. ex Steud var. *purpurea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella setosa* Trin. var. *setosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella vaginata* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundo conspicua* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundo donax* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avena byzantina* K. Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avena fatua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avena sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Axonopus compressus* (Sw.) P. Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bambusa bambos* Voss and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bothriochloa bladhii* (Retz.) S. T. Blake and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bothriochloa foulkesii* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bothriochloa kuntzeana* (Hack.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bothriochloa pertusa* (L.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria distachya* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria eruciformis* (J. E. Smith) Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria kurzii* (Hook. f.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria miliiformis* (J. S. Presl) Chase and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria muna* Basappa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria mutica* (Forssk.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria nilagirica* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria ramosa* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria remota* (Retz.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria reptans* (L.) Gard. & Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria Semiverticillata* (Rottl.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria setigera* (Retz.) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachypodium distachyon* (L.) P. Beauv. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachypodium sylvaticum* (Huds.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Briza maxima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Briza media* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Briza minor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bromus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bromus catharticus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bromus diandrus* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bromus ramosus* Huds. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capillipedium filiculme* (Hook. f.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capillipedium huegelii* (Hack.) Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capillipedium parviflorum* (R. Br.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cenchrus biflorus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cenchrus ciliaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cenchrus glaucus* Mudaliar & Sundararaj and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cenchrus setigerus* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centotheca lappacea* (L.) Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionachne koenigii* (Spreng.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionachne semiteres* (Benth. ex Hook. f.) Henrard and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris barbata* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris bournei* Rang. & Tadol. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris dolichostachya* Lagasca and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris gayana* Kunth ex Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris montana* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris pycnothrix* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris roxburghiana* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris virgata* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris wightiana* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysopogon aciculatus* (Retz.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysopogon copei* Mohanan et Ravi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysopogon fulvus* (Spreng) Choiv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysopogon hackelii* (Hook.f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysopogon orientalis* (Desv.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelachne simpliciuscula* (Wight & Arn. ex Steud) Munro ex

Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelachyropsis lagopoides* (Burm.f.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coix aquatica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coix gigantea* Koen. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coix lacryma-jobi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cortaderia selloana* (Schultes) Asch. & Graebn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon citratus* (DC.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon coloratus* (Hook. f.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon flexuosus* (Nees ex Steud) Wats var. *coimbatorensis* Gupta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon martinii* (Roxb.) Wats. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon nardus* (L.) Rendle var. *nardus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon polyneuros* (Steud.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon travancorensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynodon arcuatus* J. S. Presl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynodon barberi* Rang & Tad. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynodon dactylon* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynodon plectostachyus* (Schum ex Engler) Pilger and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyrtococcum deccanense* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyrtococcum muricatum* (Retz.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyrtococcum patens* (L.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyrtococcum sparsicomum* (Nees ex Steud.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyrtococcum trigonum* (Retz.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dactylis glomerata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dactyloctenium aegyptium* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrocalamus strictus* (Roxb.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmostachya bipinnata* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichanthium annulatum* (Forssk.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichanthium aristatum* (Poir) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichanthium caricosum* (L.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichanthium foveolatum* (Del.) Roberty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichaetaria wightii* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria abludens* (Roem. & Schultes) Veldk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria bicornis* (Lam.) Roem. & Schultes ex Loud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria ciliaris* (Retz.) Koeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria duthieana* Henr. ex Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria griffithii* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria longiflora* (Retz.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria microbachne* (Presl) Henr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria radicata* (Presl) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria setigera* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria stricta* Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria ternata* (A. Rich) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria tomentosa* (Koen ex Willd.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria violascens* Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimeria acutipes* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimeria avenacea* (Retz.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimeria balakrishnaniana* K.Ravik., P.V. Sreek. & V. Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimeria fuscescens* Trin. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimeria kollimalayana* Mohanan & Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimeria lehmanii* (Nees ex Steud.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimeria orissae* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimeria ornithopoda* Trin. var. *ornithopoda* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimeria ornithopoda* Trin. var. *khasiana* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dinebra retroflexa* (Vahl) Panzer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diplachne malabarica* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa colona* (L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa crus - galli* (L.) P. Beauv var. *crus - galli* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa crus - galli* (L.) P. Beauv var. *brevisetata* (Doll) Neilr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa frumentacea* Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa oryzoides* (Ard.) Fritsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa picta* (J. Koen) Michael and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa stagnina* (Retz.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehrharta abyssinica* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleusine coracana* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleusine indica* (L.) Gaertn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elytrophorus spicatus* (Willd.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enteropogon monostachyos* (Vahl) Schum ex Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostiella bifaria* (Vahl) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostiella brachyphylla* (Stapf.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis aspera* (Jacq.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis cilianensis* (Al.) Vign. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis ciliaris* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis ciliata* (Roxb.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis coarctata* Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis curvula* (Schrader) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis dayanKalamnii* P. Ravichandran S.Krishnan N.P. Samson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis deccanensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis gangetica* (Roxb.) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis japonica* (Thunb.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis kiwuelsis* Jedwabn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis macilenta* (A. Rich) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis maderaspatana* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis minor* Host and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis nigra* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis nutans* (Retz.) Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis pilosa* P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis riparia* (Willd.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis rottleri* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis schweinfurthii* Chioe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis superba* Peyr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis tef* (Zucc.) Trotter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis tenella* (L.) P. Beauv ex Roem. & Schultes var. *tenella* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis tenuifolia* (A. Rich) Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis tremula* (Lam.) Hochst ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis unioides* (Retz.) Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis viscosa* (Retz.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eremochloa muricata* (Retz.) Hack and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eremopogon foveolatus* (Del.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriochloa procera* (Retz.) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriochrysis rangacharii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euchlaena mexicana* Fischer and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulalia phaeothrix* (Hack.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulalia trispicata* (Schultes) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulalia wightii* (Hook. f.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulaliopsis binata* (Retz.) C.E. Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Festuca ovina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Festuca undata* Stapf var. *aristata* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garnotia arundinacea* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garnotia courtallensis* (Arn. & Nees) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garnotia elata* (Arn. Ex Miq.) Janowski and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garnotia exaristata* Gould and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garnotia fergusonii* Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garnotia schmidii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garnotia tenella* (Arn. ex Miq.) Janowski and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glyceria spicata* Guss and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halopyrum mucronatum* (L.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helictotrichon polyneurum* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helictotrichon schmidii* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helictotrichon virescens* (Nees ex Steud.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemarthria compressa* (L.f.) R. Br. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heteropogon contortus* (L.) P Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heteropogon fischerianus* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heteropogon polystachyos* (Roxb.) Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hordeum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygroryza aristata* (Retz.) Nees ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenachne acutigluma* (Steud.) Gilliland and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ichnanthus vicinus* (Bailey) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Imperata cylindrica* (L.)Raeusch. var. major (Nees) Hubbard ex Hubbard & Vaughan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne angladei* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne bourneorum* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne deccanensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne dispar* Trin. var. *dispar* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne elegans* Dalz ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne globosa* (Thunb.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne miliacea* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne oreades* (Domin) Bor. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne pulchella* Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum commutatum* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum flumineum* Bor. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum indicum* (Houtt.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum nilagiricum* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum pilosum* (Klein ex Willd.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum rangacharianum* Ficher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum rugosum* Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum tadulingamii* Nair & Sreekumar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum timorense* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum zeylanicum* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iseilema anthephoroides* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iseilema jainiana* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iseilema laxum* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iseilema prostratum* (L.) Andersson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jansenella griffithiana* (C. Muell.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leersia hexandra* Sw. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptochloa chinensis* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptochloa neesii* (Thw.) Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptochloa obtusiflora* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptochloa panicea* (Retz.) Ohwl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptochloa uniflora* Hochst ex A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lolium perenne* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lolium temulentum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lophatherum gracile* Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lopholepis ornithocephala* (Hook.) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lophopogon tridentatus* (Roxb.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manisuris myuros* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melanocenchris jacquemontii* Jaub. & Spach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melanocenchris monoica* (Rottl.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melica scaberrima* (Nees ex Steud.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microchloa indica* (L.f.) Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microchloa kunthii* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microchloa kunthii* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microstegium ciliatum* (Trin.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microstegium nudum* (Trin.) A. Camus and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Miscanthus nepalensis* (Trin.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mnesithea granularis* (L.) de Koning & Sosef and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mnesithea laevis* (Retz.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myriostachya wightiana* (Nees ex Steud.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oclandra beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochlandra setigera* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochlandra travancorica* Benth ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiuros bombaiensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiuros exaltatus* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oplismenus burmannii* (Retz.) P. Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oplismenus compositus* (L.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oropetium thomaeum* (L.f.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza barthii* A. Chevali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza minuta* J. S. Presl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza officinalis* Wall ex Watt subsp *malampuzhaensis* (Krishnaswami & and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.Chandrasekaran) Tateoka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza rufipogon* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ottlochloa nodosa* (Kunth) Dandy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxytenanthera monadelphica* (Thw.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxytenanthera ritcheyi* (Munro) Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum antidotale* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum brevifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum fischeri* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum gardneri* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum maximum* Jacq. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum miliaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum notatum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum paludosum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum psilopodium* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum sparsicomum* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum sumatrense* Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum trypheron* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalidium flavidum* (Retz.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalidium geminatum* (Forssk.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalidium punctatum* (Burm.f.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum canarae* (Steud.) Veldk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum conjugatum* Berg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum dilatatum* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum distichum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum longifolium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum scrobiculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum vaginatum* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum americanum* (L.) Leeke. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum clandestinum* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum hohenackeri* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum pedicellatum* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum polystachyon* (L.) Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum purpureum* Schum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum villosum* R. Br. ex Fresen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Perotis indica* (L.) Kuntze var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Perotis indica* (L.) Kuntze var. *keelakaraiensis* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phalaris aquatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phalaris arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phalaris minor* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phragmites karka* (Retz.) Trin ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poa annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poa gamblei* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poa trivialis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogonatherum crinitum* (Thunb.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogonatherum paniceum* (Lam.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polypogon fugax* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pommereulla cornucopiae* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudanthistiria heteroclita* (Roxb.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudanthistiria umbellata* (Hack.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudechinolaena polystachya* (H.B.K.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudobrachiaria deflexa* (Schum.) Launert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudoraphis spinescens* (R. Br.) Veickery and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudosorghum fasciculare* (Roxb.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchelytrum repens* (Willd.) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rottboellia cochinchinensis* (Lour.) Clayton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum arundinaceum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum narenga* (Nees ex Steud.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum officinarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum spontaneum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sacciolepis curvata* (L.) Chase and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sacciolepis indica* (L.) Chase and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sacciolepis interrupta* (Willd.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sacciolepis myosuroides* (R. Br.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sehima nervosum* (Rottl.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sehima sulcatum* (Hack.) A. Camus and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria homonyma* (Steud.) Chiov. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria intermedia* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria italica* (L.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria palmifolia* (Koen.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria plicata* (Lam.) Cooke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria poiretiana* (Schultes) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria pumila* (Poir.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria sphacelata* (Schum.) Stapf & Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria verticillata* (L.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum arundinaceum* (Desv.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum bicolor* (L.) Moench. Meth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum cernuum* Host var. *orbiculatum* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum cernuum* Host var. *truchmenorum* (C.Koch) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum conspicuum* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum coriaceum* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum dimidiatum* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.)

Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum durra* (Forssk.) Stapf var. *coimbatoricum* (Burkill ex Benson & Subbarao) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum guineense* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum halepense* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum laxiflorum* F.M. Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum nitidum* (Vahl.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum roxburghii* Stapf var. *hians* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum versicolor* Anderss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spinifex littoreus* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spodiopogon rhizophorus* (Steud.) Pilger and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus capillaris* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus coromandelianus* (Retz.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus hajrae* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet &

Guedes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus maderaspatanus* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus piliferus* (Trin.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus spicatus* (Vahl.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus tenuissimus* (Schränk) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus tremulus* (Willd.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus virginicus* (L.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sporobolus wallichii* Munro ex Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenotaphrum dimidiatum* (L.) Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teinostachyum wightii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Themeda cymbaria* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Themeda quadrivalvis* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Themeda tremula* (Nees ex Steud.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Themeda triandra* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thysanolaena maxima* (Roxb.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachys muricata* (L.) Pers ex Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragus roxburghii* Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tripogon bromoides* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tripogon jacquemontii* Stapf and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tripogon lisboae* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tripogon pungens* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tripogon wightii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tripsacum laxum* Nash and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triticum aestivum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triticum dicoccum* Schubler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urochloa panicoides* P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vetiveria zizanioides* (L.) Nash and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vulpia bromoides* (L.) Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vulpia megalura* (Nutt.) Rydb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vulpia myuros* (L.) Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zea mays* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zenkeria elegans* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zenkeria sebastinei* Henry & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zenkeria stapfii* Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zoysia matrella* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zoysia pungens* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon schoenanthus* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon sorghum* BROT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andropogon squarrosus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Androsace rotundifolia* HARDW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aneilema conspicuum* KUNTH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aneilema lineolatum* KUNTH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aneilema nudiflorum* BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aneilema scapiflorum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aneilema tuberosum* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anemarrhena asphodeloides* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anemone falconeri* THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anemone narcissiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anemone obtusiloba* D.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anemone rivularis* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anemone rupicola* CAMB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anemone tetrasepala* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anemone vitifolia* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anethum foeniculum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anethum graveolens* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anethum sowa* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angelica archangelica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angelica archangelica* L. himalayana (C.B.CLARKE)BADHWAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angelica glauca* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angelica polymorpha* MAXIM. SINENSIS OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angelonia salicariaefolia* HUMB. & BONPL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angiopteris evecta* (FORST.) HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aniseia martinicensis* (JACQ.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus carnosus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus carnosus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisochilus eriocephalus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisomeles indica* (L.) O.KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisomeles malabarica* R.BR. EX SIMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisomeles ovata* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anisonema multiflorum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Annona cherimola* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Annona muricata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Annona reticulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Annona squamosa* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anodendron paniculatum* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anoetochilus regalis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anoetochilus roxburghii* BL. REGALIS (BL.) PRADHAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anoetochilus setaceus* (BLUME) LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anogeissus acuminata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anogeissus pendula* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anotis foetida* (DALZ.) BENTH.& HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anplectrum assamicum* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthemis cotula* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthemis gayana* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthemis nobilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthemis odontostephana* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthemis pyrethrum* GOUAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthocephalus cadamba* MIQ.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthocephalus indicus* A. RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthoxanthum odoratum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthriscus cerefolium* (L.) HOFFM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthriscus sylvestris* HOFFM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anthyrium filix-femina* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antiaris innoxia* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antiaris saccidora* DALZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antiaris toxicaria* (PERS.) LESCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anticharis glandulosa* ASCHERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma acidum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma buniis* (L.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma diandrum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma menasu* (TULASNE) MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antidesma zeylanicum* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antirrhinum cymbalaria* GUELLENST EX LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antirrhinum majus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antirrhinum orantium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apama siliquosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apama tomentosa* (BL.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aphanamixis polystachya* (WALL.) PARKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aphananthe cuspidata* (BL.) PLANCH. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apium graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apium leptophyllum* F.MUELL. EX.BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aplotaxis auriculata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apluda mutica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apluda varia* HACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apocynum foetidum* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apollonias arnottii* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aponogeton monostachyon* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aponogeton natans* (L.) ENGL. & KRAUSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aporosa dioica* (ROXB.) MUELL.- ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aporosa lindleyana* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aporosa octandra* (BUCH.- HAM. EX D. DON) VICK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aquilaria agallocha* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aquilaria malaccensis* LAM., NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aquilaria ovata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aquilegia fragrans* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aquilegia vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arabidopsis thaliana* (L.) HEYNH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arabis chinensis* ROTTLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arabis recta* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arabis tribetica* HK. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arachis hypogaea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arachne cordifolia* (DECNE) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aralia armata* SEEM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aralia cachemirica* DECNE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aralia pseudo-ginseng* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aralia quinquefolia* DECNE. & PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aralia racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arbutus unedo* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arceuthobium minutissimum* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Archangelica himalaica* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Archangelica officinalis* HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Archidendron clypearia* (JACK) NIELSEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Archidendron monadelphum* (ROXB.) NIELSEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arctium lappa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arctostaphylos uva ursi* SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia colorata* ROXB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia humilis* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia odontophylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia oxyphylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia solanacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Areca catechu* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Areca concinna* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Areca nagensis* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Areca triandra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arenaria serpyllifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arenga obtusifolia* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arenga pinnata* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arenga saccharifera* LABILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arenga wightii* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argemone alba* LESTIB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argemone mexicana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia aggregata* (ROXB.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia argentea* ARN. EX CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia cuneata* KER-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia daltonii* CLARKE IN HOOK.F. FL. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia fulgens* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia imbricata* (ROTH) SANT. & PATEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia involucrata* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia malabarica* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia nervosa* (BURM.F.) BOJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia petaloidea* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia pomacea* (ROXB.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia sericea* Dalz. & Gib. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyrea setosa* (ROXB.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyrea speciosa* SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aricennia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arikuryroba schizophylla* BECC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema alba* N. E. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema curvatum* KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema decipiens* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema flavum* (FORSK.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema jacquemontii* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema leschenaultii* BLUME and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema murrayi* (GRAHAM) HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema speciosum* (WALL.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema tortuosum* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema triphyllum* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arisaema wallichianum* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristida adscensionis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristida depressa* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristida humilis* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristida setacea* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia bracteata* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia bracteolata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia labiosa* KER.-GAWL.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia longa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia reticulata* NUTTAL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia rotunda* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia roxburghiana* KLOTZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia saccata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia serpentaria* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aristolochia tagala* CHAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Armoracia rusticana* GAERTN. MEY. & SCHERB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arnebia euchroma* (ROYLE) JOHN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arnebia guttata* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arnica montana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artabotrys odoratissimus* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artabotrys suaveolens* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artanema longifolia* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artanema longifolium* (L.) VATAKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artanema sesamoides* (VAHL) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia abrotanum* SAVI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia absinthium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia austriaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia biennis* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia brevifolia* WALL. EX DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia capillaris* THUNB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia cina* BERG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia dracunculus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia gmelinii* WEBER EX. STECHM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia indica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia japonica* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia macrocephala* JACQ. EX BESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia maderaspatana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia maritima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia moorcroftiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia nilagirica* (CLARKE) PAMP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia pallens* WALL. EX. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia persica* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia roxburghiana* BESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia sacrorum* LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia scoparia* WALDST.& KIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia sieversiana* EHRH. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia vestita* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia vulgaris* AUCT.NON L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthraxon nudus* (STEUD.) HOCHST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthrocnemum indicum* MOQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arthropphyllum blumeianum* ZOLL. & MOR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus chaplasha* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus communis* J. & G. FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus gomezianus* WALL. EX TREC. zeylanicus JANET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus heterophyllus* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus hirsutus* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus integra* (THUNB.) MERRILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus integrifolia* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artocarpus lakoocha* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arum campanulatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arum colocasia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arum macrorhizon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arum numphaeifolium* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aruncus dioicus* (WALTER) FERNALD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundina graminifolia* (D.DON) HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundinella nepalensis* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundo donax* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arundo karka* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asagraea officinalis* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asarum europaeum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asclepias asthmatica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asclepias curassavica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asclepias gigantea* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asclepias lactifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asclepias prolifera* ROTTLE EX W. AINSLIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asclepias volubilis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asclepias vomitoria* KOEN. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asechynanthus gracilis* PARISH EX CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aspalathus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus adscendens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus curillus* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus filicinus* BUCH.-HAM. EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus gonocladus* BAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus laevis* STEND. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus officinalis* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus punjabensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus racemosus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus rottleri* BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asparagus sarmentosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asperugo procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asphodelus fistulosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asphodelus tenuifolius* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aspidium polymorphum* (WALL.); BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium adiantoides* (L.) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium adiantum-nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium alternans* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium ceterach* L. *ceterach* Khullar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium dalhousiae* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium falcatum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium furcatum* THUMB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium laciniatum* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium nidus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium parasiticum* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium polyodon* G. FORSTER and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium ruta-muraria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium septentrionale* HOFFM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium trichomanes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asplenium viride* HUDSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aster amellus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aster asteroides* (DC.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aster falconeri* HUTCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aster indamellus* GRIERSON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aster tibeticus* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aster trinervius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asteracantha longifolia* (L.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asteriastigma macrocarpa* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astilbe rivularis* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astraeus hygrometricus* (PERS.) MORG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus aegacanthoides* PARKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus candolleanus* ROYLE EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus ciliolatus* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus graveolens* BUCH.-HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus hamosus* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus heratensis* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus himalayanus* KLOTZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus jacquemontii* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus multiceps* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus munori* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus nivalis* KAR. & KIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus psilocentrus* FISCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus rhizanthus* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus sarcocolla* DYMOCK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus strobiliferus* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus tribuloides* DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Astragalus verus* OSKIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asystasia coromandeliana* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asystasia dalzelliana* SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asystasia gangetica* (L.) T. ANDERSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asystasia violacea* DALZ. EX CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atalantia monophylla* CORR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atalantia racemosa* WIGHT & ARN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Athyrium filix-femina* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Athyrium hohenackerianum* BEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Athyrium puncticaule* (BL.) MOORE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Athyrium schimperi* (FEE) MOUG. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atriplex hortensis* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atropa acuminata* ROYLE EX LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atropa belladonna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atylosia barbata* (BENTH.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atylosia candollei* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atylosia goensis* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atylosia lineata* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atylosia mollis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atylosia platycarpa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atylosia scarabeoides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atylosia volubilis* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Auricularia sambucina* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avena fatua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avena sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Averrhoa acida* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Averrhoa bilimbi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Averrhoa carambola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avicennia alba* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avicennia marina* (FORSK.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avicennia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Avicennia tomentosa* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Azanza lampas* (CAV.) ALEF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Azima tetracantha* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Baccaurea ramiflora* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanites aegyptiaca* (L.) DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanites roxburghii* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanocarpus utilis* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanophora dioica* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanophora fungosa* J.R. & G. FORST. indica (ARN.) Hans. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanophora involucrata* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanophora polyandra* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Baliospermum axillare* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Baliospermum calycinum* MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Baliospermum montanum* (WILLD.) MUELL.-ARG. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Baliospermum sinuatum* MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Baliospermum solanifolium* (J.BURM.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balsamodendron agallocha* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balsamodendron kataf* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balsamodendron mukul* HOOK. EX STOCKS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balsamodendron myrrha* N.& E. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balsamodendron stocksiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bambusa arundinacea* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bambusa balcooa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bambusa bambos* DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bambusa nana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bambusa nutans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bambusa oSkiniana* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bambusa tulda* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bambusa vulgaris* SCHRAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barbarea vulgaris* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria acanthoides* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria acuminata* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria buxifolia* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria courtallica* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria cuspidata* HEYNE EX. NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria involucrata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria longiflora* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria longifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria lupulina* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria montana* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria mysorensis* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria noctiflora* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria prattensis* SANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria prionitis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria strigosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barringtonia acutangula* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barringtonia asiatica* (L.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barringtonia racemosa* (L.) K.SPENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barringtonia speciosa* FORST. CHAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Basella alba* L. *rubra* (L.) STEWART and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Basella alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Basella cordifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Basella rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Basilicum polystachyon* (L.) MOENCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bassia butyracea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bassia latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bassia longifolia* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bassia malabarica* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia acuminata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia candida* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia diphylla* BUCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia macrostachya* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia malabarica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia phoenicea* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia phoenicea* HEYNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia racemosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia retusa* HAM. EX. ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia roxburghiana* VOIGT and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia rufescens* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia scandens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia tenuiflora* WATT EX CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia vahlii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia wallichii* MACBRIDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia cathcartii* J.D. HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia hatacoa* BUCH.-HAM. EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia inflata* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia josephii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia laciniata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia luxurians* SCHEIDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia malabarica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia palmata* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia picta* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia rex* PUTZEYS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia rubro-venia* HK. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia thomsonii* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nripaticum Kalam chinensis* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Benincasa cerifera* SAVI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Benincasa hispida* (THUNB.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Benkara malabarica* (LAM.) TIRVENGADUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bentinckia condapanna* BERRY EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis aristata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis asiatica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis chitria* EDWARDS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis insignis* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis jaeschkeana* SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis kashmiriana* AHRENDT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis kumaoensis* SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis lamberti* PARKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis lycium* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis nepalensis* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis pachyacantha* JAFRI *zabeliana* JAFRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis petiolaris* WALL. EX G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis pseudumbellata* PARKER. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis tinctoria* LESCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis ulicina* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis umbellata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis wallichiana* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berchemia lineata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergenia ciliata* (HOW.) STERN. fa ligulata and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergenia ciliata* (HOW.) STERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergenia ligulata* SENSU BAILEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergenia purpurascens* (HOOK.F. & TH.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergenia stracheyi* (HOOK.F.& THOMS.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergenia koenigii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergia capensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergia odorata* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergia suffruticosa* (DEL.) FENZL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Beta benghalensis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Beta maritima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Beta vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Betula alnoides* BUCH.-HAM. EX DON and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Betula bhojpatra* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Betula utilis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bidens biternata* (LOUR.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bidens cernua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bidens pilosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bidens tripartita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biebersteinia odora* STEPH. EX FISH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bignonia chelonoides* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bignonia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bignonia longifolia* (WILLD.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum apodisciac* TUREZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum candolleianum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum nervifolium* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum petersianum* KLOTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum sensitivum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bischofia javanica* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bistorta amplexicaulis* GREENE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bixa orellana* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blastania garcini* COG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blechnum orientale* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blechnum spicant* (L.) WITH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharis boerhaviifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharis edulis* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharis linariaefolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharis persica* (BURM.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharispermum subsessile* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharistemma serratum* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blighia sapida* KOEN. & SIMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea aurita* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea balsamifera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea densiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea erientha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea fistulosa* (ROXB.) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea hieracifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea lacera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea laciniata* (ROXB.) DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea lanceolaria* (ROXB.) DRUCE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea membranacea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea mollis* (D.DON) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea myriocephala* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea obliqua* DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea oxyodonta* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea pubigeru* (L.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea riparia* (BLUME) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea sessiliflora* DECNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea wightiana* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumeopsis falcata* (D.DON) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumeopsis flava* (DC.) GAGNEP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bocagea dalzellii* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boehmeria macrophylla* HORN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boehmeria nivea* (L.) GAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boehmeria repens* NEES & MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX

MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boerhavia diffusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boerhavia erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boerhavia repKalam* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boerhavia repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boerhavia verticillata* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boesenbergia rotunda* (L.) MANSF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boletus crocatus* BATSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bombax ceiba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bombax cibaricum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bombax insigne* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bombax malabaricum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bombax pentandrum* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bongardia chrysogonum* (L.) SPACH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bongardia rauwolfii* C.A.MEY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bonnaya oppositifolia* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bonnaya reptans* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Borago officinalis* L. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Borassus flabellifer* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Borassus flabelliformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Borreria articularis* (L.F.) WILLIAMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Borreria hispida* (L.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Borreria pusilla* (WALL) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bosea amherstiana* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boswellia carteri* BIRDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boswellia frereana* BIRDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boswellia glabra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boswellia ovalifoliolata* BAL & HENRY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boswellia serrata* ROXB. *glabra* (ROXB.) BENNETT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boswellia serrata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boswellia thurifera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Botrychium lunaria* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Botrychium ternatum* (THUNB.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Botrychium virginianum* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boucerosia aucheriana* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bougainvillea spectabilis* WILLD. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria ramosa* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachyactis roylei* WEND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bragantia tomentosa* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bragantia wallichii* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brasenia sachreberi* J.F. GMEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brasenia schreberi* J.F. GMEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassaiopsis glomerulata* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica alba* (L.) RABENH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica campestris* L. *glauca* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica campestris* L. *rapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica campestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica cernua* (THUNB.) FORBES & HEMSLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica integrifolia* (WEST) SCHULZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica juncea* (L.) CZERN. *integrifolia* (WEST) SINSKAJA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica juncea* (L.) CZERN. SSP. *JUNCEA* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica napus* L. *dichotoma* (ROXB.) PRAIN and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica napus* L. *glauc*a (ROXB.) SCHULZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica nigra* (L.) KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica nigra* (L.) KOCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica oleracea* L. *capitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica oleracea* L. *gongylodes* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica rapa* L. *campestris* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica tournefortii* GOUAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Breea arvensis* (L.) LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Breynia patens* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Breynia retusa* (DENNST.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Breynia rhamnoides* MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Breynia vitis-idaea* (BURM.F.) FISCHER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia crenulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia montana* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia retusa* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia scandens* (ROXB.) WILLD, and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia squamosa* (LAM.) GEHRM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia stipularis* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bridelia tomentosa* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bromelia ananas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bromus unioloides* H.B.N.NOV. GEN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Broussonetia papyrifera* (L.) VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brucea javanica* (L.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brucea mollis* WALL. EX KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bruguiera cylindrica* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bruguiera gymnorhiza* (L.) SOVIGY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brunfelsia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brunfelsia calycina* BENTH. *MACRANTHA RAFFILL* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bruxanellia indica* DENNST. *EX KOSTEL*. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryonia epigoea* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryonia grandis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryonia laciniosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryonia rostrata* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryonia scaber* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryonia umbellata* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryonopsis laciniosa* NAUD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryophyllum calicynum* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryophyllum pinnatum* (LAM.) OKEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryum bicolor* DICKSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buchanania angustifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buchanania axillaris* (DESR.) RAMAMOORTHY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buchanania angustifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buchanania latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buddleja asiatica* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buddleja davidii* FRANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buddleja macrostachys* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buddleja neemda* HAM. EX ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buettneria herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum congestum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum neilgherrense* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbophyllum sterile* (LAM.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bulbostylis barbata* (ROTTB.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bunium persicum* (BOISS.) FEDT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bupleurum falcatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bupleurum jucundum* KURZ and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bupleurum lanceolatum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bupleurum longicaule* WALL. EX DC. himalayense (KI.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bupleurum setaceum* FENZL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bupleurum thompsoni* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bursera serrata* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Butea buteiformis* (VOIGT) GRIERSON & LONG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Butea frondosa* ROXB. ET KOEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Butea monosperma* (LAM.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Butea parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Butea superba* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Butia yatay* (MART.) BECC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buxus sempervirens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buxus wallichiana* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bytneria Kalammanensis* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bytneria herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bytneria pilosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cacalia pentaloba* HAND.-MAZZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cacalia sonchifolia* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caccinia crassifolia* O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cachrys pabularia* (LINDL.) HERRNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cactus ficus-indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cadaba farinosa* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cadaba fruticosa* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cadaba indica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cadaba trifoliata* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia bonduc* (L.) ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia bonducella* (L.) FLEMING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia coriaria* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia crista* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia cuculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia decapetala* (ROTH) ALSTON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia digyna* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia jayabo* NAZA. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia mimosoides* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia nuga* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia paniculata* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia pulcherrima* (L.) SW. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia sappan* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia sepiaria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia spicata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesulia axillaris* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cajanus bicolor* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cajanus cajan* (L.) MILLSP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cajanus indicus* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calacanthus grandiflorus* (DALZ.) RADLK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caladium bicolor* VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caladium sagittaeifolium* SUBER. EX ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamintha clinopodium* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamintha umbrosa* FISH. & MEY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus draco* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus erectus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus extensus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus huegelianus* MART, and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus latifolius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus rheedei* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus rotang* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus tenuis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus thwaitesii* BECC. *canaranus* Becc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus travancoricus* BEDD. EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calamus viminalis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calanthe masuca* (D.DON) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calanthe sylvatica* (THOU.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calanthe triplicata* (WILLEM.) AMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calendula arvensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calendula officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callicarpa arborea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callicarpa cana* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callicarpa lanata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callicarpa longifolia* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callicarpa macrophylla* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callicarpa psilocalyx* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callicarpa rubella* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callicarpa tomentosa* (L.) MURRAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calligonum polygonoides* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callistemon lanceolatus* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callitris inophyllum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calonyction bona-nox* BOJER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calonyction muricatum* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calophyllum apetalum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calophyllum calaba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calophyllum elatum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calophyllum inophyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calosanthus indica* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calotropis gigantea* (L.) R.BR. alba and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calotropis gigantea* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calotropis procera* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caltha alba* CAMB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caltha palustris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calycopteris floribunda* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calyptanthus caryophyllifolia* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calyptanthus jambolana* MOON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Camellia kissi* WALL. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Camellia sinensis* (L.) O.KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Camellia thea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campanula colorata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Camphora officinarum* NEES. EX WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campsis grandiflora* (THUNB.)SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campsis radicans* (LINN.) SEEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cananga odorata* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canarium odoratum* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canarium bengalense* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canarium commune* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canarium euphyllum* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canarium resiniferum* BRUCE EX KING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canarium strictum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canarium vulgare* LEENH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canavalia ensiformis* SENSU BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canavalia gladiata* (JACQ.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canavalia lineata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canavalia rosea* (SW.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canavalia virosa* (ROXB.) WIGHT & ARN. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canella alba* Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canella winterana* (L.) GAERTNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canna coccinea* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canna indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canna orientalis* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cannabis indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cannabis sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canscora decussata* SCHULTES & SCHULTES.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canscora diffusa* (VAHL) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canscora perfoliata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cansjera rheedi* J.F. GMELIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium angustifolium* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium coromandelicum* (N.BURM.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium dicoccum* (GAERTN.) TEIJSM. & BINN. *dicoccum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium parviflorum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium rheedei* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium umbellatum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caoxylon indicum* (BL.) HASSK. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis aphylla* ROTH. NOV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis assamica* HK. F. & TH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis bisperma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis corundas* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis decidua* (FORSK.) EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis diffusa* RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis divaricata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis grandis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis heyneana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis horrida* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis micrantha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis moonii* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis olacifolia* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis pedunculosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis rheedii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis sepiaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis zeylanica* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capsella bursa-pastoris* MEDIC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capsella thomsoni* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capsicum annuum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capsicum festigiatum* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capsicum frutescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capsicum grossum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capsicum minimum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caragana crassicaulis* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caragana cuneata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caragana pygmaea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carallia brachiata* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carallia integerrima* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma adscendens* (ROXB.) HAW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma attenuata* WT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma edulis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma tuberculata* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma umbellata* HAW. SYN. PL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carapa granatum* (KOENIG) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carapa gromatum* (KOENIG) ALSTON and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carapa moluccensis* LAM. EXCYCL. METH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carapa obovata* BL. BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardamine impatiens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardamine loxostemonoides* O.E. SCHULZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardamine pratensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardamine scutata* THUNB. flexuosa (WITH.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardanthera uliginosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardaria draba* (L.) DESV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardiocrinum giganteum* (WALL.) MAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardiospermum canescens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardiospermum halicacabum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carduus edelbergii* RECH.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carduus gigas* UCRIA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carduus nutans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex atrata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex cernua* BOOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex nivalis* BOOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex notha* KUNTH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carex nubigena* D.DON NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Careya arborea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Careya herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carica cKalammarcensis* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carica papaya* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa carKalam* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa congesta* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa opaca* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa paucinervia* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa spinarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carmona microphylla* (LAM.) G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carmona retusa* (VAHL) MASAMUNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carpesium abrotanoides* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carpesium cernuum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carpopogon pruriens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carthamus lanatus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carthamus oxyacantha* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carthamus tinctorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carum bulbocastanum* Auct. Non Koch: C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carum carvi* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carum copticum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carum roxburghianum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carum strictocarpum* C.B.CLARK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caryophyllus aromaticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caryopteris odorata* ROBIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caryota mitis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caryota urens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *CascaNri Pati thevetia* (L.) LIPPOLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia elliptica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia esculenta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia esculenta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia graveolens* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia ovata* (LAM.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia tomentosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia vareca* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia zeylanica* (GAERTN.) RHW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia absus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia acutifolia* DELILE and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia alata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia angustifolia* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia arborea* MACFAD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia auriculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia didymobotrya* FRESEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia elongata* LEMAIRE - LIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia fistula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia fistula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia glauca* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia italica* (MILL.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia javanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia kleinii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia laevigata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia lanceolata* COLLAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia marginata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia mimosoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia montana* HEYNE EX. ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia obovata* COLLOD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia obtusifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia occidentalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia pumila* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia senna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia siamea* LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia sophera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia surattensis* BRUN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia tora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia uniflora* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassine glauca* (ROTTB.) O.KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassiope fastigiata* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassytha filiformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Castanea sativa* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Castanopsis indica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Castanopsis tribuloides* A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Castanospermum australe* A. CUNN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casuarina equisetifolia* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catha edulis* FORSK. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catharanthus pusillus* (MURR.) G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catharanthus roseus* (L.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catimbium malaccense* (BURM.F.) HOLTTUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catimbium speciosum* (WENDL.) HOLTTUM NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catunaregam rugulosa* (THW.) TIRUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catunaregam uliginosa* (RETZ.) SIVARAJAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catunaregam spinosa* (THUNB.) TIRVENGADUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caulophyllum thalictroides* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia auriculata* (ROXB.) GAMBLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia carnosa* (WALL.) GAGNEP. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia mollissima* (WALL.) GAGNEP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia pedata* (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia pedata* JUSS. EX GAGNEPAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia trifolia* (L.) DOMIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cedrela serrata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cedrela toona* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cedrus deodara* (ROXB.) LOUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cedrus libani* BARREL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cedrus libani* BARREL deodara HOOK. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceiba pentandra* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celastrus paniculatus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celosia argentea* L. *cristata* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celosia argentea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celosia cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celosia cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celsia coromandeliana* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis australis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis cinnamomea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis philippensis* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis tetrandra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis timorensis* SPAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celtis wightii* PLANCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cenchrus barbatus* SCHUM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cenchrus biflorus* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cenchrus ciliaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centaurea behen* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centaurea calcitrapa* L. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centaurea cyanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centaurea iberica* TREV. EX SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centaurea picris* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centaurea solstitialis* ASSO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centaurea centaurioides* (ROXB.) ROLLA RAO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centaurea roxburghii* (G.DON) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centella asiatica* (L.) URBAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centipeda minima* (L.) A.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centipeda orbicularis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centranthera grandiflora* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centranthera indica* (L.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centratherum anthelminticum* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centrosema pubescens* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centrostachys aquatica* (R.BR.) WALL.EX MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cepa alba* RENAULT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cepa flava* MOENCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cephaelis ipecacuanha* RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cephalandra indica* NAUDIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cephalanthera ensifolia* RICH. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cephalanthera longifolia* (L.) FRITZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cephalostachyum capitatum* MUNRO NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cephalostachyum pergracile* MUNRO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cephalotaxus griffithi* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerastium cerastoides* (L.) BRITH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerastium fontanum* BAUMG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerastium glomeratum* THUILL.FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerastium indicum* THUILL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerastium thomsoni* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerastium vulgatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerasus hexagonus* MILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceratocephalus falcatus* (L.) PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceratonia siliqua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceratophyllum demersum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceratopteris siliquosa* COPELAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceratopteris thalictroides* (L.) BRONGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerbera manghas* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerbera odollam* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cereus grandiflorus* MILL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceriops candolleana* ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceriops roxburghiana* ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceriops tagal* C.B. ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceriscoides turgida* (ROXB.) TIRUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia bulbosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia candelabrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia hirsuta* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia juncea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia tuberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cestrum diurnum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cestrum nocturnum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cestrum parqui* L'HERIT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceterach officinarum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chaerophyllum acuminatum* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chaerophyllum villosum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chamaemelum nobile* (L.) ALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chamaerops ritchieana* GRIFF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Champereia griffithii* PLANCH. EX KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Champereia manillana* (BL.) MORR. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chasallia chartacea* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chassalia chartacea* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chassalia chartacea* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxyloides* (WALL.) DEB & KRISHNA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chassalia ophioxyloides* (WALL.) CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chavica betle* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chavica roxburghii* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cheilanthes albomarginata* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cheilanthes farinosa* (FORST.) KAULF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cheilanthes fragrans* (L.F.) SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cheilanthes rufa* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cheilanthes tenuifolia* (N.BURM.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cheiranthus cheiri* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium ambrosioides* BERT. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium blitum* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium botrys* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chenopodium murale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chesneya nubigena* (D.DON)ALI and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthemum segetum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cichorium endivia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cichorium intybus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L. Chen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conyza aegyptiaca* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conyza bonariensis* (L.) Cronquist and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conyza japonica* (Thunb.) Less. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conyza leucantha* (D.Don) Ludlow & Raven and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conyza stricta* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coreopsis grandiflora* Nutt. ex Chapm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coreopsis tinctoria* Nutt var. *tinctoria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cosmos caudatus* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cosmos sulphureus* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crassocephalum crepidioides* (Benth.) S. Moore and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dahlia coccinea* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dahlia imperialis* Roze ex E. Ortgies and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendranthema x grandiflorum* (Ramat.) Kitam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichrocephala chrysanthemifolia* (Blume) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichrocephala integrifolia* (L.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicoma tomentosa* Cass. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinops echinatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eclipta prostrata* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elephantopus scaber* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Emilia coccinea* (Sims) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Emilia javanica* (Burm.f.) C. Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Emilia ramulosa* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Emilia scabra* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Emilia sonchifolia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Emilia zeylanica* Clarke var. *zeylanica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Emilia zeylanica* Clarke var. *paludosa* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epaltes divaricata* (L.) Cass. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epaltes pygmaea* DC. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron canadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron karvinskianus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron multiradiatus* (DC.) C. B. Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron sublyratus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eupatorium ianthinum* Hemsl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eupatorium repandum* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Filago arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flaveria contrayerba* Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flaveria trinervia* (Spreng.) C. Mohr and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gaillardia pulchella* Foug. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galinsoga parviflora* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galinsoga quadriradiata* Ruiz. & Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gamochaeta coarctata* (Willd.) M. Kerguelen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gamochaeta pensylvanica* (Willd.) Cavrera and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gamochaeta purpurea* (L.) Cavrera and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gazania linearis* (Thunb.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gerbera jamesonii* Bolus ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glossocardia bosvallea* (L.f.) DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glossogyne bidens* (Retz.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnaphalium hypoleucum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnaphalium luteo-album* L. subsp. *luteo-album* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnaphalium polycaulon* Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goniocaulon indicum* (Klein ex Willd.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grangea maderaspatana* (L.) Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Guizotia abyssinica* (L.f.) Cass. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynura aurantiaca* (Blume) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynura bicolor* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynura lycopersicifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynura nitida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynura pseudo-china* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynura travancorica* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helianthus annuus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helianthus debilis* Nutt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helianthus tuberosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helichrysum buddleioides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helichrysum perlanigerum* Gamble and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helichrysum wightii* Clarke ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helipterum citrinum* Harv. & Sond. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helipterum roseum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypochoeris glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypochoeris radicata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kleinia grandiflora* (Wall. ex DC.) Rani and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca hastata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagascea mollis* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laggetera crispata* (Vahl) Hepper & Wood and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea acaulis* (Roxb.) Babc. ex Kerr and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea intybacea* (Jacq.) Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Montanoa bipinnatifida* C. Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moonia heterophylla* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myriactis wightii* DC. var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Notonia shevaroyensis* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Notonia walkeri* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olearia cassiniae* F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oligochaeta ramosa* (Roxb.) Wagenitz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osteospermum ecklonis* (DC.) Norl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osteospermum moniliferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parthenium hysterophorus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentanema cernuum* (Dalzell) Ling and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentanema indicum* (L.) Ling and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllocephalum courtallense* (Wight) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllocephalum indicum* (Less.) Kirkman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllocephalum phyllolaenum* (DC.) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllocephalum rangacharii* (Gamble) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllocephalum scabridum* (DC.) Kirkman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllocephalum sengaltherianum* (Narayana) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Picris hieracioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pluchea tomentosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Proustia pyrifolia* Lagasca and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pulicaria angustifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pulicaria wightiana* (DC.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rudbeckia maxima* Nutt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Santolina chamaecyparissus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sclerocarpus africanus* Jacq.ex Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio ansteadii* Tad. & Jacob and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio articulatus* (Haw.) Sch.-Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio calcadensis* Ramaswami and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio candicans* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio cineraria* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio confusus* Elmer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio edgeworthii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio intermedius* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio kundaicus* Fishcher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio lavandulaefolius* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio lawsonii* Gamble and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio lessingianus* (Wight & Arn.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio ludens* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio neelgherryanus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio polycephalus* (DC.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio tenuifolius* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio wightii* (DC.) Benth. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio zeylanicus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sigesbeckia orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Silybum marianum* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solidago canadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solidago gigantea* Aiton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solidago microglossa* Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solidago nemoralis* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solidago virga-aurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonchus asper* (L.) Hill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonchus jainii* Chandrabose, Chandrasekaran & Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonchus oleraceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonchus wightianus* DC and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaeranthus africanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaeranthus amaranthoides* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaeranthus indicus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spilanthes calva* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spilanthes radicans* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spilanthes uliginosa* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stokesia laevis* (Hill) Greene and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Struchium sparganophorum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Synedrella nodiflora* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tagetes erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tagetes lucida* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tagetes minuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tagetes patula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum parthenium* (L.) Sch. bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taraxacum javanicum* Soest and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taraxacum officinale* Weber and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum cinerariaefolium* Sch.Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tithonia diversifolia* (Hemsl.) A. Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tricholepis radicans* (Roxb.) DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tridax procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia albicans* Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia anamallica* Bedd. ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia anthelmintica* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia arborea* Buch.-Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia bourneana* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia cinerascens* Sch.-Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia cinerea* (L.) Less. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia comorinensis* W.W.Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia conyzoides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia dalzelliana* Drumm. & Hutchinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia divergens* (Roxb.) Edgew. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia elaeagnifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia fysonii* Calder and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia gossypina* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia heynei* Bedd. ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia indica* Clarke and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia malabarica* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia membranacea* Bedd. ex S. Moore and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia monosis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia pectiniformis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia pothigaiana* Chelladurai & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia ramaswamii* Hutchinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia recurva* Bedd. ex S. Moore and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia salvifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia setigera* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia shevaroyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia travancorica* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vittadinia australis* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wedelia chinensis* (Osbeck) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wedelia trilobata* (L.) A. Hitchc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wedelia urticaefolia* (Blume) DC. var. *wightii* DC and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xanthium indicum* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Youngia fuscipappa* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Youngia japonica* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Youngia nilgiriensis* Babt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zinnia elegans* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scaevola plumieri* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scaevola sericea* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asyneuma fulgens* (Wall.) Briq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campanula alphonisii* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campanula benthamii* Wall. ex Kitam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campanula drabifolia* Sibth. & Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campanula latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campanula medium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campanula ramulosa* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campanula rapunculoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campanula wightii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laurentia longiflora* (L.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wahlenbergia marginata* (Thunb.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia alsinoides* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia angulata* Forst.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia chinensis* Lour and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia courtallensis* K.K.N.Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia heyneana* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia leschenaultiana* (Presl) Skottsb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphenoclea zeylanica* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vaccinium leschenaultii* Wight var. *leschenaultii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vaccinium neilgherrense* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arbutus unedo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calluna vulgaris* (L.) Hull and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erica arborea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erica vagans* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gaultheria fragrantissima* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron indicum* (L.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron mucronatum* G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron ponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron simsii* Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clethra arborea* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limonium sinuatum* (L.) Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumbago auriculata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumbago indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumbago zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anagallis arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anagallis pumila* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lysimachia leschenaultii* Duby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lysimachia procumbens* Baudo and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aegiceras corniculatus* (L.) Blanco and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antistrophe serratifolia* (Bedd.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia amplexicaulis* Bedd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia blatteri* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia littoralis* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia missionis* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia pauciflora* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia rhomboidea* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia solanacea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ardisia sonchifolia* Mez and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embelia adnata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embelia basaal* (Roem. & Schultes) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embelia gardneriana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embelia ribes* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maesa indica* (Roxb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrsine wightiana* Wall. ex. A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rapanea daphnoides* Mez and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rapanea thwaitesii* Mez and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jacquinia barbasco* (Loefl.) Mez and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jacquinia aculeata* Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysophyllum cainito* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysophyllum roxburghii* G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isonandra lanceolata* Wight forma *lanceolata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isonandra montana* (Thw.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isonandra perrottetiana* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isonandra stocksii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Madhuca indica* J. F. Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Madhuca longifolia* (Koen.) Macbr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Madhuca neriifolia* (Moon) H.J. Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manilkara hexandra* (Roxb.) Dubard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manilkara roxburghiana* (Wight) Dubard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manilkara zapota* (L.) P. Royen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimusops elengi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Palaquium bourdillonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Palaquium ellipticum* (Dalz.) Baillon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros affinis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros assimilis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros barberi* Ramaswami and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros bourdillonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros buxifolia* (Blume) Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros candolleana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros chloroxylon* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros cordifolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros ebenum* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros foliolosa* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros humilis* Bourd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros insignis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros malabarica* (Desr.) Kostel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros melanoxylon* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros montana* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros nigresens* Roxb. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros nilgirica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros oocarpa* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros paniculata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros pruriens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros racemosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros sylvatica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros walkeri* (Wight) Guerke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos anamallayana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos authilingomii* Henry & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos foliosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos monantha* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos nairii* Henry, Gopalan & Swamin. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos obtusa* Wall. ex G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos oligandra* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos pendula* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos pulchra* Wight subsp. *pulchra* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos pulchra* Wight subsp. *coriacea* Gopalan & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos racemosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos wynadense* (Kuntze) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionanthus linocieroides* (Wight) Bennet & Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionanthus macrophylla* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionanthus mala-elengi* (Dennst.) P.S. Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionanthus ramiflorus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionanthus zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum arborescens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum auriculatum* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum azoricum* L. var. *azoricum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum azoricum* L. var. *travancorense* (Gamble) Mohanan

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum bignoniaceum* Wall. ex G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum brevifolium* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum calophyllum* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum cordifolium* Wall. ex G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum cuspidatum* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum grandiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum malabaricum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum mesnyi* Hance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum multiflorum* (Burm.f.) Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum polyanthum* Franch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum ritchiei* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum rottlerianum* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum sambac* (L.) Ait. var. *sambac* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum scandens* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum trichotomum* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum wightii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum decaisnei* Clarke var. *decaisnei* and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum gamblei* Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum lucidum* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum perrottetii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum robustum* (Roxb.) Blume subsp. *walkeri* (Decne.) P.S. Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum travancoricum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myxopyrum serratum* A.W. Hill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olea dioica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olea paniculata* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olea polygama* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schrebera swietenoides* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nyctanthes arbor-tristis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Azima tetracantha* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvadora persica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenium obesum* Roem & Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aganosma cymosa* (Roxb.) G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aganosma dichotoma* (Roth) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *AllamKalam cathartica* L. var. *nobilis* Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *AllamKalam violacea* Gardn. & Field and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alstonia scholaris* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alstonia venenata* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anodendron paniculatum* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Beaumontia grandiflora* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Beaumontia jerdoniana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa carKalam* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa congesta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa grandiflora* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa hirsuta* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa inermis* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa paucinervia* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa salicina* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carissa spinarum* L. var. *spinarum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catharanthus pusillus* (Murr.) G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catharanthus roseus* (L.) G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerbera odollam* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chonemorpha fragrans* (Moon) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ellertonia rheedii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Funtumia africana* (Benth.) Stapf and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ichnocarpus frutescens* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mandevilla laxa* (Ruiz & Pavon) Woodson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nerium oleander* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parsonsia alboflavescens* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumeria obtusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumeria rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia hookeri* Srinivasan & Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia micrantha* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia serpentina* (L.) Benth. ex Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia tetraphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia verticillata* (Lour.) Baill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strophanthus wightianus* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana divaricata* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana gamblei* Subram. & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana heyneana* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thevetia peruviana* K.Schum and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vallisneria spiralis* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vinca major* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Voacanga grandiflora* (Miq.) Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wrightia arborea* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wrightia indica* Ngan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asclepias curassavica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachystelma bourneae* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachystelma brevitubulatum* (Bedd.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachystelma maculatum* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brachystelma rangacharii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calotropis gigantea* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calotropis procera* (Ait.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma bhupinderana* Sarkaria and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma diffusa* (Wight) N.E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma indica* (Wight & Arn.) N.E. Br. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma nilagiriana* Kumari & Subba Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma pauciflora* (Wight) N.E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma procumbens* Grav. & Mayuranathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma stalagmifera* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caralluma umbellata* Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia barnesii* Bruce & Chatterjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia bulbosa* Roxb. var. *bulbosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia candelabrum* L. var. *candelabrum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia ciliata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia decaisneana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia elegans* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia ensifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia fimbriifera* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia hirsuta* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia intermedia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia juncea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia maculata* Bedd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia mannarana* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia metziana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia oculata* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia omissa* Huber and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia pusilla* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia spiralis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceropegia thwaitesii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cosmostigma racemosum* (Roxb.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynanchum alatum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynanchum callialatum* Buch.-Ham. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynanchum tunicatum* (Retz.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphocarpus fruticosus* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphocarpus physocarpus* E. Meyer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema alterniflorum* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema elegans* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema hirsutum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f.

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema tingens* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heterostemma tanjorensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holastemma ada-kodien* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya alexicaca* (Jacq.) Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya kanyakumariana* Henry & Swamin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya ovalifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya pauciflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya wightii* Hook.f. subsp. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptadenia reticulata* (Retz.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsdenia brunoniana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsdenia tenacissima* (Roxb.) Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsdenia tirunelvelica* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentatropis capensis* (L.f.) Bullock and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pergularia daemia* (Forrsk.) Chiov. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Raphionacme purpurea* Harv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma acidum* (Roxb.) Voigt and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma brunonianum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma intermedium* Decne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma secamone* (L.) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Secamone emetica* (Retz.) R.Br. ex Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stapelia gigantea* N.E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stapelia grandiflora* Masson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Telosma minor* (Andr.) Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Telosma pallida* (Roxb.) Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toxocarpus beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toxocarpus kleinii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toxocarpus palghatensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora cappariifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora indica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora macrantha* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora mollissima* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora multiflora* (Wight & Arn.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora pauciflora* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora rotundifolia* Buch.-Ham. ex Wight and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora subramanii* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora tertrapetala* (Dennst.) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora zeylanica* Decne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wattakaka volubilis* (L.f.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptolepis buchananii* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptolepis grandiflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptostegia grandiflora* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Decalepis hamiltonii* Wight & Arn. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Decalepis arayalpathra* Joseph & Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utleria salicifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagraea ceilanica* Thub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardneria ovata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mitrasacme indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spigelia anthelmia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos lenticellata* Hill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos minor* Dennst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos nux-vomica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos potatorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos vanprukii* Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos wallichiana* Steud. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buddleja asiatica* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buddleja davidii* Franch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buddleja madagascariensis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buddleja volubilis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canscora decurrens* Dalz. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canscora decussata* (Roxb.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canscora heteroclita* (L.) Gilg and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canscora perfoliata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canscora roxburghii* Arn. ex Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enicostema axillare* (Lam.) Raynal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum anamallayanam* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum atropurpureum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum courtallense* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum grande* Klack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum lawii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum pedunculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum petiolare* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum pumilum* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum sessile* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum tetragonum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum travancoricum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum wightianum* Arn. var. *wightianum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halenia perrottetii* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoppea dichotoma* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoppea fastigiata* (Griseb.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham. ex D. Don) Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia beddomei* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia densifolia* (Griseb.) Kashyapa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia minor* (Griseb.) Knobl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphoides aurantiacum* (Dalz.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphoides hydrophylla* (Lour.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphoides indicum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrolea zeylanica* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wigandia canacasana* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phlox drummondii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carmona retusa* (Vahl) Masamune and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coldenia procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia alba* Roem. & Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia diffusa* Jacob and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia domestica* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia evolution* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia macleodii* (Griff.) Hook.f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia monoica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia obliqua* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia wallichii* G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia sebestena* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia subcordata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia aspera* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia canarensis* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia laevis* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia pubescens* Benth. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia wightiana* Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium arborescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium bracteatum* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium curassavicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium marifolium* Retz. subsp. *marifolium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium ovalifolium* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium peruvianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium rottleri* Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium supinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium zeylanicum* (Burm.f.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotula aquatica* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symphytum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tournefortia argentea* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tournefortia heyneana* Wall. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tournefortia reticosa* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tournefortia wightii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichodesma indicum* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichodesma inaequale* Edgew. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichodesma zeylanicum* (Burm.f.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aniseia martinicensis* (Jacq.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia argentea* Choisy var. *venusta* (Choisy) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia coonoorensis* W.W. Smith & Ramaswami and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia cuneata* (Willd.) Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia cymosa* (Roxb.) Sweet and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia daltonii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia elliptica* (Roth) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia fulgens* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia imbricata* (Roth) Sant. & Patel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia involucreata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia kleiniana* (Roem. & Schultes) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia nellygherya* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia nervosa* (Burm.f.) Boj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia osyrensis* (Roth) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia pilosa* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia pomacea* (Roxb.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia populifolia* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia sericea* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyreia setosa* (Roxb.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bonamia evolvuloides* (Choisy) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bonamia Semidigyna* (Roxb.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus flavus* Willd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus rotterianus* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cressa cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuscuta campestris* Decne. ex Engelm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuscuta chinensis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuscuta hyalina* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuscuta reflexa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erycibe paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evolvulus alsinoides* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evolvulus nummularius* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hewittia sublobata* (L.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea aquatica* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea barlerioides* (Choisy) Benth.ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea batatas* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea cairica* (L.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea campanulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea carnea* Jacq. subsp. *carnea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F.

Austin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea deccana* Austin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea dichroa* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea diversifolia* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea eriocarpa* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea hederifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea indica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea involucreata* Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea marginata* (Desr.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea mauritiana* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea nil* (L.) Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea obscura* (L.) Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea pes-tigridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea pileata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea purpurea* (L.) Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea quamoclit* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea rumicifolia* Choisy and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea sepiaria* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea sinensis* (Desr.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea staphylina* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea tuberculata* Ker - Gawl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea turbinata* Lag. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea violacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea wightii* (Wall.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jacquemontia caerulea* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jacquemontia paniculata* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jacquemontia pentantha* (Jacq.) D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepistemon leiocalyx* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia aegyptia* (L.) Urban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia dissecta* (Jacq.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia emarginata* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia hederacea* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia quinata* (R.Br.) Ooststr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia quinquefolia* (L.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia tridentata* (L.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia umbellata* (L.) Hall.f. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia umbellata* (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia vitifolia* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Operculina turpethum* (L.) Silva Manso and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Porana paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Porana racemosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rivea hypocrateriformis* (Desr.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rivea ornata* (Roxb.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stictocardia tiliifolia* (Desr.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Browallia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Browallia speciosa* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Browallia viscosa* Kunth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brugmansia arborea* (L.) Lagerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brugmansia versicolor* Lagerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brunfelsia undulata* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capsicum annuum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capsicum frutescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cestrum aurantiacum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cestrum corymbosum* Schlecht. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cestrum diurnum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cestrum elegens* Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cestrum fasciculatum* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cestrum nocturnum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cestrum parqui* L'Herit. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyphomandra betacea* (Cav.) Sendtner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura cornigera* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura innoxia* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura metal* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura ferox* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura sanguinea* Ruiz & Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura stramonium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iochroma coccinea* Scheid. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycium barbatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycopersicon esculentum* Mill. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicandra physalodes* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicotiana alata* Link & Otto and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicotiana glauca* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicotiana glutinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicotiana plumbaginifolia* Viv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicotiana repKalam* Willd. ex Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicotiana tabacum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nierembergia gracilis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Petunia axillaris* (Lam.) Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Petunia x hybrida* Vilm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis ixocarpa* Brot. ex Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis angulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis lagascae* Roem. & Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis pruinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis peruviana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schizanthus pinnatus* Ruiz & Pav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schizanthus wisetonensis* Hort. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solandra grandiflora* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum americanum* Mill and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum anguivi* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum ariculari* G. Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum barbisetum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum capsicastrum* Link & Schau. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum capsicoides* Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum clavatum* Rusby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum convolvulus* Sendtner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum elaeagnifolium* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum erianthum* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum giganteum* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum grandiflorum* Ruiz & Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum hispidum* Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum jasminoides* Paxt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum kurzii* Brace ex Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum macrocarpon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum macrophyllum* Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum marginatum* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum mauritianum* Scop. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum melongena* L. var. *melongena* and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum insanum* J.B.Fisch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum lasiocarpum* Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum pseudo-capsicum* L.var. *pseudo-capsicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum pubescens* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum robustum* H. Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum seforthianum* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum sisymbriifolium* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum stramonifolium* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum torvum* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum trilobatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum tuberosum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum vagum* Heyne ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum viarum* Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum violaceum* Ortega Subsp. *violaceum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum virginianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum wendlandii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum wrightii* Benth. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Streptosolon jamesonii* (Benth.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Withania somnifera* (L.) Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenosma indianum* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angelonia biflora* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antirrhinum majus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antirrhinum orontium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Antirrhinum purpureum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artanema longifolia* (L.) Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bacopa floribunda* (R.Br.) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bacopa hamiltoniana* (Benth.) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bacopa monnieri* (L.) Pennell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buchnera hispida* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calceolaria gracilis* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celsia arcturus* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centranthera indica* (L.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centranthera tranquebarica* (Spreng.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbalaria muralis* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitalis purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dopatrium lobelioides* (Retz.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dopatrium nudicaule* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glossostigma diandrum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hebe speciosa* (A.Cunn) Andersen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hebe andersonii* Cockayne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kickxia ramosissima* (Wall.) Janchen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila aromatica* (Lam.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila chinensis* (Osbeck) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila heterophylla* (Roxb.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila indica* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila polystachya* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila repens* (Benth.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila rugosa* (Roth) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindenbergia indica* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia anagallis* (Burm.f.) Pennell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia antipoda* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia caespitosa* (Blume) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia ciliata* (Colsm.) Pennell and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia crustacea* (L.) F.v.Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia hyssopioides* (L.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia minima* (Benth.) Mukerjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia nummulariifolia* (D.Don) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia oppositifolia* (Retz.) Mukerjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia parviflora* (Roxb.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia procumbens* (Krock.) Philcox and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia rotundifolia* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia ruellioides* (Colsm.) Pennell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia srilankana* Cramer & Philcox and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia sessiliflora* (Benth.) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia tenuifolia* (Colsm.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia viscosa* (Hornem.) Boldingh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maurandya barclaiana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maurandya erubescens* (D.Don) Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maurandya lophospermum* Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maurandya semperflorens* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mazus pumilus* (Burm.f.) Steenis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mecardonia procumbens* (Mill.) Small and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micrargeria wightii* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microcarpaea minima* (Koen.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paulownia tomentosa* (Thunb.) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedicularis perrottetti* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedicularis zeylanica* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Penstemon azureus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Penstemon campanulatus* (Cav.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peplidium maritimum* (L.f.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Russelia equisetiformis* Schlecht. & Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scoparia dulcis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sopubia stricta* G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sopubia trifida* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stemodia viscosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Striga angustifolia* (D.Don) Saldanha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Striga asiatica* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Striga densiflora* (Benth.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Striga gesnerioides* (Willd.) Vatke and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Striga masuria* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sutera dissecta* (Del.) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia bicolor* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia cordifolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia courtallensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia fournieri* Linden ex Fourn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia hirsuta* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia travancorica* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia vagans* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbascum chinense* (L.) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbascum thapsus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbascum virgatum* Stokes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica javanica* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica polita* Fries and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica speciosa* R.Cunn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica persica* Poir.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeginetia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeginetia pedunculata* Wall. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christisonia bicolor* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christisonia neilgherrica* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christisonia saulierei* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christisonia subacaulis* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orobanche cernua* Loeffl. var. *nepalensis* Reut. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia aurea* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia australis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia bifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia caerulea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia exoleta* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia graminifolia* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia hirta* Klein ex Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia minutissima* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia nayarii* Jana. & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia polygaloides* Edgew. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia reticulata* J.E.Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia roseo-purpurea* Stapf ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia scandens* Benj. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia smithiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia stellaris* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia striatula* J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia uliginosa* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia wightiana* Taylor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeschynanthus ceylanica* Gard. var. *punguis* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeschynanthus perrottetii* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus fischeri* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus gambleanus* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus humboldtianus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus innominatus* Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus lyrata* Wight var. *lyrata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus meeboldii* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus missionis* Wall. ex R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus repens* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus tomentosus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus wightii* (Clarke) Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epithema carnosum* (G.Don) Benth. var. *hispida* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gesneria cardinalis* Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jerdonia indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchoglossum notonianum* (Wall) Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchochelys permolle* (Nees) Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arrabidaea magnifica* Sprague ex Steenis Bull and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bignonia megapotamica* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Campsis radicans* (L.) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catalpa bignonioides* Walter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clytostoma callistegioides* (Cham.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parmentiera alata* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crescentia cujeta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichandrone arcuata* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichandrone falcata* (Wall.ex DC.) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haplophragma adenophyllum* (DC.) Dop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *JacarKalam mimosifolia* D.Don and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kigelia africana* (Lam.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macfadynea unguis-cati* (L.) A. Gentry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Markhamia stipulata* Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millingtonia hortensis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nyctocalos cuspidata* (Blume) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oroxylum indicum* (L.) Benth. ex Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pandorea jasminoides* (Lindl.) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaedranthus buccinatorius* (DC.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllarthron bojerianum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleonotoma jasminifolia* (H.B.K.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Podranea ricasoliana* (Tranf.) Sprague and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrostegia venusta* (Ker-Gawl.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Radermachera xylocarpa* (Roxb.) K.Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spathodea campanulata* Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *colais* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *angustifolium* (Haines) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabebuia rosea* (Bertol.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabebuia arjentea* Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabebuia pallida* Miers and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabebuia palmeri* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tecoma stans* (L.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tecomaria capensis* (Thunb.) Spach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cobaea scandens* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedaliium murex* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesamum alatum* Thonn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesamum indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesamum laciniatum* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesamum prostratum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesamum radiatum* Schumach. & Thonn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Martynia annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acanthus ilicifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acanthus mollis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis affinis* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis alata* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis atropurpurea* (Dennst.) A. Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis ceylanica* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis echinoides* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis elongata* (Vahl) T. And. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis explicata* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis lineata* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis lobelioides* Wight var. *lobelioides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis lobelioides* Wight var. *composita* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis macrobotrys* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis neesiana* Wight var. *neesiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis neesiana* Wight var. *producta* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis rothii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis stellulata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis stenophylla* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Andrographis viscosula* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aphelandra deppeana* Schlecht. & Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asystasia chelonoides* Nees and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asystasia crispata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asystasia dalzelliana* Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asystasia gangetica* (L.) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Asystasia travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria acuminata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria buxifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria courtallica* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria cuspidata* Heyne ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria gibsonii* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria involucrata* Nees var. *elata* (Dalz.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria longiflora* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria montana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria mysorensis* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria nitida* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria noctiflora* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria paniculata* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria pilosa* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria prattensis* Sant. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria prionitis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria strigosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria tomentosa* Roth var. *tomentosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria tomentosa* Roth var. *glandulosa* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barleria vestita* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharis maderaspatensis* (L.) Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharis repens* (Vahl) Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clinacanthus nutans* (Burm.f.) Lindau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crossandra infundibuliformis* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicliptera cuneata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicliptera foetida* (Forssk.) Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicliptera verticillata* (Forssk.) Christensen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diotacanthus albiflorus* (Bedd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipteracanthus patulus* (Jacq.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipteracanthus prostratus* (Poir.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dyschoriste madurensis* (Burm.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dyschoriste nagchana* (Nees) Bennet and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dyschoriste vagans* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ecobolium ligustrinum* (Vahl) Vollesen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ecobolium viride* (Forssk.) Alston var. *viride* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ecobolium viride* (Forssk.) Alston var. *dentata* (Klein ex Link) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ecobolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elytraria acaulis* (L.f.) Lindau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eranthemum capense* L. var. *capense* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eranthemum nervosum* (Vahl) R.Br. ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eranthemum purpurascens* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eranthemum roseum* (Vahl) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Graptophyllum hortense* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnostachyum canescens* (Nees) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnostachyum ceylanicum* Arn. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnostachyum latifolium* (Dalz.) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haplanthodes neilgherryensis* (Wight) Majumdar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haplanthodes verticillatus* (Roxb.) Majumdar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila balsamica* (L.f.) Rafin and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila heinei* Sreemadh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila salicifolia* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jacobinia carnea* (Lindl.) G. Nicholson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia adhatoda* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia beddomei* (Clarke) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia betonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia diffusa* Willd. var. *diffusa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia gendarussa* Burm.f and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia glabra* Koen.ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia glauca* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia japonica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia latispica* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia neesii* Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia procumbens* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia prostrata* (Roxb. ex Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia salsoloides* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia santapau* Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia simplex* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia tranquebariensis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia trinervia* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia vahlii* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia wynaadensis* (Nees) Heyne ex T.And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis cristata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis cuspidata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis diffusa* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis fasciculata* (Retz.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis incurva* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis mitis* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis pungens* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis scariosa* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis spinosa* Wight ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis subarmata* (Clarke) Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptostachya wallichii* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meyenia hawtayneana* (Wall.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Monotheclium aristatum* (Wall. ex Nees) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neuracanthus neesianus* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristrophe montana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristrophe paniculata* (Forssk.) Brummitt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Petalidium barlerioides* (Roth) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaulopsis imbricata* (Forssk.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseuderanthemum malabaricum* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruellia colorata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruellia tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia apiculata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia crenata* T.And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia laeta* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia latior* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia parviflora* (Retz.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia pectinata* (L.) Nees and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia repens* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia sisparensis* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia wightiana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sanchezia nobilis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sanchezia parvibracteata* Sprague & Hutchinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Santapaua madurensis* Balakr. & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Staurogyne glauca* (Nees) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Staurogyne zeylanica* (Nees) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenosiphonium confertum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenosiphonium cordifolium* (Vahl) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenosiphonium parviflorum* T.And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenosiphonium russellianum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenosiphonium wightii* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes asperimus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes amabilis* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes anamallai* J. R. I. Wood and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes andersonii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes barbatus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes bolampattiana* Bedd. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes ciliatus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes consanguineus* (Nees) T. Anders. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes cuspidatus* (Benth.) Anders. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes decurrens* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes foliosus* (Wight) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes gracilis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes heyneanus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes heteromallus* T. Anderson ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes homotropus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes humilis* (Nees) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes isophylla* (Nees) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes ixiocephala* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes kunthianum* (Nees) Anders. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes lanatus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes lupulinus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthus luridus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthus matthewiana* R. W. Scotland and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes micranthes* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes microstachya* Benth. ex Hohen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes neoasper* Venu & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes neilgherrensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes papillosus* T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes perrottetianus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes pulneyensis* C. B. Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes rubicundus* (Nees) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes sessilis* Nees var. *sessilis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes sexennis* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes tristis* (Wight) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes urceolaris* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes violaceus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes walkeri* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes wightianus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes walkeri* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes wightianus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes zenkerianus* (Nees) T. Anderson and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia alata* Boj. ex Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia bicolor* (Wight) Lindau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia erecta* (Benth.) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia fragrans* Roxb. var. *fragrans* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia fragrans* Roxb. var. *vestita* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia mysorensis* (Wight) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia tomentosa* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aloysia triphylla* (L'Herit.) Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bouchea hyderabadense* Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callicarpa arborea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callicarpa tomentosa* (L.) Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citharexylum fruticosum* L. forma *subserratum* (Sw.) Moldenke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum aculeatum* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum cordatum* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum indicum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum inerme* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum infortunatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum neriifolium* Wall.ex Schauer and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum paniculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum philippinum* Schauer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionachne koenigii* (SPRENG.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionanthus macrophylla* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chionanthus mala-elengi* (DENNST.) GREEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chondrus crispus* LYNGBY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloranthus elatior* LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloranthus glaber* (THUNB.) MAKINO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloranthus inconspicuus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloranthus officinalis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris barbata* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloris virgata* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophora excelsa* BENTH. & HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum arundinaceum* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum attenuatum* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum laxum* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chlorophytum tuberosum* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloroxylon dupada* BUCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloroxylon swietenia* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chondrus crispus* STACKH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chonemorpha fragrans* (MOON) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chonemorpha macrophylla* (ROXB.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chorchorus trilocularis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christella arida* (DON) HOLT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christella contiguum* (ROSENT) HOLTTUM F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christella crinipes* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christella parasitica* (L.) LEV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christella subpubescens* (BL.) HOLTTUM NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrozophora plicata* A.JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrozophora prostrata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrozophora rottleri* (GEIS.) A.JUSS. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrozophora tinctoria* A.JUSS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthellum americanum* (L.) VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthellum indicum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthemum cinerariifolium* (TREV.) VIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthemum coccineum* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthemum coronarium* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthemum indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthemum roxburghii* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysobalanus icaco* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysophyllum cainito* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysophyllum roxburghii* DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysopogon aciculatus* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chukrasia tabularis* A.JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cibotium barometz* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cicca acida* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cicca disticha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cicer arietinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cicer microphyllum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cichorium endivia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cichorium intybus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cichorium noeanum* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cicuta virosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cimicifuga foetida* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cimicifuga racemosa* NUTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona calisaya* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona excelsa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona ledgeriana* MOENS EX TRIMEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona robusta* HOWARD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona succirubra* PAV. EX KLOTZSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum aromaticum* NEES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum bejolghota* (BUCH.-HAM.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum camphora* (L.) PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum cassia* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum cecidodaphne* MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum glanduliferum* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum glaucescens* (NEES) HAND-MEZZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum impressinervium* MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum iners* REINW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum javanicum* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum macrocarpum* HOOK. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum malabathrum* BATKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum obtusifolium* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum parthenoxylon* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum pauciflorum* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum sulphuratum* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum tamala* NEES & EBERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum travancoricum* GAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum verum* PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum wightii* C.F.W.MEISSN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinnamomum zeylanicum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cipadessa baccifera* (ROTH.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Circaea alpina* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Circaea cordata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cirrhopetalum sutepense* (ROLFE) SEIDENF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cirsium argyranthum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cirsium arvense* (L.) SCOP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cirsium sinense* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cirsium verutum* (DON) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cirsium wallichii* DC. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissampelos pareira* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus acida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus adnata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus discolor* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus javanica* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus lanceolata* MALME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus latifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus pallida* (WIGHT & ARN.) PLANCHON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus pedata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus quadrangularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus repKalam* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus repens* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus setosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus trilobata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus vitiginea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cistanche tubulosa* WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cistus creticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citharexylum subseriatum* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrullus colocynthis* (L.) SCHRADER and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI *fistulosus* (STOCKS) CHAKRAVARTHY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrullus vulgaris* SCHRAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrullus vulgaris* SCHRAD. *fistulosus* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus acida* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus aurantifolia* (CHRISTM.) SWINGLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus aurantium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus aurantium* L. *bergamia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus bergamia* RISSO. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus bigaradia* LOISEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus decumana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus grandis* (L.) OSBECK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus hystrix* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus jambhiri* LUSH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus karna* RAFIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus latipes* (SWINGLE) TANAKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus limetta* RISSO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus limon* (L.) BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus limonum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus macroptera* Montr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus madurensis* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus maxima* MERILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus medica* L. *medica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus medica* L. *limetta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus medica* L. *limonum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus medica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus paradisi* MACF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus pyxidata* (LINN.) FR. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus reticulata* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus sinensis* (L.) OSBECK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cladonia alpestris* (L.) RABH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Claoxylon indicum* HASSK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Claoxylon polot* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena dentata* (WILLD.) ROEM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena excavata* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena heptaphylla* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena lansium* (LOUR.) SKEELS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena pentaphylla* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena wampi* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena willdenowii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Claviceps purpurea* (FR.) TUL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Claxylon indicum* (BL.) HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleidion nitidum* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleisostoma tenuifolium* (L.) GARAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleisostoma williamsonii* (RCHB.F.) GARAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis barbellata* EDGEW. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis buchananiana* DC. *vitifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis connata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis gouriana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis grata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis hedysarifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis montana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis napaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis smilacifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis triloba* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis wightiana* WALL. EX WT. & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome brachycarpa* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome burmanni* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome chelidonii* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome felina* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome gynandra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome heptaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome icosandra* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome monophylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome vahliana* FAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome viscosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum colebrookianum* WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum indicum* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum inerme* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum infortunatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum multiflorum* (Burm.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum nutans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum paniculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum philippinum* SCHAU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum phlomides* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum serratum* (L.) MOON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum siphonanthus* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum splendens* G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum viscosum* H.W. MOLDENKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clerodendrum wallichii* MERR. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clinogyne dichotoma* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clinogyne grandis* BENTH. HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clinopodium umbrosum* (BIEB.) KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clinopodium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clitoria mariana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clitoria ternatea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coccinia cordifolia* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coccinia glauca* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coccinia grandis* (L.) VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coccinia indica* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coccoloba uvifera* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus cordifolius* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus hirsutus* (L.) DIELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus laurifolius* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus leaeba* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus macrocarpus* W. & A. PRODR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus pendulus* (JR. & G. FORST) DIELS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus suberosus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus villosus* DC. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cochlearia armoracia* L. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cochlearia cochlearioides* (ROTH) SANTAPAU & MAHESHWARI and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cochlospermum gossypium* DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cochlospermum religiosum* (L.) ALSTON and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocos nucifera* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocos nucifera* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocos schizophylla* MART. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Codiaeum variegatum* (L.) BL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Codonacanthus pauciflorus* NEES and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Codonopsis clematidea* (SCHR.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Codonopsis ovata* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelodepas calycinum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne cristata* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne ovalis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne punctulata* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coelogyne stricta* (DON) SCHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coffea arabica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coffea travancorensis* WIGHT & ARN. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coix gigantea* KOENIG EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coix lachryma* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coix lacryma-jobi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cola nitida* (VENT.) SCHOTT & ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colchicum autumnale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colchicum luteum* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colchicum variegatum* BIVONA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coldenia procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colebrookea oppositifolia* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coleus ambonicus* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coleus aromaticus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coleus barbatus* (ANDR.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coleus forskohlii* (POIR.) BRIQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coleus osmirrhizon* W.ELLIOT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coleus rotundifolius* (POIR.) A. CHEV. & PERROT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coleus scutellarioides* (L.) BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coleus vettiveroides* K.C. JACOB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coleus zeylanicus* (BENTH.) CRAMEV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colocasia antiquorum* SCHOTT and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colocasia esculenta* (L.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colocasia macrorrhiza* SCHOTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colocasia virosa* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colophospermum mopane* KIRK EX LEON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colubrina asiatica* (L.) BRONG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colutea arborescens* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colutea nepalensis* SIMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Combretum acuminatum* (ROXB.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Combretum decandrum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Combretum extensum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Combretum latifolium* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Combretum nanum* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Combretum pilosum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Combretum roxburghii* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina benghalensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina communis* EUGELM. EX KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina diffusa* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina longifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina nudiflora* (L.) BRENAN and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina obliqua* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina paludosa* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina salcifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commelina suffruticosa* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commicarpus chinensis* (L.) HEIMERL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commicarpus verticillatus* STANDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora abyssinica* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora agallocha* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora berryi* (ARN.) ENGLR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora caudata* (WIGHT & ARN.) ENGLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora molmol* ENGL. EX. TSCHIRAH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora myrrha* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora opobalsamum* (L.) ENGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora playfairii* HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora roxburghii* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora schimperi* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora stocksiana* ENGL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora wightii* (A.) BHKALAMRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conium maculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Connarus monocarpus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conocarpus latifolia* ROXB. EX. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conocephalus suaveolens* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Consolida ajacis* (L.) SCHUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Consolida regalis* S.F. GRAY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convallaria majalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus gemellus* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus grandiflorus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus malabaricus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus microphyllus* SIEB.EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus nil* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus paniculatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus pluricaulis* CHOIS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus prostratus* FORSSK. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus scammonia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus speciosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus spinosus* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Convolvulus turpethum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conyza bonariensis* (L.) CRONQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conyza cinerea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conyza japonica* (THUNB.) LESS. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Conyza stricta* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Copernicia cerifera* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coptis teeta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corallocarpus epigaea* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corallocarpus epigaeus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corbichonia decumbens* EXELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus acutangulus* AUCT.NON FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus aestuans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus antichorus* ROEUSCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus capsularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus depressus* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus fascicularis* LAM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus olitorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus trilocularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus urticifolius* WIGHT & ARM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia dichotoma* FORST. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia gharaf* (FORSK.) EHRENB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia grandis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia macleodii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia monoica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia myxa* SENU CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia obliqua* WILLD. *wallichii* (G.DON) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia obliqua* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia rothii* ROEM.& SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia sebestena* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia vestita* HOOK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordia wallichii* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordyceps sinensis* (BERK.)SAAC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordyline fruticosa* GOEPPERT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cordyline terminalis* (L.) KUNTH and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coriandrum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coriaria nepalensis* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coronilla picta* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coronopus didymus* (L.) SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cortia depressa* (DON) NORM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corydalis adiantifolia* HK.F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corydalis flabellata* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corydalis govaniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corydalis meifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corydalis ramosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corydalis rutifolia* (SMITH) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corydalis vaginans* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corylus avellana* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corylus colurna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corylus jacquemonti* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corymbis veratrifolia* RCHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corymborkis veratrifolia* (REINW.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corypha umbraculifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coscinium fenestratum* (GAERTN.) COLEB. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cosmostigma racemosa* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Costus arabicus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Costus speciosus* (KOEN. EX RETZ.) SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotinus coggygria* SCOP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotinus racemiflora* (DESF.) C. KOCH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotoneaster bacillaris* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotoneaster buxifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotoneaster microphylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotoneaster microphyllus* WALL. EX LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotoneaster nummularia* FISCH. & MEY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotula anthemoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotula aurea* Loefl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cousinia thomsonii* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crambe cordifolia* STEVEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crassocephalum crepidioides* (BTH.) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crataegus laevigata* (POIR.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crataegus oxyacantha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crataegus songarica* KOCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crataeva adansonii* DC. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crataeva magna* (LOUR.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crataeva marmelos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crataeva nurvala* SENSU KANJ. & DAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crataeva religiosa* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crataeva tapia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cratoxylum cochinchinense* (LOUR.) BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cratoxylum neriifolium* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cremanthodium arnicoides* DC. *GOOD trigida* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cremanthodium decaisnei* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cremanthodium plantagineum* MAX. *maximowiczii* GOOD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cremastra appendiculata* (D.DON) MAKINO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cremastra wallichiana* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crepidium acuminatum* (D.DON) SZLAC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crepis flexuosa* (DC) BETH. & HK.F. EX CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crepis japonica* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crescentia cujete* VELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cressa cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum amoenum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum asiaticum* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum defixum* KER.-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum latifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum powellii* HORT. album HORT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum pratense* HERB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum revolutum* HERB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crinum viviparum* (LAM.) HEMADRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crocus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crossandra infundobuliformis* (L.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crossandra undulaefolia* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria albida* HEYNE EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria anagyroides* H.B. & K. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria angulosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria benghalensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria bialata* SCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria biflora* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria burhia* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria calycina* SHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria juncea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria laburnifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria linifolia* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria medicaginea* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria mucronata* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria mysorensis* ROTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria pallida* DRY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria paniculata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria prostrata* ROTTL. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria pulchra* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria quinquefolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria ramosissima* ROXB. FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria retusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria saltiana* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria sericea* RETZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria spectabilis* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria striata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria trifolium* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria verrucosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton argyratus* BL. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton aromaticus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton bonplandianum* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton caudatus* GEISEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton joufra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton malabaricus* BEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton oblongifolius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton plicatum* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton polyandrum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton reticulatus* HEYNE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton roxburghii* BALAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton sebiferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton sparsiflorus* MORONG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton tiglium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Croton zeylanicus* MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocarya wightiana* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptocoryne spiralis* FISCH. EX WYDLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptolepis buchananii* ROEMER & SCHULTES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptolepis elegans* WALL. EX G. DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptolepis grandiflora* WIGHT and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cryptostegia grandiflora* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ctenolepis cerasiformis* NAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ctenolepis garcinii* BENTH. & HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cubeba officinalis* RAFIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucubalus baccifer* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis acutangulus* DESCOURT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis agrestis* NAUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis anguinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis callosus* (ROTTL.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis colocynthis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis hardwickii* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis lagenarius* DUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis madraspatanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis melo* L. *utilissimus* DUTHIE & FULLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis melo* L. *momordica* DUTHIE & FULLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis melo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis momordica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis myriocarpus* NAUD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis prophetarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis pseudo-colocynthis* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis pubescens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis trigonus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis utilisissimus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucurbita citrullus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucurbita lagenaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucurbita maxima* DUCHESNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucurbita pepo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cudrania javanensis* TREC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cullenia exarillata* ROBYNS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuminum cyminum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cupressus sempervirens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curanga amara* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curanga fel-terrae* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curculigo capitulata* (LOUR) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curculigo crassifolia* GEARTN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curculigo orchoides* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curculigo recurvata* DRYAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma amada* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma angustifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma aromatica* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma caesia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma domestica* (MEDIK) VALH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma inodora* BLAT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma leucorrhiza* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma longa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma montana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma pseudomontana* GRAHAM NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma rubescens* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma zedoaria* (CHRIST.) ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Curcuma zerumbet* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuscuta capitata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuscuta chinensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuscuta europaea* BOVE & ENGELM. indica ENGELM.

NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuscuta hyalina* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuscuta reflexa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyamopsis psoralioides* (LAM). DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyamopsis tetragonoloba* (L.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyamopsis tetragonolobus* (L.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis axillaris* (L.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis concanensis* HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis cristata* (L.) DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathia albo-setacea* (BEDD.) COPEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathia gigantea* (WALL. EX HOOK.) HOLTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathia spinulosa* WALL. EX HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathocline purpurea* (DON) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathostemma micranthum* J.SINCLAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathula prostrata* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathula tomentosa* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathus limbatus* TULSANE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathus stercoreus* (SCHW.) NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cycas beddomei* DYER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cycas circinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cycas revoluta* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cycas rumphii* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclamen europaeum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclamen persicum* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclea arnotii* MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclea bicristata* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclea burmanni* (DC.) HOOK.F. TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclea fissicalyx* DUNN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclosorus dentatus* (FORSK.) CHING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclosorus gongylodes* (SCH.) LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclosorus parasiticus* (L.) FOREWELL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cydonia oblonga* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cydonia vulgaris* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cylista scariosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbalaria muralis* G.M. SCHREB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbidium aloifolium* (L.) SW. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbidium aloifolium* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbidium grandiflorum* RCHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbidium hookerianum* RCHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbidium pendulum* (ROXB.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon caesius* STAPH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon citratus* (DC.) STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon coloratus* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon flexuosus* WATS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon jwarancusa* (JONES) SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon jwarancusa* (JONES) SCHULT. olieri (BOISS.) SOENARKO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon martini* (ROXB.) WATS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon nardus* (L.) RENDLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cymbopogon schoenanthus* (L.) SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynanchum arnotianum* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynanchum extensum* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynanchum heydei* HOOK.F.CYNAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynanchum vincetoxicum* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynanthus lobatus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynara scolymus* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynodon dactylon* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynodon linearis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynoglossum denticulatum* A. DC. *zeylanicum* HORNE. CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynoglossum glochidiatum* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynoglossum lanceolatum* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynoglossum micranthum* DESF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynoglossum wallichii* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynoglossum zeylanicum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynometra cauliflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynometra iripa* KOSTEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynometra mimosoides* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynometra ramiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynometra ramiflora* Linn. bijuga (Span.) Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynosurus coracanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus alopecuroides* ROTTL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus amabilis* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus articulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus bulbosus* VAHL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus compactus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus compressus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus corymbosus* ROTTLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus cyperoides* (LINN.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus denticulatus* SCHRAD EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus diffusus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus distans* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus esculentus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus exaltatus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus haspan* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus inundatus* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus iria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus jemicus* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus juncifolius* ROTTLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus kyllingia* ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus laevigatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus longus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus malaccensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus michelianus* (L.) LINK and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus pangorei* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus pedunculatus* (R.BR.) KERN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus pertenus* BOJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus pilosus* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus platystylis* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus rohita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus rotundus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus scariosus* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus stoloniferus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus triceps* (ROTTB.) ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus tuberosus* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyperus undulatus* KUKENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyphostemma setosum* (ROXB.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyrtomium caryotideum* (WALL.) PRESL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyrtomium falcatum* (L. F.) BERNH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyrtophyllum peregrinum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cythocline purpurea* (DON.) and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cytisus scoparius* (L.) LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dactylis glomerata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dactyloctenium aegyptium* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dactyloctenium indicum* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dactylorhiza hatagirea* (DON.) SOO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daedalacanthus roseus* T. ANDERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daemia cordata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daemia extensa* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Demonorops draco* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dahlia rosea* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia arborea* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia candenatensis* (DENNST.) PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia emarginata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia horrida* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia lanceolaria* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia oogeinensis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia pinnata* PRAIN and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia sissoo* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia spinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia stipulacea* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia sympathetica* NIMMO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia tamarindifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia volubilis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia spinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalechampia indica* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalhousiea bracteata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daphne cannabina* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daphne oleo* SCHRAB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daphne oleoides* SCHREB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daphne papyracea* WILLD. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daphniphyllum himalayense* MUELL.- ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daphniphyllum neilgherrense* ROSENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datisca cannabina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura alba* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura fastuosa* L. alba (NEES) C.B. CLARKE and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura fastuosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura innoxia* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura metel* L. alba and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura metel* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura nilhummatu* DUN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura stramonium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Datura tatula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daucus carota* L. sativa DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daucus carota* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Davallia tenuifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Davallia trichomanoides* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Decalepis hamiltonii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Decaspermum fruticosum* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Deeringia amaranthoides* (LAMK.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delima scandens* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delonix elata* (L.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delonix regia* (L.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphaenium denudatum* WALL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium elatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium altissimum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium bruonianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium caeruleum* JACQ. EX CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium cashmirianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium elatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium glaciale* HOOK.F. & THOMSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium kashmirianum* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium kohatense* (BRUHL.) MUNZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium paciflorum* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium roylei* MUNZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium saniculifolium* AUCTION NON BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium semibarbatum* BLENERT EX BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium speciosum* JANKA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium vestitum* WALL. EX ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium viscosum* HK. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium zalil* AITCH & HEMSLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium aduncum* LINDL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium aggregatum* - JENKINSII K. & P. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium amoenum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium chrysanthum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium coerulescens* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium crumenatum* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium crumentum* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium densiflorum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium jenkinsii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium macraei* AUCT. NON LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium moschatum* (BUCH.-HAM.) SW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium nobile* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium ovatum* (L.) KRAENZL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrobium paxtonii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrocalamus hamiltonii* NEES EX ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrocalamus strictus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrocnide sinuata* (BL.) CHEW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrophthoe elastica* (DESR.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrophthoe falcata* (L.F) ETTING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dendrophthoe pentandra* (L.) MIQ. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dentella repens* (L.) J.R. & G. FORSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris elliptica* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris ferruginea* (ROXB.) BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris indica* (LAM.) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris malaccensis* PRAIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris robusta* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris scandens* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris trifoliata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris uliginosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Descurainia sophia* (L.) WEBB. EX PRANTL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmanthus cinereus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmanthus virgatus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmochaeta atropurpurea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium biarticulatum* (L.) F.V.MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium dichotomum* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium elegans* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium gangeticum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium gyrans* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium gyroides* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium heterocarpon* - *strigosum* VAN MEEWUEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium heterocarpon* (LINN.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium heterophyllum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium lasiocarpum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium latifolium* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium laxiflorum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium microphyllum* (THUNB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium motorium* (HOUTT.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium oojeinense* (ROXB.) OHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium polycarpum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium pseudotriquetrum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium pulchellum* BENTH.EX. BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium retroflexum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium styracifolium* (OSB.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium tiliaefolium* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium triangulare* (RETZ.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium triflorum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium triquetrum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium umbellatum* (L.) DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium velutinum* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmos chinensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmos cochinchinensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmos dumosa* (ROXB.) SAFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmos longiflorus* (ROXB.) SAFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmostachya bipinnata* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmotrichum fimbriatum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Deutzia scabra* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dianthus anatolicus* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dianthus caryophyllus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dianthus chinensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicaelospermum ritchiei* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicentra chrysantha* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicentra thalictrifolia* HF.& T. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichanthium caricosum* (L.) A. CAMUS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichanthium pertusum* CLYTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichopsis ellipticum* BENTH & HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichroa febrifuga* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichrocephala integrifolia* (L.F.) KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichrocephala latifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichrostachys cinerea* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicliptera bupleuroides* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicliptera cuneata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicliptera micranthus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicliptera roxburghiana* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicoma tomentosa* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicranopteris linearis* (BURM.F.) UNDERW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dictamnus albus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus aromaticus* WALL. EX D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Didymocarpus pedicellata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dieffenbachia seguine* (L.) SCHOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dienia muscifera* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digera arvensis* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digera muricata* (L.) MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitalis lanata* EHRH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Digitalis purpurea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dillenia aurea* SIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dillenia bracteata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dillenia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dillenia pentagyna* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimocarpus longan* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimorphocalyx glabellus* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dinebra arabica* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dinebra retroflexa* (VAHL) PANZER retroflexa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dinochloa Kalammanica* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dionysia diapseniaefolia* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea alata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea belophylla* VOIGT EX HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea bulbifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea composita* HEMSL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea crispata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea daemona* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea deltoidea* WALL. EX KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea esculanta* (LOUR.) BURKILL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea glabra* AUCTION. NON ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea globosa* ROXB. ET. PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea hamiltonii* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea hirsuta* DENNST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea hispida* DENNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea oppositifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea prazeri* PRAIN & BURKILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea puber* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea purpurea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea rubella* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea sativa* AUCTION. NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea tomentosa* KOEN. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea triphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dioscorea wallichii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros bourdillonii* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros buxifolia* (BLUME) HIERN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros candolleana* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros chloroxylon* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros cordifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros ebum* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros embryopteris* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros exsculpta* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros ferrea* (WILLD.) BATCH. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros glutinosa* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros insignis* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros kaki* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros lancaefolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros lotus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros malabarica* (DESR.) KOSTEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros melanoxylon* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros montana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros oocarpa* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros paniculata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros peregrina* (GAERTN.) GURKE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros quaesita* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros racemosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros sylvatica* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros tomentosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diospyros toposia* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipcadi erythraeum* WEBB & BERTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diplazium esculentum* (RETZ.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diplazium stoliczkae* BEDD. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diploclisia glaucescens* (BL.) DIELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diplocyclos palmatus* (L.) JAFFREY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diploknema butyraceae* (ROXB.) H.J. LAMK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diplospora singularis* KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diplospora sphaerocarpa* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipsacus fullonum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipsacus inermis* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipsacus mitis* D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipteracanthus patulus* (JACQ.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipteracanthus prostratus* (POIR.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipterocarpus alatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipterocarpus bourdillonii* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipterocarpus gracilis* BL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipterocarpus indicus* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipterocarpus laevis* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipterocarpus pilosus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipterocarpus tuberculatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipterocarpus turbinatus* GAERTN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dischidia rafflesiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Disporum cantoniense* (LOUR.)MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Distemon indicum* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dittelasma raraka* (DC.) HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dodonaea angustifolia* (L.F.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dodonaea burmanniana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dodonaea viscosa* (L.) JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichandrone arcuata* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichandrone falcata* SEEMANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichandrone spathacea* (L.F.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichandrone stipulata* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos biflorus* SENSU AUCT. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos bulbosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos catieng* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos catjang* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos cylindricus* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos falcatus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos gladiatus* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos lablab* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos lablab* L. *typicus* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos pruriens* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos sinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos trilobus* (L.) AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos uniflorus* LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolomaea macrocephala* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dombeya cayeuxii* HORT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Donax connaeformis* (FORST.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dopatrium junceum* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dopatrium lobelioides* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dopatrium nudicaule* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dorema ammoniacum* D.DON and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dorema aureum* STOCKS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Doronicum falconeri* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Doronicum hookeri* C.B. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Doronicum pardalianches* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Doronicum roylei* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dorstenia indica* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dosma bracteatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Douepia tortuosa* CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Draba muralis* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Draba setosa* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracaena angustifolia* (MEDIC.) ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracaena cinnabari* BALF NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracaena petiolata* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracaena terminalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracaena terniflora* ROXB. FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracocephalum heterophyllum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracocephalum moldavica* LINN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracocephalum royleanum* ROYLE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracocephalum stamineum* KAR. & KIR. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dracontium polyphyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drimia indica* (ROXB.) J.P. JESSOP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drimys winteri* FORST. CHAR. GEN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drosera burmannii* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drosera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drosera lunata* HAM. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drosera peltata* SM.WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drymaria cordata* (L.) WILLD. EX R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drymaria cordata* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drymaria diandra* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drymoglossum carnosum* (WALL.) SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drynaria quercifolia* (L.) J. SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dryobalanops aromatica* GAERTN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dryopteris barbigera* (MOORE) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dryopteris blanfordii* (HOPE) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dryopteris cochleata* (DON) CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dryopteris filix-mas* (L.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dryopteris marginata* (WALL.) CHR. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dryopteris odontoloma* (MOORE) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dryopteris schimperiana* (HOCHST.) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dryopteris sparsa* (DON)KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes macrophylla* (BLUME) PAX & HOFFM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes roxburghii* (WALL.) HURUSAWA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drypetes zeylanica* (MUELL.-ARG.) HURUSAWA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Duboisia myoporoides* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Duchesnea indica* (ANDR.) FOCKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Duranta repens* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Durio zibethinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dyschoriste madurensis* (BURM.F.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysophylla auricularia* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysophylla rugosa* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysophylla stelata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysophylla stellata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysoxylum binectariferum* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysoxylum hamiltonii* HIERN and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysoxylum malabaricum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysoxylum procerum* HIERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ebermaiera glutinosa* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ecbolium linneanum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ecbolium viride* (FORSK.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ecbolium virids* (FORSSK.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echeveria glauca* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinacea angustifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa colona* LINK. frumentacea BLATTER & MCCANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa crusgalli* (L.) P. BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa frumentacea* LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinochloa stagnina* (RETZ.) BEAUV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinops cornigerous* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echinops echinatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echioglossum williamsonii* (RCHB.F.) SZLAC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Echites dichotoma* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eclipta alba* HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eclipta erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eclipta parviflora* WALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eclipta prostrata* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Edgeworthia tomentosa* NAKAI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Edwardsia griffithii* (STOCKS) PHILIP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia acuminata* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia aspera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia buxifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia canarensis* MIQ. EX CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia laevis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia laevis* ROXB. pubescens and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia microphylla* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ehretia obtusifolia* HOCHST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eichhornia crassipes* SOLMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Codariocalyx motorius* (Houtt.) H. Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria acicularis* Buch.-Ham. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria agatiflora* Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria alata* Buch.-Ham & Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria albida* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria anagyroides* H.B.K. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria angulata* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria barbata* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria berteriana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria bidiei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria bifaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria bourneae* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria calycina* Schrank and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria candicans* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria clarkei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria clavata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria conferta* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria digitata* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria dubia* Graham ex benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria epunctata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria formosa* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria fysonii* Dunn var. *fysonii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria fysonii* Dunn var. *glabra* Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria globosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria grahamiana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria hebecarpa* (DC.) Rudd and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria heyneana* Grahma ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria hirta* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria humifusa* Graham ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria juncea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria laburnifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria laevigata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria beddomeana* Thoth. & A. A. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria spectabilis* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria linifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria longipes* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria lunulata* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria madurensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria medicaginea* Lam. var. *medicaginea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria multiflora* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria mysorensis* Roth. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria nana* Burn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria notonii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria obtecta* Graham ex Wight & Arn. var. *obtecta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria orixensis* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria ovalifolia* Wall. ex Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria pallida* Dryand. var. *pallida* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria pallida* Dryand. var. *obovata* (G.Don) Polhill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria paniculata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria peduncularis* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria priestleyoides* Benth ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria prostrata* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria pulchra* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria pusilla* Neyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria quinquefolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria ramosissima* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria retusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria rigida* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria salicifolia* Heyne ex Wight & Arn. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria scabra* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria scabrella* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria semperflorens* Vent. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria shevaroyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria speciosa* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria subperfoliata* Wight ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria tecta* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria trifoliastrium* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria triquetra* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria umbellata* Wight ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria verrucosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria walkeri* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria wightiana* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyamopsis tetragonoloba* (L.) Taub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cytisus canariensis* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cytisus hirsutus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cytisus monspessulanus* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cytisus multiflorus* Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cytisus proliferus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cytisus scoparius* (L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cytisus supinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia congesta* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia coromandeliana* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia gardneriana* Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia horrida* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia lanceolaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia latifolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia malabarica* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia melanoxylon* Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.) Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia pseudo-siso* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia rubiginosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia sissooides* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia sissoo* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia spinosa* Roxb. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia tinneveli* Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dalbergia volubilis* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris benthamii* (Thw.) Thw. var. *benthamii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris brevipes* (Benth) Baker var. *brevipes* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris brevipes* (Benth) Baker var. *coriacea* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris canarensis* (Dalz.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris scandens* (Roxb.) Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris thothathrii* Bennett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Derris trifoliata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium alysicarpoides* Van Meeuwen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium barbatum* (L.) Benth. subsp. *sauliereri* (Schind.) Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium dichotomum* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium dolabriforme* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium gangeticum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van

Meeuwen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium heterophyllum* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium laxiflorum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium laxum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium microphyllum* (Thunb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium oojeinense* (Roxb) Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium pryonii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium pulchellum* (L.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium repandum* (Vahl) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium styracifolium* (Osbeck) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium tortuosum* (Sw.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium triangulare* (Retz.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium triflorum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium triquetrum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium velutinum* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmodium zonatum* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicerma biarticulatum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dolichos trilobus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dumasia villosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dunbaria ferruginea* Wight & Arn. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dunbaria heynei* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleiotis monophylla* (Burm.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina crista-galli* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina stricta* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina suberosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina subumbrans* (Hassk.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia grahamiana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia lineata* (L.) Roxb. Ex Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia macrophylla* (Willd.) Prain ex Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia nilgheriensis* (Baker) Wight ex Cooke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia Semialata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia stricta* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia strobilifera* (L.) R. Br. ex Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia tuberosa* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia wallichii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia wightiana* Grahams ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galactia longifolia* Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida*

Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geissaspis cristata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycine max* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hardenbergia comptoniana* (Link) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera aspalathoides* Vahl ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera astragalina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera caerulea* Roxb. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera cassioides* Rottl. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera colutea* (Buem. F.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera constricta* (Thwaites) Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera cordifolia* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera glandulosa* Roxb. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera hochstetteri* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera karnatakana* Sanjappa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera karuppiana* Pallithanam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera linifolia* (L.f.) Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera linnaei* Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera longiracemosa* Boiv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera mysorensis* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera nummularifolia* (L.) Skina ex Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera oblongifolia* Forsk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera parviflora* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera pedicellata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera prostrata* Willd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera spicata* Forsk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera stachyodes* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera tinctoria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera tirunelvelica* Sanjappa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera trifoliata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera trita* L.f. var. *trita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera trita* L. f. var. *maffei* (Chiov.) Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera uniflora* Buch. - Ham. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera vicioides* Jaub. & Spach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera wightii* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera zollingeriana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lablab purpureus* (L.) Sweet var. *purpureus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laburnum anagyroides* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus aphaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus latifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus odoratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus sativus* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lens culinaris* Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptodesmia congesta* (Wight) Benth. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lespedeza cuneata* (Dum. Cours.) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonchocarpus violaceus* Oskin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lupinus angustifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lupinus luteus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lupinus pilosus* Murray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macroptilium atropurpureum* (DC.) Urban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macroptilium lathyroides* (L.) Urban var. *semierectum* (L.) Urban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macrotyloma ciliatum* (Willd.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macrotyloma uniflorum* (Lam.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Medicago sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melilotus alba* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millettia racemosa* (Wight & Arn.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millettia rubiginosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millettia splendens* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna atropurpurea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna gigantea* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna monosperma* DC. ex Wight and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna pruriens* (L.) DC. var. *pruriens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mundulea sericea* (Willd.) A. Cheval and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ormocarpum cochinchinense* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ormosia travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ougeinia oojeinensis* (Roxb.) Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paracalyx scariosa* (Roxb.) Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parochetus communis* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus coccineus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus lunatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllodium pulchellum* (L.) Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pongamia pinnata* (L.) Pierre and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudarthria viscida* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psophocarpus tetragonolobus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psoralea corylifolia* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psoralea pinnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterocarpus marsupium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterocarpus santalinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pueraria triloba* (Lour.) Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pueraria tuberosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycnospora lutescens* (Poir.) Schind. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia albiflora* (Sims) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia aurea* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia cana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia capitata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia densiflora* (Roth) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia filipes* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia heynei* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia jacobii* Chandrabose & Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia minima* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia nummularia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia rothii* Benth ex Aitch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia rufescens* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia suaveolens* (L.f.) DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia velutina* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia viscosa* (Roth) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Robinia pseudo-acacia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rothia indica* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania bispinosa* (Jacq.) W. F. Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania grandiflora* (L.) Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania procumbens* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania sesban* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania speciosa* Taub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Shuteria involucrata* (Wall.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia bigemina* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia capitata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia conferta* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia gracilis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia hirsuta* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia sensitiva* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia setulosa* Dalz. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sophora glauca* Lesh.ex DC. Ann. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sophora interrupta* Bedd. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sophora wightii* Baker and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spartium junceum* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stylosanthes fruticosa* (Retz.) Alston and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stylosanthes sunaica* Taub. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia barberi* Drumm. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia calophylla* Bedd. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia candida* DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia canarensis* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia fusca* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia hookeriana* Wight & Arn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia maxima* Pres. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia pumila* (Lam.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia purpurea* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia spinosa* (L.f.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia tinctoria* Pers. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia vogelii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia villosa* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teramnus labialis* (L.F.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teramnus mollis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium alexandrinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium cernuum* Brot. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium dubium* Sibth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium incarnatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium pratense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium subterraneum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonella foenum-graecum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ulex europaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uraria alopecuroides* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uraria lagopodioides* (L.) Desv. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uraria rufescens* (DC.) Schind. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vicia faba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vicia hirsuta* (L.) S. F. Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vicia sativa* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vicia villosa* Roth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna aconitifolia* (Jacq.) Marechal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna adenantha* (G. F. W. Meyer) Marechal, *Mascherpa* & *Stainier* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna bourneae* Ganble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna dalzelliana* (Kuntze) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna grahamiana* (Wight & Arn.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna hosei* (Craib) Backer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna khKalamlensis* (Sant.) Ragh. & Wadhwa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna mungo* (L.) Hepper and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna radiata* (L.) Wilczek var. *radiata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna subramaniana* (Raizada) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna trilobata* (L.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna unguiculata* (L.) Walp. subsp. *cylindrica* (L.) Eselt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna vexillata* (L.) A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna wightii* Benth. ex Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Virgilia oroboides* (Berg.) Salter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wisteria sinensis* (Sims) Sweet. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zornia diphylla* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zornia gibbosa* Span. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrocarpus fraxinifolius* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amherstia nobilis* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia acuminata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia malabarica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia phenicea* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia racemosa* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia vahlii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bauhinia variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brownea grandiceps* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brownea macrophylla* Linden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia bonduc* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia coriaria* (Jacq.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia cucullata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia decapetala* (Roth) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia mimosoides* Lam. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia pulcherrima* (L.) Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Caesalpinia sappan* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia fistula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia grandis* L. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia javanica* L. var. *javanica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia montana* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia siamea* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassia spectabilis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceratonia siliqua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chamaecrista absus* (L.) H. Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chamaecrista auricoma* (Graham ex Benth.) Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chamaecrista lechenaultiana* (DC.) O. Deg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chamaecrista mimosoides* (L.) Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chamaecrista nigricans* (Vahl) Greene and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chamaecrista pumilla* (Lam.) K. Larsen and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynometra cauliflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cynometra travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delonix elata* (L.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delonix regia* (Boj. ex Hook) Rafin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hardwickia binata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Humboldtia bourdillonii* Prian and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Humboldtia brunonis* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Humboldtia decurrens* Bedd. ex Oskin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Humboldtia unijuga* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Humboldtia vahliana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parkinsonia aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peltophorum africanum* Sond. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peltophorum pterocarpum* (DC.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saraca asoca* (Roxb.) Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saraca thaipingensis* Cantley ex. Prain. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schizolobium parahybum* (Vell.) S. F. Blake and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna alata* (L.) Roxb. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna alexandrina* Gars. ex Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna auriculata* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna didymobotrya* (Fresn.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna hirsuta* (L.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna intermedia* (Sharma et al.) Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna italica* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna occidentalis* (L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna pallida* (Wall) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna septumtrionalis* (Viv.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna sophora* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna surattensis* (Burm.f) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna timoriensis* (DC.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna tora* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarindus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia armata* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia auriculiformis* A. Cunn ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia baileyana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia caesia* (L.) Willd. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia catechu* (L.f.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia chundra* (Roxb. ex Rottl.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia confusa* Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia cultriformis* A. Cunn. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia concurrens* Pedley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia dealbata* Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia decora* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia decurrens* (Wendl.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia eburnea* (L.f.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia elata* Cunn. Ex Benth. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia farnesiana* (L.) Willd. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia ferruginea* DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia grahamii* Vajravelu and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia hohenackeri* Craib and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia homalophylla* A. Cunn. ex Benth. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia holosericea* A.Cunn. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia horrida* (L.f.) Willd. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia leucophloea* (Roxb.) Willd. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia longifolia* Willd. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia maidenii* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia mearnsii* Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia melanoxylon* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia myrtifolia* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia neriifolia* A. Cunn. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia pennata* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia planifrons* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia podalyriifolia* A. Cunn ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia polyacantha* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia pruinescens* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia pruinosa* A. Cunn ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia pulchella* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia pycnantha* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia retinodes* Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia saligna* (Labill.) H. L. Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia sinuata* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia tomentosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia torta* (Roxb.) Craib and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia verticillata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acacia wightii* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenantha pavonina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia amara* (Roxb.) Boivin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia chinensis* (Osbeck.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia lathamii* Hole and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia lebbek* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia procera* (Roxb.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia Kalamn* (Jacq.) F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Albizia thompsonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Archidendron clypearia* (Jack) Nilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Archidendron monadelphum* (Roxb.)Nielsen var. *gracile* (Bedd.) Sanj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calliandra brevipes* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calliandra calothyrsus* Meisn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calliandra haematocephala* Hassk and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calliandra inneris* (L.) Druce and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cathormion umbellatum* (Wall) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmanthus virgatus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichrostachys cinerea* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichrostachys muelleri* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichrostachys santapau* Sebastine & Raman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Entada pursaetha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enterolobium cyclocarpum* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haematoxylum campechianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucaena leucocephala* (L.) Gills and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa intsia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa hamata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa pudica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neptunia prostrata* (Lam.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neptunia plena* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neptunia triquetra* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paraserianthes falcataria* (L.) I.C. Nielsen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parkia biglandulosa* Wight Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecellobium dulce* (Roxb.) Benth. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prosopis cineraria* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prosopis juliflora* (Sw.) Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alchemilla indica* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chaenomeles speciosa* (Sweet) Nakai and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotoneaster bacillaris* Wall ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotoneaster buxifolia* Wall ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotoneaster microphyllus* Wall ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cotoneaster transens* G. Klotz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriobotrya japonica* (Thunb.) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fragaria chiloensis* (L.) Duchesne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fragaria nilgerrensis* Schlecht. ex Gay and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fragaria vesca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kerria japonica* (L.) Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malus baccata* (L.) Borkh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malus sylvestris* (L.) Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla indica* (Andr.) Wolf and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla leschenaultiana* Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla sundaica* (blume) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prinsepia utilis* Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus armeniaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus avium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus cerasoides* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus ceylanica* (Wight) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus domestica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus laurocerasus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus persica* (L.) Batsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus salicina* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus serrulata* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quillaja saponaria* Molina and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa banksiae* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa brunonii* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa x centifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa x damascena* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa gigantea* Collett ex Crop. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa laevigata* Michx. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa multiflora* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus ellipticus* Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus fairholmianus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus glomeratus* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus idaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus indicus* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus micropetalus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus niveus* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus racemosus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus rugosus* Smith var. *rugosus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus rugosus* Smith var. *thwaitesii* Focke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiraea canescens* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiraea cantoniensis* Lour. var. *cantoniensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiraea japonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiraea nipponica* Maxim. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atuna indica* (Bedd.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atuna travancorica* (Bedd.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysobalanus icaco* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saxifraga stolonifera* Meerb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vahlia dichotoma* (Murr.) Bullock and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vahlia digyna* (Retz.) Bullock and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parnassia mysorensis* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parnassia wightiana* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Deutzia scabra* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrangea macrophylla* (Thunb.) Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Philadelphus coronarius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Escallonia montevidensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeonium arboreum* (L.) Webb & Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crassula multicava* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crassula quadrifida* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe bhidei* Cooke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe olivacea* Dalz. & Gibs. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe pinnata* (Lam.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe schweinfurthii* Penzig and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe tubiflora* Hamet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rochea coccinea* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sedum mexicanum* Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tillaea pentandra* Royle ex Edgew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drosera burmannii* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drosera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drosera peltata* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liquidambar styraciflua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laurembergia coccinea* (Blume) Kan. var. *coccinea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laurembergia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callitriche stagnalis* Scop. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bruguiera cylindrica* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bruguiera gymnorhiza* (L.) Savigny and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carallia brachiata* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassipourea ceylanica* (Gard.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceriops decandra* (Griff.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceriops tagal* (Perr.) Robins and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kandelia candel* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhizophora x annamalayana* Kathir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhizophora apiculata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhizophora mucronata* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calycopteris floribunda* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Combretum albidum* G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Combretum coccineum* (Sonner.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Combretum nanum* Willd. Buch. - Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lumnitzera racemosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quisqualis indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quisqualis malabarica* Bedd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia bellirica* (Gaertn.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia catappa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia chebula* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia cuneata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia elliptica* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia gella* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia pallida* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia paniculata* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia travancorensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acca sellowiana* (Berg) Burret and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agonis flexuosa* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angophora costata* (Gaertn.) Britt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angophora intermedia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angophora lanceolata* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Angophora subvelutina* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Baeckea virgata* (Forst.) Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callistemon brachyandrus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callistemon citrinus* (Curtis) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callistemon polandii* Bailey and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callistemon rigidus* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callistemon salignus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callistemon viminalis* (Gaertn.) Don ex Loudon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus alpina* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus amygdalina* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus blakelyi* Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus bosistoana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus botryoides* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus bridgesiana* R. T. Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus calophylla* R. Br. ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus camaldulensis* Dehnh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus cephalocarpa* Blakely and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus citriodora* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus cladocalyx* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus crebra* F. v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus cypellocarpa* L.A.S. Johnson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus elata* Dehnh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus diversicolor* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus eugenioides* Sieb. ex Spreng. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus ficifolia* F. v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus globulus* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus grandis* W.Hill ex Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus hemiphloia* F. v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus leucadendron* Reinz. ex DeVriese and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus leucoxydon* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus longifolia* Link & Otto and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus macarthurii* Deane & Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus maculata* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus megacornuta* C. A. Gardener and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus microcorys* F. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus melliodora* A. Cunn ex Schau. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus nitida* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus nova-anglica* Deane & Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus obliqua* L. Her. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus ovata* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus paniculata* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus pauciflora* Sieb ex Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus pipertia* Sm. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus polyanthemos* Schauer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus ptychocarpa* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus punctata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus radiata* Sieb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus regnans* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus resinifera* Sm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus robusta* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus saligna* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus siderophloia* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus tereticornis* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus torelliana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus viminalis* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia bracteata* (Willd.) Roxb ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia calcadensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia continifolia* Jacq.subsp. *codyensis* (Munro ex Wight) Ashton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia discifera* Gamble and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia floccosa* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia indica* (Wight) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia mabaeoides* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia manickamia* Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia rotleriana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia singampattiana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia thwaitesii* Duthie and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia uniflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptospermum flavescens* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptospermum scoparium* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptospermum stellatum* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lophostemon confertus* (R.Br.) Peter G.Wilson & J.T.Waterh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melaleuca armillaris* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melaleuca hypericifolia* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melaleuca leucadendron* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melaleuca nesophylla* F.v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melaleuca quinquenervia* S. T. Blake and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melaleuca styphelioides* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrtus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimenta dioica* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psidium cattleianum* Sabine and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psidium guajava* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhodomyrtus tomentosa* (Ait.) Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syncarpia glomerulifera* (Sm.) Nied. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syncarpia laurifolia* Tenore and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium alternifolium* (Wight) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium aqueum* (Burm. F.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium aromaticum* (L.) Merr. & Perry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium beddomei* (Duthie) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium benthamianum* (Wight ex Duthie) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium calophyllifolium* Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium caryophyllatum* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium chandrasekharanii* Chandrabose & Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium courtallense* (Gamble) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium cumini* (L.) Skeels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium densiflorum* Wall ex. Wight & Arn. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium fergusonii* (Trimen) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium gambleanum* Rathakr. & Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium gardneri* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium hemisphericum* (Wight) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium jambos* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium laetum* (Buch. - Ham.) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium lanceolatum* (Lam.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium malabaricum* (Bedd.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium malaccensis* (L.) Merr. & Perry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium megacarpum* (Craib) Rathakr. & Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium mundagam* (Bourd.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium munronii* (Wight) Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium rama - varmae* (Bourd.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium revolutum* (Wight) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium rubicundum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium scoparium* Wallich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium spathulatum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium sriganesanii* Ravikumar & Lakshmanan and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium tamilnadensis* Rathakr. & Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium travancoricum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium venosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium zeylanicum* (L.) DC. var. *lineare* (Duthie) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium zeylanicum* (L.) DC. var. *megamalayanum* K. Ravik. & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Couroupita guianensis* Aubl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gustavia superba* Berg and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barringtonia acutangula* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barringtonia asiatica* (L.) Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barringtonia racemosa* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Careya arborea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Medinilla beddomei* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Medinilla fuchsioides* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Medinilla malabarica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melastoma malabathricum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon angustifolium* Wight and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon bremeri* Viswanathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon depressum* Benth ex Triana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon edule* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon flavescens* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon gracile* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon gracillimum* Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon grande* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon heyneanum* Benth ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon kollimalayana* Viswanathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon leucanthemum* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon lushingtonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon manickamii* C. Murugan V. Sundaresan & G.J. Jothi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon molestum* (Clarke) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon randerianum* S.M. & M.R. Almeida and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon rivulare* Bremer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon rostratum* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon sisparens* Gamble and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon subcordatum* Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon subramanii* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon talbotianum* Brandis & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon umbellatum* Burm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon varians* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia aspera* (L.) Blume var. *aspera* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia brachystemon* Naud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia buxifolia* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia gracilis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia leschenaultiana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia muralis* Naud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia reticulata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia rubicunda* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia parvifolia* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D.

Don) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia tirunelvelica* Manickam & Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia virgata* D. Don ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia wynaadensis* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia zeylanica* L f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila brunonis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila clarkei* Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila devicolamensis* Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila elegans* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila grandiflora* R. Br. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila inaequalis* Murugan et Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila kanyakumariana* Gopalan & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila parameswaranii* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila pulneyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila rheedii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila rotundifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila sadasivanii* Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila speciosa* Zenk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila tenera* Royle and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila tinneveli* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila versicolor* Wight var. *versicolor* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila wallichii* Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila zeylanica* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tibouchina urvilleana* (DC.) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ammania baccifera* L. subsp. *baccifera* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ammania multiflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ammania octandra* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuphea hyssopifolia* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuphea ignea* A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuphea platycentra* Lemaire and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia microcarpa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia parviflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia reginae* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lawsonia inermis* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nesaea brevipes* Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pemphis acidula* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala fimbriata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala illecebroides* (Arn. ex Clarke) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala indica* (Willd.) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala macrKalam* Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala rosea* (Roiret.) C. Cook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala verticillaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonneratia apetala* Buch. -Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Punica granatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fuchsia arborescens* Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fuchsia boliviana* Carr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fuchsia magellanica* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia adscendens* (L.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia hyssopifolia* (G. Don) Exell and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia perennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia peruviana* (L.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia prostrata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oenothera biennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oenothera glazioviana* Mich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oenothera nocturna* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oenothera odorata* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oenothera rosea* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oenothera stricta* Ledeb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oenothera tetraptera* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turnera subulata* Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turnera ulmifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenia hondala* (Gaertn.) Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenia wightiana* (Wall. ex Wight & Arn.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora alba* Link & Otto and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora antioquiensis* Karsten and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora caerulea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora edulis* Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora holoserica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora laurifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora ligularis* Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora mollissima* (H. B. K.) Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora quadrangularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora suberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora subpeltata* Ortega and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carica papaya* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Benincasa hispida* (Thunb.) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrullus colocynthis* (L.) Schrader and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coccinia grandis* (L.) Voigt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ctenolepis garcinii* (Burm.f.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis melo* L. var. *melo* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis melo* L. var. *utilissimus* (Roxb.) and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis prophetarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucumis trigonus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucurbita maxima* Duchesne ex Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cucurbita pepo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diplocyclos palmatus* (L.) Jeffrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnopetalum wightii* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynostemma pentaphyllum* (Thunb.) Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kedrostis courtallensis* (Arn.) Jeffrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kedrostis foetidissima* (Jacq.) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagenaria siceraria* (Molina) Standley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa acutangula* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa cylindrica* (L.) M.Roem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica charantia* L. var. *charantia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica charantia* L. var. *muricata* (Willd.) Chakravarty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica cymbalaria* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica dioica* Roxb. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica subangulata* Blume and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mukia leiosperma* (Wight & Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mukia maderaspatana* (L.) M. Roem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sechium edule* (Jacq.) Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solena amplexicaulis* (Lam.) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solena angulata* (Chakravarty) Babu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes anaimalaiensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes cucumerina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes lobata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes nervifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes tricuspidata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zehneria maysorensis* (Wight & Arn.) Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zehneria scabra* (L.f.) Sond. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zehneria thwaitesii* (Schweinf.) Jeffrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia albo-coccinea* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia aliciae* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia anamalayana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia cordifolia* (Wight) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia floccifera* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia integrifolia* Dalz. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia malabarica* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Begonia subpeltata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetrameles nudiflora* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cereus pterogonus* Lem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cylindropuntia ramosissima* (Engler) Knuth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epiphyllum oxypetalum* (DC.) Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hylocereus undatus* (Haw.) Britton & Rosc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nopalea cochenillifera* (L.) Salm-Dyck and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia elatior* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia ficus - indica* (L.) Miller and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia vulgaris* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pereskia aculeata* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lampranthus spectabilis* (Haw.) N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesuvium portulacastrum* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trianthema portulacastrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trianthema triquetra* Rottl. var. *triquetra* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trianthema salsoloides* Oliv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zaleya decandra* (L.) Burm.f. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corbichonia decumbens* (Forsk.) Exell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gisekia pharnaceoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glinus lotoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glinus oppositifolius* (L.) A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo cerviana* (L.) Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo disticha* Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo nudicaulis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo stricta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anethum graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apium graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bupleurum distichophyllum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bupleurum plantaginifolium* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bupleurum wightii* Mukh. var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carum nothum* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centella asiatica* (L.) Urban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coriandrum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cuminum cyminum* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Daucus carota* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Foeniculum vulgare* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum aquilegifolium* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum candolleianum* (Wight & Arn.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum ceylanicum* Gard. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum courtallense* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum hookerianum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum rigens* Wall ex DC. var. *rigens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum sprengelianum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrocotyle conferta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrocotyle javanica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrocotyle sibthorpioides* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pastinaca sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Petroselinum crispum* (Mill.) Nyman ex auct.non. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peucedanum anamallayense* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella candolleana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella heyneana* (Wall ex DC.) Kurz and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella pulneyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella wallichiana* (Miq.) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sanicula elata* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachyspermum ammi* (L.) Sprague and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachyspermum roxburghianum* (DC.) Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vanasushava pedata* (Wight) Mukh. & Constance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aralia malabarica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedera australiana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedera helix* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyscias acuminata* (Wight) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyscias fruticosa* (L.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentapanax leschenaultii* (DC.) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera capitata* (Wight & Arn.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera clarkiana* Craib. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera maduraiensis* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera racemosa* (Wight) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera rostrata* (Wight) Harms var. *rostrata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke)

Mahesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera roxburghii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera stellata* (Gaertn.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera venulosa* (Wgith & Arn.) Harms var. *venulosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera venulosa* (Wgith & Arn.) Harms var. *obliquinervia* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera wallichiana* (Wight & Arn.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetrapanax papyrifer* (Hook.) Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cornus capitata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diervilla florida* Sieb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera caprifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera etrusca* Santi. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera japonica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera leschenaultii* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera ligustrina* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera periclymenum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera sempervirens* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum cylindricum* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum erubescens* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum hebanthum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum punctatum* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sambucus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acranthera anamallica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acranthera grandiflora* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aidia gardneri* (Thw.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostemma courtallense* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Agrostemma verticillatum* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Benkara malabarica* (Lam.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Byrsophyllum tetrandrum* (Bedd.) Hook.f. ex Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium angustifolium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium ficiforme* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium neilgherrense* Wight var. *neilgherrense* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium neilgherrense* Wight var. *chartacea* (Gamble) Swamin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium coromandelicum* (Burm. F.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium rheedii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canthium travancoricum* (Bedd.) Hook.f. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catesbaea spinosa* Linn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Catunaregam spinosa* (Thunb.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceriscoides turgida* (Roxb.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxylodes* (Wall.) Deb & Krishna and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona calisaya* Wedd. var. *calisaya* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cinchona succirubra* Pav. ex Klotzsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coffea arabica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coffea canephora* Pierre ex A. Froehner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coffea travancorensis* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Deccania pubescens* (Roth) Tirvengadam var. *candolleana* (Wight & Arn.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dentella repens* (L.) Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dentella serpyllifolia* Wall. ex Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fergusonia tetracocca* (Thw.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galium asperifolium* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galium rotundifolium* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia angusta* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia gummifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia latifolia* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia resinifera* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geophila repens* (L.) I.M. Johnston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Guettarda speciosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haldina cordifolia* (Roxb.) Ridsdale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hamelia patens* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis affinis* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis albo-nervia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *santapaui* (Shetty & Vivek.) Deb & Dutta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis aspera* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis auricularia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis barberi* (Gamble) Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis biflora* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis brachiata* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis buxifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis caerulea* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis corymbosa* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis devicolamensis* Deb & Dutta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis diffusa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis erecta* Manilal & Sivar. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis gamblei* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis gracilis* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis graminifolia* L.f. var. *graminifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis herbacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis hirsutissima* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis lessertiana* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis nitida* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis ovatifolia* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis pruinosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis pterita* Blume and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis puberula* (G.Don) Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis pumila* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam, G.J. Jothi & Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis shettyi* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis sisparensis* Gage and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis leschenaultiana* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis swertoides* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis villosostipulata* (Gamble) R.Rao & Hemadri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis viscida* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrophylax maritima* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenodictyon obovatum* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenodictyon orixense* (Roxb.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora brachiata* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora coccinea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora cuneifolia* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora elongata* Heyne ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora finlaysoniana* Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora johnsoni* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora leucantha* Heyne ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora malabarica* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora monticola* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora nigricans* R.Br. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora notoniana* Wall. ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora pavetta* Andr. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knoxia wightiana* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus acuminatus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus blumeanus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus capitulatus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus ciliatus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus cinereus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus dichotomous* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus jackianus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus oblongifolius* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus parvifolius* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus rostratus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus strigillosus* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus truncatus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus venulosus* (Wight & Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luculia grandifolia* Ghose and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luculia gratissima* Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luculia pinceana* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mitracarpus villosus* (Sw.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mitragyna parvifolia* (Roxb.) Korth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mitragyna tubulosa* (Arn.) Hav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda citrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda pubescens* J.E. Smith var. *pubescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda reticulata* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda belilla* Buch.-Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda frondosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda tomentosa* Wight ex Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mycetia acuminata* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis decipiens* (Hook.f.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis hutchinsonii* Deb & R. Dutta and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis nummularia* (Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis richardiana* (Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis tubulosa* (G.Don) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolamarckia cadamba* (Roxb.) Bosser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neonauclea purpurea* (Roxb.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Octotropis travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza brunonis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza eriantha* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza grandiflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza hirsutula* Wight ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza incarnata* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza mungos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza pectinata* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza pykarensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza roxburghiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb & Mondal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza tirunelvelica* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxyceros rugulosus* (Thw.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta blKalam* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta breviflora* DC. var. *breviflora* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta breviflora* DC. var. *pubescens* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta brunonis* Wall. ex G. Don and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta calophylla* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta hispidula* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta hohenackeri* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta indica* L. var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta indica* L. var. *minor* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta laeta* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta oblanceolata* Bremek and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta praeterita* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta tomentosa* Roxb. ex J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentas lanceolata* (Forssk.) Deflers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentas zanzibarica* (Klotzsch) Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleiocraterium verticillare* (Wight & Arn.) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portlandia grandiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudaidea speciosa* (Bedd.) Tirv. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria anamallayana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria beddomei* Deb & Gang. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria bisulcata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria connata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria flavida* Talbot and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria fosbergii* Sohmer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria globicephala* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria johnsonii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria macrocarpa* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria nigra* (Gaertn.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria nilgiriensis* Deb & Gang. var. *nilgiriensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria octosulcata* Talbot and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria sarmentosa* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria subintegra* (Wight & Arn.) Hook.f. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria truncata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psydrax dicoccos* Gaertn. var. *dicoccos* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psydrax ficiformis* (Hook.f.) Bridson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psydrax umbellata* (Wight) Bridson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Richardia brasiliensis* Gomes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Richardia scabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubia cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saprosma corymbosum* (Bedd.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saprosma foetens* (Wight) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saprosma fragrans* (Bedd.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saprosma glomeratum* (Gard.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce articularis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce assurgens* Ruiz et Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce hispida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce latifolia* Aubl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce mauritiana* Osea Gideon ex Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce pusilla* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce ramanii* Sivarajan & Nair and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce ocymoides* Burm.f. var. *thekkumalensis* (Sivarajan & Joseph) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamilnadia ulginosa* (Retz.) Tirvengadam & Sastre and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tarenna alpestris* (Wight) Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica forma rigida* (Wight) Raju and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tarenna canarica* (Bedd.) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tarenna monosperma* (Wight & Arn.) Raju. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tarenna nilagirica* (Bedd.) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tricalysia apiocarpa* (Dalz.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tricalysia sphaerocarpa* (Dalz.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urophyllum ceylanicum* (Wight) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wendlandia angustifolia* Wight ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wendlandia thyrsoides* (Schultes) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana arnotiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana hookeriana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana moonii* Arn.ex Clarke and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipsacus leschenaultii* Coult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scabiosa atropurpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acanthospermum hispidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Achillea millefolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acroclinium roseum* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenoon indicum* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenostemma lavenia* (L.) Kuntze var. *madurense* (DC.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ageratina adenophora* (Spreng.) R.King & H. Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ageratum conyzoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ageratum houstonianum* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Amberboa ramosa* (Roxb.) Jafri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis aristata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis bournei* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis brevifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis elliptica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis lawii* (Hook.f.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis leptophylla* (DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis marcescens* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis meeboldii* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis neelgerryana* (Sch. - Bip. ex DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis notoniana* (DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis subdecurrens* (DC.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis travancorica* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anaphalis wightiana* (DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arctotis venusta* Norl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argyranthemum frutescens* Sch. Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia nilagirica* (Clarke) Pamp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia japonica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia pallens* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artemisia sieversiana* Ehrh. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aster indamellus* Grierson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aster laevis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aster cordifolius* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aster rotundifolius* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bidens biternata* (Lour.) Merr. & Sherff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bidens pilosa* L. var. *pilosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bidens pilosa* L. var. *minor* (Blume) Sherff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blainvillea acmella* (L.) Philipson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharispermum petiolare* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blepharispermum subsessile* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea alata* (D.Don) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea aurita* (L.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea barbata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea Nripatingeriana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea bifoliata* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea clarkei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea eriantha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea fistulosa* (Roxb.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea lacera* (Burm.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea lanceolaria* (Roxb.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea malcolmii* (Clarke) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea membranacea* Wall. ex DC. var. *membranacea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea mollis* (D.Don) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea obliqua* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea oxyodonta* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea virens* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Blumea flava* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bracteantha bracteata* (Vent.) Andr. var. *albidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calendula officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Callistephus chinensis* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carpesium cernuum* L. var. *nilagiricum* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Carthamus tinctorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centaurea cyanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centrantherum punctatum* Cass. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centipeda minima* (L.) A. Braun & Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chromolaena odorata* (L.) King & Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthemum anethifolium* Brouss. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chrysanthemum coronarium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus angustifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus conferta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus hortensis* M. BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus indica* SERV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus kologa* SCHLECHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus parvifolia* WALL. EX ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus pyriformis* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeagnus umbellata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus floribundus* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus ganitrus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus lanceolatus* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus munronii* (WIGHT.) MAST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus oblongus* GAERTN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus serratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus sphaericus* (GAERTN.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus tuberculatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeodendron glaucum* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeodendron roxburghii* W. & A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema lineolatum* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema platyphyllum* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatostema sessile* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleocharis dulcis* (BURM.F.) TRIN. EX HENSCHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elephantopus scaber* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elettaria cardamomum* MATON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elettaria cardamomum* MATON major THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elettaria cardamomum* MATON minor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elettaria cardamomum* MATON miniscula and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elettaria repens* BAILOL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleusine aegyptiaca* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleusine coracana* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleusine indica* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elsholtzia blKalam* (BTH.) BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elsholtzia ciliata* (THUNB.) HYLAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elsholtzia densa* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elsholtzia pilosa* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elsholtzia polystachya* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elsholtzia strobilifera* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elytraria acaulis* (L.F.) LINDAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elytrophorus spicatus* (WILLD.) CAMUS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embelia ribes* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embelia robusta* C.B.CLARK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embelia subcoriacea* (CL.) MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embelia tsjeriam-cottam* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embllica officinalis* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Embryopteris glutinifera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Emilia sonchifolia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Engelhardia polystachya* RADLK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Engelhardtia roxburghiana* WALL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Engelhardtia spicata* LESCHEN EX. BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enhydra fluctuans* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enhydra fluctuans* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eniada scandens* AUCT. NON BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enicostemma axillare* (LAM.) RAYNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enicostemma hyssopifolium* (WILLD.) VERDOORN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enicostemma littorale* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enicostemma verticillatum* (L.) ENGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Entada phaseoloides* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Entada pursaetha* DC. *pursaetha* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Entada rheedii* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Entada scandens* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Enteropogon dolichostachyus* (LAGAS.) KENG EX LAZAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epilates divaricata* (L.) CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ephedra equisetina* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ephedra gerardiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ephedra intermedia* SCHR. & MEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ephedra major* HOST NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ephedra nevadensis* WATS. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ephedra peduncularis* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ephedra saxatilis* STAPF sikkimensis STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ephedra sinica* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ephedra vulgaris* HOOK.F. NON A.RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epidendrum retusum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epidendrum tenuifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epilobium angustifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epilobium hirsutum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epilobium roseum* SCHREB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epilobium royleanum* HOUSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epimedium elatum* MORR. & DECNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Epipactis latifolia* ALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Equisetum arvense* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Equisetum debile* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Equisetum diffusum* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Equisetum ramosissimum* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis amabilis* (L.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis ciliata* NEES. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis cynosuroides* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis gangetica* (ROXB.) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis tremula* HOCHST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eragrostis viscosa* TRIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eranthemum bicolor* SCHRANK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eranthemum purpurascens* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eranthemum roseum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erechtites valerianaefolia* (WOLF.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eremostachys acanthocalyx* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eremostachys loasifolia* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eremostachys superba* ROYLE EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eremostachys vicaryi* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eremurus himalaicus* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria calamifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eria pannea* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erianthus munja* JESW. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron alpinus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron asteroides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron bellidioides* (DON) BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron bonariensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron canadensis* TENORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron floribundus* (H.B. & K.) SCH.-BIP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron multiradiatus* (DC.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erigeron sublyratus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriglossum rubiginosum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriobotrya japonica* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriobotrya latifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon setaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon sexangulare* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriocaulon sieboldianum* S. & Z. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriodendron anfractuosum* BC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erioglossum rubiginosum* (ROXB.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriolaena hookeriana* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriolaena quinquelocularis* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriosema chinense* VOG. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriosema himalaicum* OHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eritrichium canum* (BTH.) KITAMURA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erodium cicutarium* (L.) L'HERT EX AIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erodium moschatum* L'HERIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erophila verna* (L.) C.E. MEY. EX GARCKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eruca sativa* GARS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eruca vesicaria* (LINN.) CAV. sativa (mill.)thell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ervatamia coronaria* (JACQ.) STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ervatamia dichotoma* (ROXB.) BLATTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ervatamia heyneana* T.COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ervatamia orientalis* (R.BR.) TURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ervatamia divaricata* (LINN.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erycibe paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erygium caeruleum* BEIB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erygium coeruleum* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eryngium billardieri* DELAR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eryngium caeruleum* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eryngium foetidum* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erysimum altaicum* C.A. MEY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erysimum repandum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erysimum sisymbrioides* C.A. MEY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythraea roxburghii* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina arborescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina corallodendron* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina fusca* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina indica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina resupinata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina stricta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina suberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythrina variegata* L. *orientalis* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythronium indicum* ROTTLE. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythronium scandens* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum coca* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum areolatum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum lucidum* MOON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum monogyneum* ROXB. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum monogynum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum monogynum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum moonii* HOCHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum retusum* BAUER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum retusum* BAUER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ethulia conyzoides* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus camaldulensis* DENST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus citriodora* HK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus globulus* LABILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euchresta horsfieldii* (LESCH.) BENNETT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euchretia buxifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eucomis undulata* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia aromatica* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia bracteata* (WILD.) ROXB. EX. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia caryophyllaea* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia hemispherica* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia jambolana* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia jambos* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia malaccensis* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia munroii* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia occidentalis* BOURD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia operculata* SENSU DUTHIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia spicata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eugenia uniflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia Kalammanensis* REICHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia campestris* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia cullenii* (WIGHT) BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia dabia* (D.DON) HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia epidendrea* (KOENIG) SCHLECHTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia explanata* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia herbacea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia nuda* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia pratensis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia ramentacea* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eulophia spectabilis* (DENNST.) SURESH and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus atropurpureus* JACQ.B.P. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus crenulatus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus hamiltonianus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus indicus* HEYNE EX. ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus javanicus* BL.BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus pendulus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus serratifolius* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus theophrasti* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus tingens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eupatorium adenophorum* SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eupatorium ayapana* VENT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eupatorium birmanicum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eupatorium cannabinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eupatorium glandulosum* SCH. BIP. EX BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eupatorium odoratum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eupatorium perfoliatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eupatorium triplinerve* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia acaulis* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia antiquorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia atoto* G.FORSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia barnhartii* CROIZAT, EUPHORB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia bombaiensis* SANT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia caducifolia* HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia chamaesyce* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia cognata* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia dracunculoides* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia granulata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia helioscopia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia hirta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia hispida* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia hypericifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia inaequilatera* SOND. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia laeta* HEVNE EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia lathyris* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia ligularia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia longan* STEUD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia longifolia* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia microphylla* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia milii* DESMOUL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia neriifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia nivulia* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia onicrophylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia orbiculata* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia pilosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia pilulifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia prostrata* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia pulcherrima* WILLD. EX KLOT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia resinifera* BERQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia rosea* RETZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia rothiana* SPR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia royleana* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia sanguinea* HOCHST. & STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia splendens* BOI EX HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia stracheyi* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia thomsoniana* BOISS. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia thymifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia tibetica* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia tirucalli* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia tortilis* ROTTLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia trigona* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia turcomanica* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia uniflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia wallichii* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphorbia longana* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphrasia himalaica* WETTST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphrasia odontites* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphrasia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euphrasia platyphylla* PENNEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eurya acuminata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eurya japonica* AUCT. NON THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eurya nitida* KOTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euryale ferox* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euryangium sumbul* KAUFFMAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eurycoma longifolia* JACK. ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evodia fraxinifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evodia lunu-ankenda* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evodia meliaefolia* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evodia roxburghiana* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evodia rutaecarpa* HOOK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evodia trichotoma* (LOUR.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evolvulus alsinoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evolvulus emarginatus* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Evolvulus nummularius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum bicolor* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum lawii* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum pedunculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exacum tetragonum* ROXB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Excoecaria acerifolia* F. DIDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Excoecaria agallocha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Excoecaria crenulata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Exogonium purga* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fabiana imbricata* RUIZ & PAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagonia arabica* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagonia bruguieri* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagonia cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagonia indica* L. *schweinfurthii* HADIDI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagopyrum cymosum* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagopyrum dibotrys* (DON) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagopyrum esculentum* MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagopyrum tataricum* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagraea ceilanica* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagraea imperialis* MIQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagraea obovata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagraea racemosa* JACK, ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Farsetia aegyptiaca* TURRA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Farsetia edgeworthii* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Farsetia hamiltonii* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Farsetia jacquemontii* HOOK.F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Feronia elephantum* CORREA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Feronia limonia* (L.) SWINGLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula alliacea* BOISS. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula assa-foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula foetida* REGEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula galbaniflua* BOISS. & BUHSE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula jeschkeana* VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula narthex* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula persica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula suaveolens* AITCH. & HEMSEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula sumbul* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ferula thomsoni* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Festuca indica* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fibraurea chloroleuca* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fibraurea tinctoria* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus altissima* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus amplissima* SMITH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus arnottiana* (MIQ.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus asperrima* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus auriculata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus bengalensis* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus benjamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus callosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus carica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus cunia* HAM. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus dalhousiae* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus drupacea* THUNB. pubescens (ROTH) CORNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus elastica* ROXB. EX. HORNEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus exasperata* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus fistulosa* REINW. EX BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus fulva* REINW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus gibbosa* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus glabella* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus glomerata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus heterophylla* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus hirta* VAHL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus hispida* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus infectoria* SENSU ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus lacor* BUCH.- HAM and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus lacor* BUCH.- HAM. *infectoria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus lacor* BUCH.- HAM. *lambertiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus lacor* BUCH.- HAM. *wightiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus lucescens* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus microcarpa* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus mollis* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus oppositifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus palmata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus religiosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus retusa* AUCT. NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus ribes* REINW. EX BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus rumphii* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus scandens* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus talboti* G.KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus tinctoria* FORST. F. *parasitica parasitica* (WILLD.) CORNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus tinctoria* FORST. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus tomentosa* ROXB. EX WILLD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus tsiela* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus tsjakela* BURM .F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus virens* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ficus wightiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Filago arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Filicium decipiens* (WIGHT & ARN.) THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis argentea* (ROTTB.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis diphylla* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis falcata* (VAHL) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis junciformis* KUNTH ENUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis miliacea* L. & VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis ovata* (BURM.F.) KERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis polytrichoides* (RELZ.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fimbristylis sietiniana* KUNTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fioria vitifolia* (L.) MATTEI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Firmiana colorata* (ROXB.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fissendocarpa linifolia* (VAHL) BENNET and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fissistigma polyanthum* MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flacourtia cataphracta* ROXB. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flacourtia indica* (BURM.F.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flacourtia jangomas* (LOUR.) RAEUSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flacourtia ramontchi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flacourtia sapida* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flacourtia sepiaria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flagellaria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flaveria australasica* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia bracteata* (ROXB.) WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia chappar* BUCH.-HAM. EX BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia congesta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia grahamiana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia nana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia paniculata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia procumbens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia semialata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia stricta* ROXB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia strobilifera* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia tuberosa* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fleurya interrupta* (L.) GAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flickingeria fugax* (RCHB.F.)SEODEMF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flickingeria macraei* (LINDL.) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flickingeria nodosa* (DALZ.) SEIDENF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Floscopa scandens* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fluegea leucopyrus* WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flueggea leucopyrus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flueggea microcarpa* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flueggea virosa* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Foeniculum capillaceum* GILB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Foeniculum vulgare* GAERTN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Foeniculum vulgare* GAERTN dulce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fomes officinalis* (VIL EX. FR.) LLOYD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fortunella japonica* (THUNB.) SWINGLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fragaria indica* ANDR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fragaria nilgherrensis* SCHL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Francoeria crispa* CASS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Frankenia pulverulenta* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fraxinus excelsior* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fraxinus floribunda* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fraxinus hookeri* WENZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fraxinus ornus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fritillaria cirrhosa* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fritillaria imperialis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fritillaria roylei* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fucus distichus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fucus nodosus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fucus vesiculosus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fumaria indica* PUGSLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fumaria officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fumaria parviflora* AUCT. NON. LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fumaria vaillantii* LOISEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Furcraea foetida* (L.) HAW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fynura bicolour* (WILLD.)DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gaillonia aucheri* JAUB. & SPACH. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galega purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galega spinosa* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galeopsis tetrahit* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galidium cartilagineum* (L.) GAILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galinsoga parviflora* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galium acutum* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galium aparine* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galium asperifolium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galium elegans* BLOCKI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galium mullugo* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galium rotundifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galium triflorum* MICHX. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galium verum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ganophyllum falcatum* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia cambogia* GAERTN. DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia cornea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia cowa* ROXB. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia dulcis* KURZ. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia echinocarpa* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia gummi-gutta* (L.) ROBS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia hanburyi* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia heterandra* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia indica* (DUP.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia kydia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia mangostana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia morella* (GAERTN.) DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia pedunculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia pictoria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia purpurea* G.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia rubro-echinata* KOSTERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia spicata* (WIGHT & ARN.) HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia talbotii* RAIZADA EX SANTAPAU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia travancorica* BEDDOME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia wightii* T.ANDERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia xanthochymus* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia augusta* (L.) MERR and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia campanulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia dumetorum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia floribunda* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia florida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia gummifera* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia incida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia jasminoides* ELLIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia latifolia* AITON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia lucida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia nummularioides* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia resinifera* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gardenia turgida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garuga pinnata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gastrochilus longiflora* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gastrochilus pandurata* RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gaultheria fragrantissima* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gaultheria nummularioides* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gaultheria procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gaultheria trichiphylla* ROYLE NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gelidium cartilagineum* GAILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gelonium bifarium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gelsemium elegans* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gelsemium semepervirens* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gemphostemma ovatum* WALL. EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gendarussa vulgaris* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geniosporum gracilo* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geniosporum prostratum* (L.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geniosporum tenuiflorum* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana algida* PALLAS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana argentea* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana borealis* GRISEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana carinata* GRISEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana chirayta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana decumbens* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana desonasa* (ROTTB.) G. DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana kurroo* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana lutea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana olivieri* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana quadrifaria* Bl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana renella* FRIES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana stipitata* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana tenella* FRIES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentiana thianschanica* RUPR. EX KUSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentianella pedunculata* (ROYLE) H. SM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentianella tenella* (ROTTB.) BORNER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gentianopsis detonsa* (ROTTB.) MA. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geodorum densiflorum* (LAM.) SCHLECHTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geodorum dilatatum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geophila herbacea* KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geophila reniformis* D. DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geophila repens* (L.) I.M.JOHNSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium himalayense* KLOT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium lucidum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium mascatense* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium molle* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium nepalense* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium ocellatum* CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium pratense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium pusillum* BURM.F.SPEC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium rivulare* VILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium robertianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium rotundifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium sibiricum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium wallichianum* DON EX SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gerbera gossypina* (ROYLE) BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gerbera lanuginosa* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gerbera piloselloides* (L.) CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geum alatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geum elatum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geum roylei* WALL. EX BOLLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geum urbanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Giesekia pharnacoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ginkgo biloba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Girardinia diversifolia* (LINK) FRIES and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Girardinia heterophylla* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Girardinia leschenaultiana* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Girardinia zeylanica* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Girardinia cuspidata* (BL.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Girardinia reticulata* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gisekia pharnaceoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Givotia rottleriformis* GRIFF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gleditsia sinensis* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gleditsia triacanthos* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gleichenia longissima* BURM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glinus dictamnoides* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glinus lotoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glinus oppositifolius* (L.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Globba clarkei* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Globba marantina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Globba multiflora* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Globba orixensis* ROXB. ASIAT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Globba pauciflora* KING EX BAKER and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion calocarpem* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion calocarpum* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion ellipticum* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion heyneanum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion hohenackeri* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion lanceolarium* VOIGT. NON DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion multiloculare* MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion oblatum* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion sumatrana* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion tomentosum* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glochidion zeylanicum* A. JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gloriosa superba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glossocardia bosvallea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glossocardia linearifolia* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glossogyne bidens* (RETZ.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glossogyne pinnatifida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glossonema varians* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gluta travancorica* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycine labialis* L.F. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycine max* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycine pentaphylla* DLAZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycine soja* SIEB. & ZUCC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis arborea* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis cochinchinensis* PIERRE EX ENGLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis macrocarpa* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis mauritiana* (LAMK.) TANAKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis mauritiana* (LAMK.) TANAKA Kalammanensis (NARAY.) TANAKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis pentaphylla* (RETZ.) DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycyrrhiza glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycyrrhiza glabra* L. violace and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycyrrhiza radix* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycyrrhiza uralensis* FISCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gmelina arborea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gmelina asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gmelina elliptica* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gmelina parviflora* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gmelina philippensis* CHAMP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnaphalium indicum* L. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnaphalium luteo-album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnaphalium polycaulon* PER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnetum edule* (WILLD.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnetum gnemon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnetum montanum* MARKGRAF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnetum scandens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnetum ula* BRONGN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gnidia glauca* STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goldfussia thomsonii* (NEES) BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphia angustifolia* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphia serrata* (GAERTN.) KANIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphostemma crinitum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphostemma parviflora* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphostemma wallichii* PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphrena celosioides* MART. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphrena globosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gonatanthus pumilus* (DON) E. & KRAUSE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goniothalamus sequipedalis* HK.F.& TH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goniothalamus waynaadensis* BEDD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goniothalamus wightii* HOOK.F. & THOMAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gonostegia hirta* (BL.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gonystylus macrophyllus* (MIQ.) AIRY SHAW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goodyera repens* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goodyera schlechteri* KRAMER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goodyera secundiflora* (GRIFF.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gordonia obtusa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium acuminatum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium arboreum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium barbadense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium herbaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium hirsutum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium indicum* TOD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium obtusifolium* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium purpurascens* POIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium religiosum* WATT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium stocksii* MAST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gouania leptostachya* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gouania microcarpa* DC. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gouania tiliaefolia* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gouania leptostachya* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gracilaria lichenoides* GERV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grangea maderaspatana* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Graptophyllum hortense* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Graptophyllum pictum* (L.) GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gratiola monniera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grevillea robusta* A. CUNN. EX R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia abutilifolia* VENT. EX JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia asiatica* L. vestita MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia asiatica* MAST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia carpinifolia* JUSS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia elastica* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia helicterifolia* WALL. EX G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia heterotricha* MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia hirsuta* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia microcos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia obtusa* WALL. EX GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia oppositifolia* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia optiva* DRUMMOND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia orbiculata* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia polygama* MAST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia populifolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia rhamnifolia* HEYNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia rothii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia salvifolia* HEYNE. EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia sapida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia scabrophylla* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia sclerophylla* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia subinaequalis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia tenax* (FORSK.) FIORI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia tiliaefolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia umbellata* AUCT.NON ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia villosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Guaiacum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Guazuma tomentosa* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Guazuma ulmifolia* LAM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Guettarda speciosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Guilandina bonduc* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Guizotia abyssinica* CASS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnadenia himalayica* SCHLTR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnadenia orchidis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema aurantiaca* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema balsamicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema hirsutum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema khamamlense* SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema lactiferum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema latifolium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema montanum* (ROXB.) HOOK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema spartium* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnema sylvestre* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnocladus assamicus* Kanjilal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnopetalum wightii* WT. & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnosporia montana* (ROTH.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnosporia royleana* M.LAWS and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnosporia spinosa* MERILL & ROLFE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gymnostachyum febrifugum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynandropsis gynandra* BRIQUET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynandropsis pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynocardia odorata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynostemma pentaphyllum* (THUNB.) MAKINO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynura angulosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynura cusimbua* (D.DON) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynura hispida* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynura pseudo-china* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynocarpus americanus* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria commelinifolia* (ROXB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria crinifera* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria diphylla* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria edgeworthii* HOOK. F. EX COLLETT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria grandiflora* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria intermedia* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria longicorniculata* GRAH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria orchidis* (LINDL.) HOOK.F. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria ovalifolia* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria plantaginea* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria rariflora* A.RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria rotundifolia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Habenaria roxburghii* (PERS.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hackelochloa granularis* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haemanthus multiflorus* MARTYN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haematoxylon campechianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hagenia abyssinica* GMEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haldina cordifolia* (ROXB.) RIDSDALE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Halophila ovalis* (R.BR.) HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haloxylon multiflorum* (MOQ.) BUNGE EX BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haloxylon recurvum* BUNGE EX BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haloxylon salicornicum* BUNGE EX BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hamamelis virginiana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hamelia patens* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hamiltonia suaveolens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haplanthus tentaculatus* NEES and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Haplanthus verticillata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hardwickia binata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hardwickia pinnata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Harpagophytum procumbens* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Harpullia arborea* (BLANCO) RADLK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hebanthe paniculata* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedeoma pulegioides* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedera helix* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedera nepalensis* C. KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedgsonia macrocarpa* (BL.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium acuminatum* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium coccineum* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium coronarium* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium ellipticum* HAMILT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium gardnerianum* SHEPPARD EX KER- GAWLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium glaucum* ROSC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium gracile* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium marginatum* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium spicatum* BUCH.-HAM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedychium wardii* C.E.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis auricularia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis auriculata* (LINN.). *AURICULARIA* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis biflora* (L.) LAMK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis capitellata* WALL. EX. G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis corymbosa* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis costata* (ROXB.) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis diffusa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis glabra* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis herbacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis hispida* (BENTH.) RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis lineata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis pinifolia* WALL. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis pruinosa* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis puberula* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis scandens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis tenelliflora* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis umbellata* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis uncinella* HK. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis verticillata* (L.) LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedyotis vestita* R.BR. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedysarium sennoides* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedysarum alhagi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedysarum gangeticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedysarum purpureum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedysarum sennoides* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedysarum triflorum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hedysarum tuberosum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helianthus annuus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helianthus tuberosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helicanthes elastica* (DESR.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helicia excelsa* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helicia robusta* (ROXB.) R. BR. EX BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helicteres isora* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helicteres isora* L. *glabrescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helicteres isora* L. *tomentosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliophyllum indicum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium bacciferum* FORSK. *tuberculosum* (BOISS.) KAZMI *bacciferum* NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium brevifolium* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium curassavicum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium eichwaldi* STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium ellipticum* LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium keralense* SIV. & MANL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium ophioglossum* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium ovalifolium* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium peruvianum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium rariflorum* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium strigosum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium subulatum* HOCHST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium supinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium tuberosum* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium undulatum* VAHL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helixanthera wallichiana* (SCHULT.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helleborus niger* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helleborus viridis* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helminthostachys zeylanicus* (L.) HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heliotropium ophioglossum* STOCKS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemarthria compressa* (L.F.) BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemerocallis fulva* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemidesmus indicus* (L.) SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemidictyum ceterach* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemigraphis latebrosa* NESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hemionitis arifolia* (BURM.) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum cachemiricum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum candicans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum candolleianum* (WT. & ARN.) GAMBLE . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum canescens* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum lanatum* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum nepalense* D.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum pinda* DALZ. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum pinnatum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum rigens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heracleum wallichii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heritiera littoralis* AITON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heritiera minor* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heritiera papilio* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hermodactylus tuberosus* (L.)MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hernandia ovigera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hernandia peltata* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Herniaria glabra* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Herniaria hirsuta* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Herpestis monniera* (L.) H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hesperethusa alata* (W. & A.) ALST and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hesperethusa crenulata* (ROXB.) M. ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hetaeria obliqua* Bl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heterophragma quadriloculare* K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heterophragma roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heteropogon contortus* (L.) BEAUV. EX R. & S. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heterostemma piperifolium* KING & GAMBLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heterostemma tanjorensis* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hewittia malabarica* (L.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heylandia latebrosa* D.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heynea sumatrana* MIG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heynea trijuga* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus abelmoschus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus aculeatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus cancellatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus cannabinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus esculentus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus ficulneus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus furcatus* ROXB. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus hirtus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus hispidissimus* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus lampas* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus lunariifolius* WILLD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus manihot* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus micranthus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus mutabilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus obtusifolius* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus ovalifolius* (FORSK.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus platanifolius* (WILLD.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus populneus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus rosa-sinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus sabdariffa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus surattensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus syriacus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus tiliaceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus trionum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus vitifolias* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus vitifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hieracium umbellatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hieracium virosum* PALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hieracium vulgatum* (FR.) ALMQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hippocratea indica* WILLD. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hippophae rhamnoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hippophae rhamnoides* L. *saticifolia* (D.DON) SARVETTAZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hippophae salicifolia* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hippophae tibetana* SCHLECT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hiptage benghalensis* (L.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hiptage madablota* GAERTN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hitchenia caulina* BAKER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hodgsonia macrocarpa* (BL.) COGN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holarrhena antidysenterica* (ROTH.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holarrhena mitis* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holboellia latifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holigarna arnottiana* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holigarna ferruginea* MARCHAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holigarna grahamii* (WGT.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holigarna nigra* BOURD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holmskioldia sanguinea* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holoptelea integrifolia* (ROXB.) PLANCHON and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holostemma ada-kodien* SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holostemma annulare* (ROXB.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holostemma rheedianum* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holostemma rheedii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holosteam umbellatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Homalomena aromatica* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Homalomena rubescens* KUNTH ENUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Homonoia retusa* (GRAH. EX WT.) MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Homonoia riparia* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea glabra* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea odorata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea parviflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea ponga* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea wightiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea dichotoma* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hordeum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hornstedtia costata* (ROXB.) K. SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Horsfieldia glabra* (BL.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Horsfieldia irya* (GAERTN.) WARB. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Horsfieldia kingii* (HK.F.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Houttuynia cordata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hovenia acerba* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya carnosa* R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya globulosa* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya multiflora* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya ovalifolia* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya pendula* WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya viridiflora* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hoya wightii* HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hugonia mystax* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Humboldtia unijuga* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Humboldtia vahliana* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Humulus lupulus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hunteria corymbosa* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hunteria legocii* SKINA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Huperzia phlegmaria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hura crepitans* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hybanthus enneaspermus* (L.F.) MUELL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyderangea macrophylla* (THUNB.) SER. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus alpina* WT. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus anthelminthica* PIERRE. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus inebrians* VAHL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus kurzii* (KING) WARB. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus laurifolia* (DENNST.) STEUM. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus macrocarpa* (BEDD.) WARB. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus octandra* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus venenata* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus wightiana* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnophytum Kalammanense* BECC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnophytum formicarium* JACK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrangea arborescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrastis canandensis* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrilla verticillata* (L.F.) ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrocharis dubia* (BL.) BACKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrocotyle asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrocotyle javanica* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrocotyle javanica* THUNB. *PODUNTHA MOLKENBOER* EX C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrocotyle rotundifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrocotyle sibthorpiodes* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrolea zeylanica* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila auriculata* (SCHUMACH.) HEINE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila erecta* (Burm.f.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila heinei* SREEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila phlomoides* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila polysperma* (ROXB.) AND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila salicifolia* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila schulli* (HAM.) M.R. & S.M. ALMEIDA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygrophila spinosa* T. ANDER. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hygroryza aristata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenaea courbaril* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenaea hornemannianum* (HAYNE) D. DIETR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenocrater sessilifolius* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenodictyon excelsum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenodictyon obovatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenodictyon orixense* (ROXB.) MABBERLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyoscyamus albus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyoscyamus muticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyoscyamus niger* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyoscyamus pusillus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyoscyamus reticulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyoscyamus squarrosus* GRIFF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypocoum leptocarpum* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypocoum pendulum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypocoum procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyperanthera moringa* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum cernuum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum chinense* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum elodeoides* CHOIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum humifusum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum japonicum* THUNB. EX MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum laxum* (BL.) KOIDZUMI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum monanthemum* HK. F. & TH. EX DYER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum monogynum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum mysurense* HEYNE EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum oblongifolium* CHOISY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum patulum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum perforatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum sampsoni* HANCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum uralum* BACH.-HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypobathrum microcarpum* (Bl.) Bakh.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypochaeris glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypodematium crenatum* (FORSK.) KUHN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypolepis punctata* (THUNB.) METT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypolytrum nemorum* (VAHL) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypoxis aurea* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypoxis orchioides* KURZ. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyptis brevipes* POIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyptis capitata* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyptis pectinata* POIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyptis suaveolens* POIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyssopus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hyssopus parviflora* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ichnocarpus frutescens* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex denticulata* WALL. EX. WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex godajam* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex paraguariensis* A.ST.HIL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex wightiana* WALL. EX. WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Illecebrum lanatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Illicium anisatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Illicium griffithii* HOOK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Illicium religiosum* S. & L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Illicium verum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Illigera appendiculata* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Illigera villosa* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilysanthes oppositifolia* (ROXB.) URB. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilysanthes reptans* (ROXB.) URB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens balsamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens brachycentra* KAR. & KIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens gigantea* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens glandulifera* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens minor* (DC.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens roylei* WALP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens scabrida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens tilo* (DC.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens tripetala* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Imperata arundinacea* CYR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Imperata cylindrica* (L.) RAEUSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Incarvillea emodi* (LINDL.) CHATTERJ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera angustifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera anil* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera argentea* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera articulata* GONAN and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera aspalathoides* VAHL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera astragalina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera caerulea* ROXB. caerulea and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera cassioides* ROTTL. EX DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera ennaephylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera galegoides* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera gerardiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera glandulosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera hebepetala* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera heterantha* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera linifolia* RETZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera linnaei* ALI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera nil* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera oblongifolia* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera paucifolia* DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera pulchella* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera suffruticosa* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera sumatrana* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera tinctoria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera trifoliata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera trita* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indigofera uniflora* HAM. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indoneesiella echicides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indoneesiella echioides* (L.) SREEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Indoneesiella intermedia* SREEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Intsia bijuga* (Colebr.) O. Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Inula cappa* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Inula cuspidata* C.B. CL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Inula grandiflora* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Inula grantioides* BOISS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Inula graveolens* DESF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Inula helenium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Inula obtusifolia* KERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Inula racemosa* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Inula royleana* DC. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ionidium enneaspermum* VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ionidium suffruticosum* GING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iphigenia indica* (L.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea aquatica* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea batatas* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea biloba* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea bona-nox* HEYNE EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea burmanni* CHOISY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea cairica* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea campanulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea candicans* SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea carnea* (MART. EX CHOISY) AUSTIN. *fistulosa* (MART. E CHOISY) AUSTIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea carnea* JACQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea coccinea* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea coptica* (L.) ROTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea cymosa* ROEM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea dasysperma* JACQ. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea digitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea dissecta* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea eriocarpa* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea fastigiata* (ROXB.) SWEET NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea fistulosa* MART EX CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea glaberrima* BOJ. EX HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea grandiflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea hederacea* AUCT. NON JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea hederifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea hispida* ROEM. & SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea illustris* (CLARKE) PRAIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea involucrata* BEAUV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea marginata* (DESR.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea mauritiana* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea maxima* G. DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea muricata* (L.) JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea nil* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea obscura* KER.-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea paniculata* (L.) R.BR. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea pes-caprae* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea pes-tigridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea petaloidea* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea purga* (WEND.) HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea purpurea* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea quamoclit* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea reniformis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea reptans* (L.) POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea sepiaria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea indica* STAPP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea staphylina* R, BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea tridentata* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea turbinata* LAG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea turpethum* (L.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea uniflora* ROEM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea violacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ipomoea vitifolia* SWEET. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris decora* WALL. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris ensata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris florentina* KUNZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris foetidissima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris germanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris kashmiriana* BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris kemaonesis* D.DON EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris nepalensis* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris songarica* SCHRENK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iris versicolor* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isachne globosa* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum muticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum pilosum* HACK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ischaemum rugosum* SALISH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isopyrum acuminata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isopyrum anemonoides* KAR. & KIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Isopyrum thalictroides* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Itea chinensis* HOOK. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora acuminata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora alba* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora arborea* ROXB. EX J.E. SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora brunnescens* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora coccinea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora cuneifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora grandiflora* Zoll. & Mor. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora nigricans* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora notoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora parviflora* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora pavetta* ANDR. BOT. REPOS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora polyantha* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora sub-sessilis* WALL. EX G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ixora undulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *JacarKalam acutifolia* HUMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jacobinia tinctoria* HEMSL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jaeschkea gentianoides* KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jaeschkea oligosperma* (GRISEB.) KNOBL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Janakia arayalpathra* JOSEPH & CHANDRASHEKARAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum anastomozans* WALL. EX DC. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum angustifolium* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum arborescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum auriculatum* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum azoricum* L. *azoricum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum bignoniaceum* WALL. EX. G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum calophyllum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum chrysanthemum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum cuspidatum* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum diversifolium* KOBUSKI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum flexile* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum grandiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum humile* SENSU CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum malabaricum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum multiflorum* (BURM.F.) ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum nervosum* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum pubescens* (RETZ.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum ritchiei* CLARKE IN HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum rottlerianum* WALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum sambac* (L.) AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum sambac* AIT. *heyneana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum scandens* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum subhumila* W.W. SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum trichotomum* HEYNE. EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jasminum undulatum* KER-GAWLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jateorhiza palmata* (LAM.) MIERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha curcas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha glandulifera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha glandulosa* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha glauca* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha gossypifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha montana* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha multifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha nana* DALZ. & GIBS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jatropha panduraefolia* ANDR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Joannesia princeps* VELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juglans regia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juglans regia* L. kumaonia DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juncellus inundatus* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juncus inflexus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juncus lampocarpus* EHRH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juncus prismatocarpus* R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juniperus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juniperus excelsa* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juniperus indica* BERTOL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juniperus macropoda* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juniperus polycarpus* C. KOCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juniperus recurva* BUCH.-HAM. EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jurinea dolomiaea* BOISS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jurinea himalaica* STEWART NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jurinea macrocephala* (ROYLE) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jurinea macrophylla* BTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jussiaea repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jussiaea suffruticosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Jussiaea tenella* BURM. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia acaulis* L.F. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia adhatoda* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia beddomei* (CL.) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia betonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia bicalyculata* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia bilvalvis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia ecbolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia gendarussa* BURM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia madurensis* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia nasuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia paniculata* (VAHL) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia picta* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia prostrata* (CL.) GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia quinqueangularis* KOEN. EX. ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia repens* DELESS. EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia simplex* DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia tranquebariensis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Justicia vasculosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kaempferia angustifolia* ROSC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kaempferia galanga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kaempferia rotunda* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe integra* (MEDIK.) KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe laciniata* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe pinnata* (LAM.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe rosea* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalanchoe spathulata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kallstroemia pubescens* (DON) DANDY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kandelia candel* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kandelia rheedei* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kandelia rheedii* W.&A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kedrostis foetidissima* (JACQ.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kedrostis rostrata* (ROTTL.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kickxia ramosissima* (WALL.) JANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kigelia africana* (LAMK.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kigelia pinnata* (JACQ.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kirganelia reticulata* BAILL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kleinhovia hospita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kleinhovia grandiflora* (WALL. EX DC.) RANI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knema angustifolia* (ROXB.) WARB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knema attenuata* (WALL.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knema erratica* (HOOK.F. & TH.) SINCLAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knema linifolia* (ROXB.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knoxia brachycarpa* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knoxia corymbosa* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knoxia roxburghii* (SPRENG.) M.A. RAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Knoxia sumatrensis* (RETZ.) DC. *hookeriana* BHATTACHARJEE & DEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kochia indica* WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kochia scoparia* (L.) SCHRAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kochia sedoides* SCHRAD NEUES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Koelpinia linearis* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kokoona zeylanica* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kopsia flavida* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kopsia fruticosa* A. DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kurrimia bipartita* M.LAWS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kydia calycina* ROXB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kyllinga brevifolia* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kyllinga monocephala* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kyllinga nemoralis* HUTCH. & DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kyllinga squamulata* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kyllinga triceps* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lablab purpureus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca dissecta* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca gracilis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca heyneana* D.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca orientalis* (BOISS.) BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca remotiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca runcinata* DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca scariola* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca serriola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca tatarica* C.A.REY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lactuca virosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagascea mollis* CAV. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagascea spinosissima* COV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagenandra ovata* (L.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagenandra toxicaria* (L.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagenaria leucantha* RUSBY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagenaria siceraria* (MOLINA) STANDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagenaria vulgaris* SER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia flos-reginae* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia hirsuta* (LAM.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia microcarpa* W. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia parir-flosh* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia reginae* PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagerstroemia speciosa* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagdera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagdera aurita* (WILD.) SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagdera crispata* (VAHL) HEP. & WD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagdera flava* BENTH. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laggera pterodonta* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lagotis glauca* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lallemantia royleana* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lamarkia aurea* MOENCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laminaria saccharina* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lamium album* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lamium amplexicaule* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lamprachaenium microcephalum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lancea tibetica* HK. F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., Safed Musli farming for hyperglycemia formulations: Impact of *Lannea coromandelica* (HOUTT.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lannea grandis* (DENNST.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lansium domesticum* JACK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lantana aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lantana camara* L. *aculeata* (L.) MOLDENKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lantana camara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lantana indica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laportea crenulata* GANDICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laportea interrupta* (L.) CHEW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Larrea tridentata* (SESSE & MOC.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasia aculeata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasia heterophylla* SCHOTT MELET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasia spinosa* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasianthus Kalammanicus* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasiosiphon eriocephalus* (MEISNER) DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lasiurus hirsutus* (FORSK.) BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lastrea filix-mas* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathraea squamaria* L. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus altaicus* LED. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus aphaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus inconspicuus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus luteus* BAKER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus odoratus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus pratensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lathyrus sphaericus* RETZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea asplenifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea capitata* (SPRENG.) DANDY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea chondrilloides* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea fallax* (JAUB. & SPACH.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea glomerata* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea nudicaulis* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea pinnatifida* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea remotiflora* (DC.) STEBBINS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea resedifolia* (LINN.) KUNTZE and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launaea sarmentosa* (WILLD.) ALST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launea acaulis* (ROXB.) KERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launea procumbens* (ROXB.) RAM. & RAJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Launea sarmentosa* ALSTON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens chandrasekharanii* Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens clavicornu* Turez. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens cordata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens crenata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens cuspidata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens dasysperma* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens debilis* Turez. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens denisonii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens disotis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens diversifolia* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens elegans* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens floribunda* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens fruticosa* Lesch. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens gardneriana* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens goughii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens grandis* Heyne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens hensloviana* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens herbicola* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens hookeriana* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens inconspicua* Benth ex. Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens jerdoniae* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens laticornis* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens lawsonii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens lenta* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens leptura* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens levingei* Gamble ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens ligulata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens maculata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens minor* (DC.) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens modesta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens munronii* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens neo-barnesii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens nilgirica* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens oppositifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens orchioides* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens parasitica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens parvifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens phoenicea* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens rufescens* Benth. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens scabriuscula* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens scapiflora* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens tangachee* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens tenella* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens tomentosa* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens trichocarpa* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens umbellata* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens uncinata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens verticillata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens viridiflora* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens viscida* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens viscida* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens wightiana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acronychia pedunculata* (L.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aegle marmelos* (L.) Correa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atalantia monophylla* (L.) Correa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atalantia racemosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Atalantia wightii* Tanaka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chloroxylon swietenia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Choisya ternata* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus aurantifolia* (Christm.) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus aurantium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus limon* (L.) Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus maxima* (Burm.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus medica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus nobilis* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus reticulata* Blanco and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Citrus sinensis* (L.) Osbeck. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena austro-indica* B. C. Stone and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena dentata* (Willd.) M. Roem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena indica* (Dalz.) O'Skin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clausena lansium* (Lour.) Skeels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euodia fraxinifolia* (D. Don.) Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fortunella japonica* (Thunb.) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis angustifolia* Lindl. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis macrocarpa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis mauritiana* (Lam.) Tanaka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis pentaphylla* (Retz.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glycosmis tirunelveli*ensis Murugan & Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limonia acidissima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luvunga eleutherandra* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melicope indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murraya koenigii* (L.) Spreng. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murraya paniculata* (L.) Jack and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Naringi crenulata* (Roxb.) Nicolson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pamburus missionis* (Wight) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paramignya beddomei* Tanaka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paramignya monophylla* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleiospermium alatum* (Wall ex. Wight & Arn.) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruta chalepensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toddalia asiatica* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triphasia trifolia* (Burm. f.) P. Wilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vepris bilocularis* (Wight & Arn.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum armatum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum ovalifolium* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum rhetsa* (Roxb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum limonellia* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ailanthus excelsa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ailanthus triphysa* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quassia amara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Suriana maritima* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphia serrata* (Gaertn.) Kanis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna integerrima* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna jabotapita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna lanceolata* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna obtusata* DC. var. *obtusata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna gamblei* King ex Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Boswellia serrata* Roxb. ex Coleb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canarium strictum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canarium vulgare* Leenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora berryi* (Arn.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garuga floribunda* Decne var. *gamblei* (King ex W. W. Sm.) Kalkman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garuga pinnata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia apiocarpa* (Thw.) Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia domestica* (Correa) Pellegrin Lecomte and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia elaeagnoidea* (Juss.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia edulis* (Roxb.) Wall and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia lawii* (Wight) Saldanha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia tomentosa* Teijsm. & Binn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia odorata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aglaia simplicifolia* (Bedd.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aphanamixis polystachya* (Wall.) Parker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Azadirachta indica* A. Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chukrasia tabularis* A. Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cipadessa baccifera* (Roth) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysoxylum binectariferum* (Roxb.) Hook. f. ex Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysoxylum ficiforme* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dysoxylum malabaricum* Bedd. ex Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melia azedarach* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Naregamia alata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reinwardtiodendron anamallayanum* (Bedd.) Saldahnha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sandoricum koetjape* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Soymida febrifuga* (Roxb.) A. Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swietenia macrophylla* King and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swietenia mahagoni* (L.) Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toona ciliata* M. Roem. var. *ciliata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichilia connaroides* (Wight & Arn.) Bentvelzen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turraea villosa* Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Walsura trifolia* (A. Juss.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xylocarpus granatum* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dichapetalum gelonioides* (Roxb.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anacolosa densiflora* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olax scandens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olax imbricata* Roxb. var. *imbricata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olax imbricata* Roxb. var. *nigrescens* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strombosia ceylanica* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ximenia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cansjera rheedii* Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opilia amentacea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Apodytes dimidiata* E. Meyer ex Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphandra coriacea* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Miquelia dentata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothapodytes nimmoniana* (Graham) Mabblerley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrenacantha volubilis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostigma kleinii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythralium populifolium* (Arn.) Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex aquifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex denticulata* Wall ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex gardneriana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex malabarica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex opaca* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex walkeri* Wight & Gard. ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ilex wightiana* Wall ex. Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bhesa indica* (Bedd.) Ding and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassine glauca* (Rottb.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cassine paniculata* (Wight & Arn.) Loeb.-Callen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celastrus paniculatus* Willd. var. *paniculatus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Celastrus paniculatus* Willd. subsp. *aggregatus* K.T.Mathew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus angulatus* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus barberi* C. Murugan & V. S. Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus crenulatus* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus dichotomous* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus indicus* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus japonicus* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus kanyakumariensis* Murugan & Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus paniculatus* Wight ex Lawson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Euonymus serratifolius* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glyptopetalum grandiflorum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glyptopetalum lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Glyptopetalum zeylanicum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Loeseneriella bourdillonii* (Gamble) Raju and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lophopetalum wightianum* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maytenus emarginata* (Willd.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maytenus heyneana* (Roth) Raju & Babu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maytenus rufa* (Wall.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microtropis microcarpa* Wight var. *microcarpa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microtropis latifolia* Wight ex Lawson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microtropis ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microtropis ramiflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microtropis stocksii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microtropis wallichiana* Wight ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleurostylia opposita* (Wall.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reissantia grahamii* (Wight) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reissantia indica* (Willd.) Halle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia fruticosa* Heyne ex Lawson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia macrosperma* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia oblonga* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alphitonia excelsa* Reiss ex Endlicher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colletia cruciata* Gill. & Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colletia ferox* Gill. & Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Colubrina asiatica* (L.) Brongn. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gouania microcarpa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hovenia acerba* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maesopsis eminii* Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pomaderris apetala* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pomaderris lanigera* Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus cathartica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus dahuricus* Pall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus virgatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus wightii* Wight & Arn. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sageretia hamosa* Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sageretia parviflora* (Klein) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutia myrtina* (Burm. f.) Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ventilago denticulata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ventilago gamblei* Suesseng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ventilago goughii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ventilago madraspatana* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus glabrata* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus horrida* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus incurva* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus mauritiana* Lam. var. *mauritiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus oenoplia* (L.) Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus rugosa* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus xylopyrus* (Retz.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus indica* (L.) Planch and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus latifolia* (Roxb.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ampelocissus wightiana* Shetty & Singhand 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia auriculata* (Roxb.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia japonica* (Thunb.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia mollissima* (Wall.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *glabra* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cayratia trifolia* (L.) Domin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus arnottiana* B.V.Shetty & P.Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus adnata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus discolor* Blume. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus latifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus glyptocarpa* (Thw.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus heyneana* (Wall. ex Lawson) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus quadrangularis* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus repKalam Vahl* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus repens* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissus vitiginea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyphostemma setosum* (Roxb.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parthenocissus neilgherriensis* (Wight) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetrastigma gamblei* Shetty & Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetrastigma leucostaphylum* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetrastigma nilagiricum* (Miq.) Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetrastigma sulcatum* (Lawson) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis vinifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea asiatica* (L.) Ridsdale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea guineensis* G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea indica* (Burm. F.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea macrophylla* Roxb. ex Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Allophylus cobbe* (L.) Raeusch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardiospermum canescens* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardiospermum halicacabum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dimocarpus longan* Lour. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dodonaea viscosa* (L.) Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Filicium decipiens* (Wight & Arn.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Harpullia arborea* (Blanco) Radlk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepisanthes erecta* (Thw.) Leenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepisanthes tetraphylla* (Vahl.) Radlk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litchi chinensis* Sonner. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Otonephelium stipulaceum* (Bedd.) Radlk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapindus emarginatus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapindus trifoliata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schleichera oleosa* (Lour.) Oken and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aesculus indica* (Cambess.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acer caesium* Wall. ex Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acer oblongum* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acer pseudo-platanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melanthus major* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turpinia malabarica* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turpinia cochinchinensis* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.)

Beus. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meliosma simplicifolia* (Roxb.) Walp. subsp. *simplicifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anacardium occidentale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buchanania axillaris* (Desr.) Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Buchanania lanzan* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gluta travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holigarna arnottiana* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holigarna beddomei* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holigarna ferruginea* Marchand and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holigarna grahamii* (Wight) Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Holigarna nigra* Bourd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., Safed Musli farming for hyperglycemia formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mangifera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopegia aureo-fulva* Bedd. ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopegia beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopegia colebrookeana* (Wight) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopegia heyneana* (Hook. f.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopegia travancorica* Bedd ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopegia vajravelui* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus mysorensis* G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus paniculata* Wall. ex Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schinus molle* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schinus terebinthifolius* Raddi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Semecarpus anacardium* L. var. *anacardium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Semecarpus anacardium* L. var. *cuneifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Semecarpus auriculata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Semecarpus travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spondias pinnata* (L.f.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corynocarpus laevigata* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moringa concanensis* Nimmo ex Gibbs. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moringa pterygosperma* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Connarus monocarpus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Connarus wightii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ellipanthus tomentosus* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rourea minor* (Gaertn.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abrus fruticosus* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abrus precatorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abrus pulchellus* Wall ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeschynomene americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeschynomene aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aeschynomene indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus beddomei* Schind. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus longifolius* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus monilifer* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus ovalifolius* (Schumac) J. Leon. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus racemosus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus roxburghianus* Thoth. & Pramanik and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus glumaceus* (Vahl) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arachis hypogaea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Butea acuminata* (Benth.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Butea monosperma* (Lam.) Taub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Butea parviflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Butea purpurea* (Benth. ex Baker) Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cajanus albicans* (Wight & Arn) Maesen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cajanus goensis* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cajanus lineata* (Wight & Arn) van der. Maesen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cajanus cajan* (L.) Millsp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cajanus rugosus* (Wight & Arn) Maesen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cajanus scarabaeoides* (L.) Thouars and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cajanus trinervius* (DC.) van der. Maesen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calopogonium mucunoides* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calpurnia aurea* (Ait.) Benth. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canavalia cathartica* Thouars and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canavalia gladiata* (Jacq.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canavalia maritima* (Aubl.) Thouars and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canavalia mollis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Canavalia virosus* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Castanospermum australe* A. Cunn. & Fraser ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Centrosema pubescens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chorizema ilicifolium* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christia obcordata* (Poir.) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Christia vespertilionis* (L.f.) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cicer arietinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clianthus puniceus* Soland ex. Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clitoria ternatea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laurentia longiflora* (L.) PETERMANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laurus cassia* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laurus cinnamomum* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Laurus nobilis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lavandula bipinnata* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lavandula burmanni* BENTH. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lavandula carnosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lavandula stoechas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lavandula vera* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lavatera kashmiriana* CAMB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lawsonia alba* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lawsonia inermis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lawsonia spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lechea verticillata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea aequata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea alata* EDGEW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea arguata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea asiatica* (L.) RIDSDALE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea aspera* EDGE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea bracteata* CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea compactiflora* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea crispa* V. ROYEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea guineensis* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea hirta* ROXB EX HORNEIM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea indica* MERILL and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea macrophylla* ROXB. EX HORN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea robusta* ROXB. HORT. BENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leea sambucina* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lemanea australis* ATKINS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lemmaphyllum carnosum* (J. SM.) PRESL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lemna globosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lemna obcordata* BOJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lemna perpusilla* TORREY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lens culinaris* MEDIC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lens esculenta* MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leonotis nepetaefolia* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leontopodium jacotianum* BEAUVERD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leonurus cardiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leonurus hamiltoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leonurus incurva* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leonurus japonicus* HOUTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leonurus sibiricus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leonurus stelligera* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepeocercis serrata* TRIM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepianthes umbellata* (L.) RAF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis cristata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis hamiltoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis incurva* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis pungens* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis scariosa* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis trinervia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidagathis trinervis* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium apetalum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium capitatum* HOOK. F. & THOMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium draba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium iberis* L. alba and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium iberis* POLL . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium latifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium perfoliatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium ruderae* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium virginicum* L. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepionorus sylvestris* BL. BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepionurus sylvestris* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepisanthes Kalammanica* KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptadenia pyrotechnica* DCNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptadenia spartium* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptochilus decurrens* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptochloa malabarica* (L.) VELDKAMP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptodermis lanceolatus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptonychia heteroclita* (ROXB.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lespedeza sericea* MIQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lettsomia aggregata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lettsomia atropurpurea* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lettsomia elliptica* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lettsomia mysorensis* CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lettsomia nervosa* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lettsomia setosa* ROXB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucaena glauca* (L.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas aspera* (WILLD.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas capitata* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas cephalotes* (ROTH.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas ciliata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas flaccida* R.BR. *scaberula* (HOOK.F.) SRINIVASAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas indica* (L.) R.BR. EX VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas lanata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas lavandulifolia* J.E. SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas linifolia* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas martinicensis* (JACQ.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas mollissima* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas plukenetii* (ROTH) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas stelligera* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas stricta* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas urticaefolia* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucas zeylanica* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leuconotis eugenifolia* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucosceptum canum* SM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucostegia immersa* (HK.) PRESL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leucostegia nodosa* BEDD.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leueas rosmarnifolia* CIRUTUMPAI benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Levisticum officinale* W.D.J. KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Licuala spinosa* WURMB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligularia amplexicaule* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligularia jacquemontiana* (DECNE) RAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligusticum elatum* C.B. CL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum indicum* (LOUR.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum lucidum* (LOUR.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum nicum* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum perrottetii* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ligustrum robustum* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lilium candidum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lilium giganteum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lilium martagon* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lilium neilgherrense* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lilium polyphyllum* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lilium wallichianum* SCHULT. & SCHULT. F and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnanthemum cristatum* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnanthemum indicum* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnanthemum nymphaeoides* LINK FL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila aromatica* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila gratioloides* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila gratissima* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila indica* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila polystachya* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila racemosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila roxburghii* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila rugosa* (ROTH) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophila sessiliflora* (VAHL) BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnophyton obtusifolium* (L.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limodrum spatulatum* WLLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limonia acidissima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limonia alata* W. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limonia crenulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Linaria cirrhosa* H.K. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Linaria minor* DESF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Linaria ramosissima* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindelia longiflora* (BENTH.) BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindenbergia indica* (L.) KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindenbergia urticaefolia* LEHM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindera caudata* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindera neesiana* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindera pulcherrima* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia anagallis* (BURM.F.) PENNELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia antipoda* (L.) ALSTON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia caespitosa* (BL.) PANIGRAHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia ciliata* (COLESM.) PENNELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia cordifolia* (COLSM.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia crustacea* (L.) F. V. MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia hyssopioides* (L.) HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia oppositifolia* (RETZ.) MUKH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia procumbens* (KROCK.) BORBAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia pyxidaria* ALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia rotundifolia* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindernia ruellioides* (COLSM) PENNEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lindsaea cultrata* (WILLD.) SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Linociera malabarica* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Linociera ramiflora* (ROXB.) WALL. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Linum perenne* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Linum strictum* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Linum usitatissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis nervosa* (THUNB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liparis parviflora* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lippia alba* N.E. BR. EX BRITTON & WILS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lippia geminata* H.B.K. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lippia javanica* (BURM.F.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lippia nodiflora* MICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liquidambar orientalis* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liquidambar styraciflua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liqustrum indicum* (LOUR.) NERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Liriodendron tulipifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litchi chinensis* SONN. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lithocarpus pachyphyllus* (KURZ) REHDER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lithospermum arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lithospermum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea chinensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea citrata* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea cubeba* (LOUR.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea glutinosa* (LOUR.) C.B. ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea glutinosa* (LOUR.) ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea lancifolia* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea monopetala* (ROXB.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea polyantha* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea quinqueflora* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea sebifera* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea stocksii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea umbrosa* NEES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Litsea zeylanica* C. & T. NESS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia alsinoides* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia chinensis* LOUR. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia cordigera* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia excelsa* LESCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia inflata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia leschenaultiana* (PRESL) SKOTTSB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobelia pyramidalis* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobularia maritima* DESV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lochnera pusilla* K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lochnera rosea* REICHB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lodoicea maldivica* (POIR.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lodoicea seychellarum* LABILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lomatogonium carinthiacum* (WULF.) BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera glauca* HK. F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera japonica* THUNB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera leschenaultii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera macrantha* (D.DON) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera semenovii* REGEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lonicera webbiana* WALL. EX DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lophopetalum wallichii* KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Loranthus coriaceus* DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Loranthus elasticus* DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Loranthus falcatus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Loranthus longiflorus* DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lotus corniculatus* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Loxococcus rupicola* WENDL.& DRUDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia adscendens* (L.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia hyssopifolia* (DON) EXCELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia octovalvis* (JACQ.) RAVEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia octovalvis* (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia perennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia peruviana* (L.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ludwigia prostrata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa acutangula* (L.) ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa acutangula* ROXB. amara (ROXB.) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa aegyptiaca* MILL. EX. HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa amara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa cylindrica* (L.) M.J. ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa echinata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa graveolens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa graveolens* ROXB. longystyla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa pentandra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa tuberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luffa umbellata* (KLEIN) ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luisia tenuifolia* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lumnitzera racemosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lupinus albus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lupinus angustifolius* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lupinus digitatus* FORSK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lupinus luteus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luvunga eleutherandra* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luvunga scandens* (BLUME) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Luzula campestris* (L.) DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lychnis apetala* L. SP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lychnis coronaria* LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycianthes laevis* (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycianthes laevis* (DUNAL) BITTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycium barbarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycium europaeum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycium ruthenicum* MURR. EX DUNAL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycoperdon gemmatum* BATSCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycoperdon pusillum* PER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycopersicon esculentum* MILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycopersicon lycopersicum* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycopersicum esculentum* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycopodium cernum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycopodium clavatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycopodium phlegmaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycopus europaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lycoris radiata* (L'HERIT.) HERBERT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lygodium circinatum* (BURM) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lygodium flexuosum* (L.) SW. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lygodium japonicum* (THUNB.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lygodium microphyllum* (CAV.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lygodium pinnatifidum* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lygodium scandens* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lyonia ovalifolia* (WALL.) DRUDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maba bauxifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maba buxifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macadamia ternifolia* F. MUELL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macaranga indica* W. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macaranga nicobarica* BALAKR. & CHAKRAB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macaranga peltata* (ROXB.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macaranga roxburghi* WRIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macaranga tanarius* (L.) M. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macaranga tetracoccus* (ROXB.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Machilus bombycina* KING EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Machilus macrantha* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Machilus villosa* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macropanax dispersum* (BI.) KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macrosolen parasiticus* (L.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macrotomia benthamii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macrotomia perennis* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macrotomia speciosa* AITCHET HEMST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Macrotyloma uniflorum* (LAM.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Madhuca butyracea* (ROXB.) MACBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Madhuca diplostemon* (CLARKE) ROYEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Madhuca indica* GMEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Madhuca insignis* (RADLK) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Madhuca longifolia* (KOEN.) MACLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Madhuca malabarica* (BEDD.) R.N.PARKAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Madhuca neriifolia* (MOON) LAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maerua apetala* (ROTH) JACOBS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maerua arenaria* HOOK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maerua oblongifolia* (FORSK.) A.RICH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maesa chisia* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maesa indica* (ROXB.) A.DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maesa montana* DC, and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maesa ramentacea* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maharanga emodi* (WALL.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mahonia acanthifolia* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mahonia borealis* TAKEDA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mahonia manipurensis* TAKEDA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mahonia nepaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mahonia pycnophylla* (FEDDE) TAKEDA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mahonia sikkimensis* TAKEDA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mahonia simonsii* TAKEDA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Majorana hortensis* MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malachra capitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malaxis acuminata* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malaxis biloba* (LINDL.) AMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malaxis mackinnonii* (DUTHIE) AMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malaxis muscifera* (LINDLEY) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malaxis rheedei* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus ferrugineus* (ROXB.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus philippensis* (LAM.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus repandus* (WILLD.) MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malpighia glabra* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malpighia punicifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malus pumila* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malus sylvestris* MILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malva neglecta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malva parviflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malva rotundifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malva sylvestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malva verticillata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malvastrum americanum* (L.) TORR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malvastrum coromandelianum* GARCKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mammea americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mammea longifolia* PLANCH. & TRIANA. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mandragora autumnalis* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mandragora officinalis* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mangifera caesia* JACK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mangifera domestica* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mangifera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mangifera sylvatica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manihot esculenta* CRANTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manihot utilissima* POHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manilkara hexandra* (ROXB.) DUBARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manilkara kauki* (L.) DUBJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manilkara zapota* (L.) VAN ROYEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Manisuris granularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maoutia puya* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mappia foetida* MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maranta arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maranta arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marchantia palmata* - NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marchantia polymorpha* - NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mariscus concinnus* SCHRADER EX NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mariscus javanicus* (HOUTT.) MERR. & METCALF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marlea tomentosa* ENDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marrubium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsdenia brunoniana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsdenia hamiltonii* W. & A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsdenia lucida* EDGEW. EX MADDEN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsdenia roylei* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsdenia tenacissima* (ROXB.) MOON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsdenia tinctoria* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsdenia volubilis* (L.F). and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsilea dentata* KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsilea grandifolia* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsilea minuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Marsilea quadrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Martnia diandra* GLOX. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Martynia annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Martynia diandra* GLOX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mastersia assamica* BENTH. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mastixia arborea* CB. CLARK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mathiola incana* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Matricaria aurea* (Loefl.)Sch. Bip. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Matricaria chamomilla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Matricaria lasiocarpa* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Matricaria recutita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Matthiola flavida* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Matthiola incana* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Matthiola tristis* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mattiastrium thomsonii* (CL.) KAZMI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maytenus emarginata* (WILLD.) DING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maytenus heyneana* (ROTHY) RAJU & BABU NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maytenus senegalensis* (LAM.) EXELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mazus japonicus* (THUNB.) KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mazus pumilus* (BURM.F.) VAN STEENIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meconopsis aculeata* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meconopsis nepaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meconopsis paniculata* (D.DON) PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meconopsis robusta* HK. F. & T. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meconopsis simplicifolia* (G.DON)WALP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meconopsis wallichii* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mecoropsis napaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Medicago lupulina* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Medicago minima* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Medicago polymorpha* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Medicago sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Megacarpaea polyandra* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melaleuca cajaputi* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melaleuca leucadendron* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melanorrhoea curtisii* OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melanorrhoea usitata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melanorrhoea wallichii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melanthesa rhamnoides* (RETZ.) BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melanthesa turbinata* (ROXB.) WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melanthium indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melasma thompsonii* (HK.F.) WETTST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melastoma affine* D. Don and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melastoma asperum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melastoma decemfidum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melastoma malabathricum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melia azadirachta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melia azedarach* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melia composita* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melia dubia* HIERN, NON CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melanthus major* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melica ciliata* DUTHIE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melica jacquemontii* DCNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melilotus indica* (L.) ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melilotus officinalis* (L.) PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melilotus parviflora* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meliosma arnottiana* WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meliosma simplicifolia* (ROXB.) WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melissa axillaris* (BENTH.) BAKH. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melissa officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melissa parviflora* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melocanna bambusoides* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melocanna bambusoides* TRIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melochia corchorifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melodinus monogynus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melothria heterophylla* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melothria indica* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melothria maderaspatana* (L.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melothria perpusilla* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon amplexicaule* ROXB. *malabarica* CLARKE IN HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon angustifolium* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon edule* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon gracile* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon heyneanum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon malabaricum* (CLARKE) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon sessile* BENTH. EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon talbotianum* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Memecylon umbellatum* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Menanthes sumatrana* (MIQ.) BREMEK and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Menispermum cocculeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Menispermum columba* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Menispermum cordifolium* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Menispermum glabrum* BRUM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha aquatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha cordifolia* OPHIZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha crispa* GARSAULT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha dumetorium* SCHULT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha longifolia* (L.) HUDS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha mulleriana* SCH.-BIP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha niliaca* JACQ. *alopecuroides* NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha piperita* STOKES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha pulegium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha rotundifolia* (L.) HUDS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha sativa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha spicata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha sylvestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha verticillata* D.DON NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mentha viridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meriandra benghalensis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meriandra strobilifera* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia dissecta* (JACQ.) HALLIER F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia emarginata* (BURM.F.) HALL.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia gangetica* (L.) CUFO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia hastata* (DESR.) HALLIER. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia hederacea* (N.BURM.) H.HALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia mammosa* (LOUR.) HALL. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia peltata* (Linn.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia tridentata* (L.) HAILLIER *tridentata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia tridentata* (L.) HALL. *F. hastata* (DESR.) OOST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia tridentata* (L.) H. HALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia tuberosa* (LINN.) RENDLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia turpethum* RENDLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia umbellata* (L.) HALLIER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Merremia vitifolia* (BURM. F.) HALL. *F* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mesembryanthemum crystallinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mesua ferrea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mesua nagassarium* (BURM.F.) KOSTERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Metathelypteris gracilescens* (BL.) CHING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meyna laxiflora* ROBYNS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meyna spinosa* ROXB. EX LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mezoneuron sumatranum* W.A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Michelia champaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Michelia doltsopa* BUCH.- HAM. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Michelia montana* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Michelia nilagirica* ZENK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micranthus oppositifolius* WENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microcos paniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microglossa pyrifolia* (LAM.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microglossa volubilis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microlepidia puberula* VAVR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microlepidia speluncae* (L.) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micromelum hirsutum* OSKIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micromelum integerrimum* (Buch-Ham) Roem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micromelum minutum* (FORST. F.) WT. & ARN. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micromelum pubescens* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micromeria biflora* (DON) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micromeria capitellata* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micrometum integerrimum* (BUCH.-HAM.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Micropus xanthopus* (FR.) KUNT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microrhynchus nudicaulis* LESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microsorium alternifolium* COPEL.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microsorium punctatum* (L.) COPEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microsorium scolopendria* (BURM.F.) COPEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microstegium ciliatum* A.CAMUS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microstylis muscifera* RIDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microstylis saprophyta* KING & PANTL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microstylis versicolor* (LINDL.) ABEYW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microstylis wallichii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Microula tibetica* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mikania micrantha* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Milium ramosum* RETZ. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Miliusa roxburghiana* (GRIFF.) HK. F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Miliusa tomentosa* (ROXB.) SINCLAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Miliusa velutina* HOOK. F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millettia auriculata* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millettia caudata* (BENTH.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millettia extensa* (BENTH.) BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millettia pachycarpa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millettia piscidia* WIGHT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millettia racemosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Millingtonia hortensis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa abstergens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa amara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa cineraria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa cinerea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa ferruginea* ROTTLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa flexuosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa hamata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa intsia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa invisa* MART. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa lucida* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa paniculata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa pudica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa pudica* L. hispida BRENAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa pudica* L. tetrandra (WILLD.)DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa pudica* L. unijuga (DUCHASS. & WALP.)GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa rubicaulis* AUCT. NON LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa rubicaulis* LAMK. himalayana (GAMBLE) DHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa spinisilqua* KLEIN. EX POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimosa suma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimulus moschatus* DOUGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimulus strictus* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimusops elengi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimusops hexandra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimusops indica* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mimusops kauki* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mirabilis jalapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mischocarpus sundaicus* Bl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mitracarpus villosus* (SW.) DC. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mitragyna parvifolia* KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mitragyna parvifolia* KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mitragyna rotundifolia* KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mnesithea laevis* (RETZ.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Modecca palmata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Modecca trilobata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Modecca wightiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moghania bracteata* HIU-LIN-LI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moghania chappar* KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moghania macrophylla* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moghania nana* MUKHSJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moghania phursia* O.KTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moghania semialata* (ROXB.) MUKHERJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moghania stricta* (ROXB.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moghania strobilifera* J.ST. HILAIRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moghania tuberosa* KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Molineria crassifolia* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Molinia coerulea* MOENCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo cerviana* SER. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo hirta* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo lotoides* (L.) O. KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo nudicaulis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo nudicaulis* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo oppositifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo spargula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mollugo stricta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica balsamina* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica charantia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica charantia* L. *charantia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica charantia* L. *muricata* (WILLD.) CHAKR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica cochinchinensis* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica cymbalaria* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica dioica* ROXB. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica exserta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica muricata* VELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica tuberosa* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Momordica umbellata* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Monetia barlerioides* L HERIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moniera cuneate* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moniera cuneifolia* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Monochoria hastaefolia* PRESL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Monochoria hastata* SOLMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Monotropa uniflora* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morchella esculenta* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morina coulteriana* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morina longifolia* WALL. EX DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morina persica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda angustifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda citrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda coreia* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda pubescens* J.E.SMITH IN REES pubescens VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda pubescens* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda tinctoria* ROXB. tomentosa (ROTH) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda tomentosa* HEYNE EX ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morinda umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moringa concanensis* NIMMO EX DALZ. & GIBSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moringa conconensis* NIMMO. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moringa oleifera* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moringa pterygosperma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morus acedosa* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morus alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morus australis* POIRET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morus laevigata* WALL. EX BRAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Morus nigra* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moschosma polystachyum* BENTH. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Moullava spicata* (DALZ.) NICOLS. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna atropurpurea* DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna bracteata* DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna capitata* DC. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna cochinchinensis* Cheval and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna gigantea* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna hirsuta* WIGHT & ARN. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna monosperma* DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna nigricans* (LOUR.) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna pruriens* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna prurita* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mucuna utilis* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mukia maderaspatana* (L.) M.ROEMER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mukia scabrella* (L.F.) ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mundulea suberosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Munronia pinnata* (WALL.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Muntingia calabura* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia edulis* (STOKES) FADEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia elata* (VAHL) BRUECKNER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia japonica* (THUNB) FADEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia nudiflora* (L.) BRENAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia scapiflora* (ROXB.) ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia semiteres* (DALZ.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murdannia vaginata* (L.) BRUECK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Muricia cochinchinensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murraya exotica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murraya koenigii* (L.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Murraya paniculata* (L.) JACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa balbisiana* COLLA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa chinensis* SWEET. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa ornata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa paradisiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa rosacea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa sapientum* O.KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa sapientum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa superba* ROXB. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa textilis* NEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa troglodytarum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Musa velutina* WENDL. & DRUDE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda belilla* BUCH.- HAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda erythrophylla* SCHUM. & THONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda frondosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda glabra* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda glabrata* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda macrophylla* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mussaenda roxburghii* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mutilla occidentalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mylitta lapidescens* HORAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myosoton aquaticum* (L.) MOENCH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrica cerifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrica esculenta* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrica integrifolia* ROXY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrica nagi* THUNB. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrica pensylvanica* LOISEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrica sapida* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myricaria bracteata* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myricaria coulteriana* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myricaria elegans* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myricaria germanica* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myriogyne minuta* LESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myriophyllum spicatum* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myriophyllum spicatum* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myristica argentea* WARB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myristica dactyloides* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myristica fragrans* HOUTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myristica laurifolia* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myristica malabarica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myristica moschata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myristica officinalis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myropyrum similacifolium* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrsine africana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrsine capitellata* WALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrsine semiserrata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrsine serrata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrtus caryophyllata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myrtus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myxopyrum serratum* A.W. HILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Myxopyrum smilacifolium* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nannorrhops ritchiana* H. WENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Naravelia zeylanica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Narcissus tazetta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nardostachys grandiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nardostachys jatamansi* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Naregamia alata* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Naringi crenulata* (ROXB.) NICOLSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nasturtium fontanum* ASCHERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nasturtium indicum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nasturtium officinale* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nasturtium palustre* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Natsiatum herpeticum* BUCH.-HAM. EX ARN. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nauclea aculeata* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nauclea cadamba* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nauclea missionis* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nauclea orientalis* (L.) L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nauclea ovalifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nauclea sessilifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis hirsuta* (L.F.) LEWIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neanotis rheedei* (WIGHT & ARN.) W.H.LEWIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neillia thyrsiflora* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neisosperma oppositifolium* (Lamk.) Fosb. & Sach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nelsonia canescens* (LAM.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nelumbium speciosum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nelumbo nucifera* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neodissochaeta celebica* (Bl.) Bakh.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolamarckia cadamba* (ROXB.) BOSSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolitsea cassia* (L.) KOSTERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolitsea chinensis* (LAM.) CHUN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolitsea umbrosa* (NEES) and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neolitsea zeylancia* (NEES) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepenthes distillatoria* AUCTION. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepenthes khasiana* KH.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta cataria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta ciliaris* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta coeruleascens* MAXIM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta connata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta discolor* ROYLE EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta elliptica* ROYLE EX BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta eriostachya* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta floccosa* BTH. LAB. GEN. & SP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta glomerulosa* BOISS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta glutinosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta hindostana* (ROTH) HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta leucophylla* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta longibracteata* (BENTH.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta malabarica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta podostachys* BENTH. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta royleana* STEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta ruderalis* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nepeta spicata* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nephelium lappaceum* LINN. MANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nephelium litchi* (LOUR.) GAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nephelium longana* CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nephelium stipulaceum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nephrolepis biserrata* SCHOTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nephrolepis cordifolia* (L.) PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neptunia natans* (L. F.) DRUCE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neptunia oleracea* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neptunia prostrata* (LAM.) BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neptunia triquetra* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nerium antidysentericum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nerium coronarium* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nerium indicum* MILLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nerium odorum* SOLANED and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nerium oleander* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nerium tomentosum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nervilia aragoana* GAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nervilia plicata* SCHLTR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nesaea lanceolata* (WT. &ARN.) KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nesaea prostrata* (DILLWYN) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neuracanthus sphaerostachyus* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Neuracanthus trinervis* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicandra physalodes* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicotiana macrophylla* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicotiana plumbaginifolia* VIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicotiana rustica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nicotiana tabacum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Niebuhreria linearis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nigella damascena* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nigella sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nilgirianthus ciliatus* (NEES) BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nilgirianthus heyneanus* (NEES) BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nipa fruticans* WURMB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nomocharis nana* (KLOTZ.) WILSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nopalea cochenillifera* (L.) LYONS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothapodytes nimmoniana* (GRAH.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Notholaena eckloniana* KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopanax fruticosum* MIQ. FL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopodia castaneifolia* (Roth) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothopodia colebrookiana* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nothosaerva brachiata* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Notonia grandiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nyctanthes arbor-tristis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea caerulea* SAVIGN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea cyanea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea edulis* D.C and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea lotus* HOOK. F.(NON L). and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea nouchali* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea odorata* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea pubescens* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea rubra* ROXB. EX ANDREWS and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea stellata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea stellata* WILLD. *cyanea* H.F. & T. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea tetragona* GEORGI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphoides cristata* (ROXB.) O. KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphoides hydrophylla* (LOUR.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphoides indica* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphoides indicum* (L.) O. KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphoides macrospermum* VASUDEVAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphoides peltata* (GMEL.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nypa fruticans* Wurb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochlandra brandisii* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochlandra scriptoria* (DENNST.) C.E.FISCHER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochlandra travancorica* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna gamblei* KING(SONARI) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna jabotapita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna lanceolata* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna obtusata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna pumila* HAM. EX D. DON PRODR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochna squarrosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochradeus baccatus* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochradeus baccatus* DEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochreinauclea missionis* (WALL. EX G.DON) RIDSDALE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochrocarpus longifolius* (WIGHT) T.ANDERSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ochthochloa coracana* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum adscendens* WIGHT EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum americanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum basilicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum basilicum* L. *basilicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum basilicum* L. *majus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum basilicum* L. *pilosum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum basilicum* L. *minimum* DAMERT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum canum* SIMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum gratissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum kilimandscharicum* GUERKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum pilosum* WILLD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum polystachyon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum prostratum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum sanctum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ocimum tenuiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Odina pinnata* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Odina wodier* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oenanthe javanica* (BI.)DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oenothera biennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olax acuminata* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olax imbricata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olax nana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olax scandens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oldenlandia auricularia* K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oldenlandia biflora* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oldenlandia corymbosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oldenlandia dichotoma* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oldenlandia diffusa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oldenlandia fruticosa* (L.) K. SCHUM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oldenlandia glandulifera* WALL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oldenlandia herbacea* (L.) ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oldenlandia heynii* BR. EX. G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oldenlandia umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olea cuspidata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olea dioica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olea europea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olea ferruginea* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olea glandulifera* WALL. EX DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Olea polygama* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oleandra neriiformis* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oleandra pistillaris* (SW.) C.CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oleandra wallichii* PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oligochaeta ramosa* (ROXB.) WAGEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oligomeris linifolia* (VAHL) MACB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Onosma bracteatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Onosma echioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Onosma hispidum* WALL. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Onosma hookeri* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Onychium contiguum* (WALL.) HOPE.F. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Onychium japonicum* O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Onychium siliculosum* (DESV.) C. CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Operculina petaloidea* (CHOISY) OOSTSTROOM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Operculina turpethum* (L.) S. MANSO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophelia angustifolia* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophelia chiraita* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophelia densifolia* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophelia elegans* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophelia multiflora* DATZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiocephalus striatus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophioglossum costatum* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophioglossum fibrosum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophioglossum nudicaule* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophioglossum pendulum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophioglossum thermale* KUMAROV NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophioglossum vulgaatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophioglossum vulgatum* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiopogon intermedius* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiopogon japonicum* KER-GAWL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiopogon malcolmsonii* ROYLE EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiopogon wallichianus* HOOK.F. *PAUCIFLORA* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza mungos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza nicobarica* BALAKR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza nutans* C. B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza ochroleuca* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza pauciflora* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiorrhiza rugosa* WALL. *ARGUTEA* DEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophioxylon serpentinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophiuros exaltatus* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ophrestia pentaphylla* (DALZ.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opilia amentacea* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oplismenus burmannii* (RETZ.) BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opopanax chironium* KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia cochinellifera* MILL. GARD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia dillenii* (KER-GAMIER) HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia elatior* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia ferox* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia ficus-indica* (L.) MILL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia monacantha* HAW. SUPPL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia nigricans* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia stricta* (HAW.) HAW. *dillenii* (KER.GAWL) BENSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Opuntia vulgaris* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orchis chusua* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orchis habenarioides* K. & P. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orchis latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orchis laxiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orchis mascula* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orchis spathulata* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oreocnide frutescens* (THUNB.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oreocnide integrifolia* (GAUD) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Origanum majorana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Origanum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ormocarpum cochinchinense* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ormocarpum sennoides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ormosia travancoria* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orobanche aegyptiaca* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orobanche solmsii* CLARKE EX. HOOK.F. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orophea katschallica* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oroxylum indicum* (L.) VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon aristatus* (BL.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon diffusus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon glabratus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon grandiflorus* BOLDINGH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon incurvus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon pallidus* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon rubicundus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon spiralis* (LOUR) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon stamineus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orthosiphon thymiflorus* (ROTH.) SLEASEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orygia decumbens* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza granulata* Nees. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza meyeriana* (Zoll.&Mor.)Baill *granulata* Tateoka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza mutica* STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza rufipogon* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oryza sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia aspera* BLUME and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia capitata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia crinita* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia cupularis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia nepalensis* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia sexatilis* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia sikkimensis* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia stellata* KER-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osbeckia zeylanica* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osmanthus fragrans* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osmunda claytoniana* L.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osmunda regalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osyris arborea* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osyris quadripartita* SALZ EX DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Osyris wightiana* WALL. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Othonnopsis intermedia* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Otostegia aucheri* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Otostegia limbata* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ottelia alismoides* (L.) PERS. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ougeinia dalbergioides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ougeinia oojeinensis* (ROXB.) HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ouratea angustifolia* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis corniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis corymbosa* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis latifolia* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis martiana* ZUCC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis pubescens* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxyria digyna* (L.) HILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxyspora paniculata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxystelma esculentum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxystelma secamone* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxytenanthera nigrociliata* MUNRO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxytenanthera thwaitesii* MUNRO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxytropis lapponica* (WAHL.) GAY. CORRESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxytropis mollis* ROYLE EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxytropis tatarica* BUNGE. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pachygone ovata* (POIR.) HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pachyrrhizus angulatus* RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pachyrrhizus erosus* (L.) URBAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pachystoma senile* (LINDL.) REICHB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paederia foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paederia scandens* (LOUR.) MERILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paederia tomentosa* BLUME BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paeonia emodi* WALL. EX. ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pajanelia longifolia* (WILLD.) K.SCHUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Palaquium ellipticum* (DOLZ.) BAILLON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Palhinhaea cernua* (L.) FRANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pamburus missionis* (WIGHT) SWINGLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panax ginseng* MEY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panax pseudoginseng* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panax quinquefolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panax wangianus* Sun and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pancreatium triflorum* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pancratium zeylanicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus fascicularis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus foetidus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus furcatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus kaida* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus odoratissimus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus tectorius* AUCT. NON SOLAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus thwaitesii* MARTELLI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *PKalamnus unipapillatus* DENNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum antidotale* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum argyptiacum* HORT. EX ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum brizoides* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum crus-corvi* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum flavo-marginatum* MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum floro-marginatum* MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum frumentaceum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum grossarium* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum grossarium* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum incomtum* TRIN. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum isachne* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum italicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum macimum* FACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum maximum* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum miliaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum milliare* AUCTION. NON LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum psilopodium* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum psilopodium* TRIN. *psilopodium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum sarmentosum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum stagninum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver argemone* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver dubium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver hybridum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver nudicaule* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver rhoeas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver somniferum* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paphiopedilum druryi* (BEDD.) STEIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papilionanthe teres* (ROXB.) SCHLTR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paracalyx scariosa* (ROXB.) ALI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parameria barbata* (BL.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parameria polyneura* HOOK.R. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paramignya angulata* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paramignya longispina* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paramignya monophylla* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pardanthus chinensis* KER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paris polyphylla* SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parkia biglandulosa* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parkia javanica* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parkia roxburghii* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parkia timoriana* (A. DC.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parkinsonia aculeata* L.SP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parmelia cirrhata* FR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parmelia kamstchadalis* ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parmelia nilgherrensis* NYL. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parmelia perforata* ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parmelia perlata* (HUDS.) ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parmignya monophylla* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parnassia laxmannii* PALL. EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parnassia nubicola* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parnassia palustris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parnassia pusilla* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parochetus communis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parsonsia alboflavescens* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parsonsia helicandra* HOOK. & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parsonsia laevigata* (Moon) Alston. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parsonsia spiralis* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Parthenium hysterophorus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pasania truncata* (KING) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum conjugatum* BERG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum distichum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum scrobiculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paspalum scrobiculatum* L. *commersonii* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora assamica* CHAKRAVARTY and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora edulis* SIMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora incarnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora perpera* MAST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Passiflora quadrangularis* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Paullinia cupana* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pausinystalia yohimba* PIERRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta crassicaulis* BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta indica* L. minor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavetta tomentosa* ROXB. EX SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavonia odorata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavonia procumbens* SOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavonia propinqua* GARCKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavonia repKalam* (J.E. SM.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavonia zeylanica* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Payena lucida* A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pecteilis susannae* (L.) RAF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedaliium murex* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedicularis bicornuta* CLOTZ. EX. GARCKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedicularis cheilanthifolia* SCHRENK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedicularis comosa* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH) PENNEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedicularis pectinata* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedicularis pycnantha* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedicularis pyramidata* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedicularis siphonantha* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pedilanthus tithymaloides* (L.) POIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peganum harmala* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pegia nitida* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pegolettia senegalensis* CASS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pegonatherum crinitum* KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pelargonium graveolens* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pelargonium roseum* R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peliosanthes bakeri* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peliosanthes tetra* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pellaea colomelanos* LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pellaea hastata* (THUNB) PRANTL NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peltigera canina* WILLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peltophorum dasyrhachis* (MIQ.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peltophorum pterocarpum* (DC.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pemphis acidula* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum alopecuroides* (L.) SPRENG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum americanum* (L.) LEEKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum compressum* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum flaccidum* GRISEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum glaucum* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum spicatum* ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pennisetum typhoideum* (RICH) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentanema indicum* (L.) LING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentaneura khasiana* KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentapetes phoenicea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentaptera tomentosa* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentatropis capensis* (L.F.) BULLOCK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentatropis cynanchoides* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentatropis spiralis* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peperomia pellucida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peperomia reflexa* (L.F.) A. DIETR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peranama cyatheoides* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pergularia aktensa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pergularia daemia* (FORSK.) CHOIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pergularia extensa* N.E.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pergularia tomentosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pericampylus glaucus* (LAMK.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pericampylus incanus* MIERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Perilepta auriculata* (NEES) BREMEK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Perilla frutescens* (L.) BRITT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Periploca aphylla* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Periploca indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Periploca sylvestris* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristrophe bicalyculata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristrophe bivalvis* MERR. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristrophe paniculata* (FORSK.) BRUMMITT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peristylus stocksii* (HK.F.) KRANZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Perotis indica* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Perovskia abrotanoides* KAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Perovskia atriplicifolia* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persea fructifera* KOST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persea gamblei* (KING EX HK.F.) KOST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Persea macrantha* (NEES) KOST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Petrea volubilis* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Petroselinum crispum* NYM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peucedanum aucheri* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peucedanum dhana* BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peucedanum grande* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peucedanum graveolens* BENTH. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Peucedanum nagpurens* (CI.) PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaius grandifolius* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaius tancarvilleae* (L. HERIT.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaius wallichii* LINDL. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phalaenopsis amabilis* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phalaris arundinacea* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phalaris canariensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phallus rubicundus* (BOSC.) FRIES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pharbitis nil* CHOIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pharnaceum cerviana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pharnaceum mollugo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus aconitifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus adenanthus* G.F. MEYER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus aureus* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus dalzellii* COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus lunatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus mungo* (L) MANT. *radiatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus mungo* (L) MANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus pauciflorus* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus radiatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus roxburghii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus semierectus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus sublobatus* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus trilobus* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaseolus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phaulopsis imbricata* (FORSK.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phlegmariurus phlegmaria* (L.) SEN & SEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phlogacanthus curviflorus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phlogacanthus guttatus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phlogacanthus jenkinsii* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phlogacanthus pubinervis* T.ANDERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phlogacanthus thrysiflorus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phlogacanthus thrysiflorus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phlogacanthus thrysiformis* (HARD.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phlomis bracteosa* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoebe lanceolata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoebe wightii* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix acaulis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix asperulatus* HUTCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix dactylifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix farinifera* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix humilis* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix loureirii* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix paludosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix pusilla* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoenix sylvestris* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pholidota chinensis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pholidota imbricata* (ROXB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pholidota pallida* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phoradendron leucarpum* (RAF.) REV. & M.C. JOHNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Photinia notoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Photinia serrulata* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phragmites communis* TRIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phragmites karka* TRIN. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phragmites maxima* BLATTER & MCCANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phragmites roxburghii* (KUNTH) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phrymum dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyla nodiflora* (L.) GREENE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllagathis rotundifolia* BLUME and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus acidus* (L.) SKEELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus airy-shawii* BRUNEL & ROUX and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus amarus* SCHUM. & THENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus clarkei* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus debilis* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus distichus* (L.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus emblica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus fraternus* WEBSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus gomphocarpus* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus indofischeri* BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus maderaspatensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus missionis* HOOK.F. FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus mukherjeeanus* MITRA ET BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus multiflorus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus niruri* SENSU HOOK.F. Non Linn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus polyphyllus* DALZ. & GIBS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus reticulatus* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus rhamnoides* WILLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus rheedii* WT. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus simplex* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus urinaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllanthus virgatus* G.FORSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllocephalum indicum* (LESS.) KIRKMAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllocllamys taxoides* KOORDERS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phymatodes scolopendria* (BURM.) CHING. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis alkekengi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis alkekengi* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis angulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis divaricata* D.Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis flexuosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis indica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis minima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physalis peruviana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physochlaina praealta* (DECNE) MIERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Physostigma venenosum* BALF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phytolacca acinosa* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phytolacca americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Picrasma guassioides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Picea abies* (L.) KARST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Picrasma javanica* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Picrasma nepalensis* BENN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Picrasma quassioides* BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Picris hieracioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Picrorhiza kurroa* ROYLE EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Picrorhiza scrophulariiflora* PENNELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Picrorrhiza kurrooa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pieris ovalifolia* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pilea microphylla* (L.) LIEBM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pilea umbrosa* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piliostigma malabaricum* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pilocarpus jaborandi* HOLMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimenta acris* KOSTEL ALLG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimenta racemosa* J. W. MOORE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella anisum* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella bracteata* HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella diversifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella heyneana* (WALL. EX DC.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella involucrata* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella saxifraga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella stocksii* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pimpinella tirupatiensis* BAL. & SUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinanga dicksonii* (ROXB.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinanga manii* BECC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus dammara* LAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus deodara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus excelsa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus gerardiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus griffithi* M. CLELL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus insularis* ENDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus kesiya* GORDON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus longifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus maritima* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus merkussi* JUNGH. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus picea* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus roxburghii* SARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus sylvestris* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus wallichiana* JACKS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pinus webbiana* WALL. EX. LAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper argyrophyllum* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper attenuatum* BUCH.-HAM. EX MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper aurantiacum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper auranticum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper baccatum* CAS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper bachystachyum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper bantamense* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper barberi* GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper betle* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper betleoides* C. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper boehmeriaefolium* WALL . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper caninum* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper chaba* HUNTER and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper clusii* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper crassipes* KORTH. EX. C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper cubeba* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper dichotomum* HORT. PAR. EX KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper diffusum* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper gamblei* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper griffithii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper guineense* SCHUM & THONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper lanceolatum* RUIZ & PAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper longum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper mullesua* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper officinarum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper pedicellatum* C. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper pedicellosum* WALL.EX CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper peepuloides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper retrofractum* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper ribesioides* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper sarmentosum* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper sylvaticum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper thomsoni* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper thomsonii* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper trichostachyon* (MIQ.) C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper trioicum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Piper wallichii* (MIQ.) HAND MAZZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pipturus velutinus* WEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisonia aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisonia alba* SPAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisonia grandis* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisonia mitis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisonia morindifolia* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisonia umbellata* (FORST.) SEEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pistacia chinensis* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pistacia integerrima* STEW. EX BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pistacia khinjuk* STOCKS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pistacia lentiscus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pistacia terebinthus* LINN. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pistacia vera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pistia stratiotes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pistia stratiotes* LINN. CUNEATA ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisum arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pisum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecellobium angulatum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecellobium bigeminum* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecellobium clypearia* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecellobium dulce* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecellobium fasciculatum* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecellobium globosum* KOSTERM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecellobium lobatum* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecellobium monadelphum* (ROXB.) KOSTER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecolobium dulce* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecolobium subcoriaceum* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pithecolobium umbelletum* (VAHL.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum floribundum* SENSU HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum nepaulense* (DC.) REHDER & WILSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum nilghirens* WIGHT & ARN. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum tetraspermum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pityrogramma calomelanos* (L.) LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Planchonella obovata* (R.BR.) PIERRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago amplexicaulis* CAV. *bauphula* (EDGEW.) RECH. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago arenaria* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago brachyphylla* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago ciliata* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago depressa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago erosa* WALL. IN ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago himalaica* PILG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago ispaghula* ROXB. EX FLEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago lagocephala* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago lanceolata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago major* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago media* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago ovata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago psyllium* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago pumila* WILLD. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago stocksii* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plantago tibetica* HK. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Platanthera susannae* (L.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Platanus orientalis* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Platostoma africanum* BEAUV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Platostoma africanus* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Platostoma flaccidum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plecosperrum spinosum* TREC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus ambonicus* (LOUR.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus barbatus* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus coetsa* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus fruticosus* WIGHT EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus incanus* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus japonicus* (BURM.F) KOIDZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus mollis* (AITON) SPLRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus nilgherricus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus rugosus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus striatus* BENTH. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus ternifolius* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectronia didyma* KURZ FOR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plectronia parviflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleione maculata* (LINDL.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleopeltis lanceolata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleopeltis macrocarpa* (BORRY EX WILLD.) KAULF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleopeltis nuda* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plesmonium margaretiferum* (ROXB.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleurospermum angelicoides* (DC.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleurospermum candollei* (DC.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pleurostylia opposita* (WALL.) ALSTON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pluchea indica* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pluchea lanceolata* OSKIN & HIERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pluchea pinnatifida* HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pluchea tomentosa* DC. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pluechea indica* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumbago auriculata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumbago capensis* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumbago indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumbago rosea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumbago zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumeria acuminata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumeria acutifolia* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumeria alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumeria rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumeria acutifolia* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumeria alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plumeria rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poa cynosuroides* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poa malabarica* KLEIN.EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Podocarpus latifolia* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Podocarpus neriifolius* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Podophyllum emodi* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Podophyllum hexandrum* ROYLE and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Podophyllum peltatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poeciloneuron indicum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poeciloneuron pauciflorum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogonatherum crinitum* (THUNB.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogonia plicata* (ROXB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon auricularis* (L.) HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon benghalensis* (BURM.F.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon cablin* (BLANCO) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon elsholtzioides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon heyneanus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon paniculatus* (WILLD.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon parviflorus* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon patchouli* PELLET. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon plectranthoides* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon pubescens* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon purpurascens* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon vestitus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pogostemon villosus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poikilospermum suaveolens* (BL.) MERR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poinciana elata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poinciana gilbesii* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poinciana pulcherrima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polanisia felina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polanisia icosandra* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polemonium caeruleum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polianthes tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia cerasoides* (ROXB.) BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia korinti* (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia longifolia* BENTH. & HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia simiarum* BENTH. & HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia suberosa* (ROXB.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyanthes tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polycarpea corymbosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala abyssinica* (R.BR.) FRESEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala arillata* HAM. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala arvensis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala crotalarioides* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala elongata* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala erioptera* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala glomerata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala irregularis* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala leptalea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala longifolia* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala persicariaefolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala senega* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala sibirica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala telephioides* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala vulgaris* THUNB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygallata arillata* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonatum cirrhifolium* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonatum multiflorum* (L.) ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonatum verticillatum* (L.) ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum affine* DON and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum alatum* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum alpinum* ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum amphibium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum amplexicaule* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum auriculatum* MEISN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum aviculare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum barbatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum bistorta* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum bistorta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum capitatum* BUCH.-HAM. EX DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum chinense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum convolvulus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum cymosum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum flaccidum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum glabrum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum hydropiper* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum lapathifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum macrophyllum* DON. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum minus* HUDS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum molle* D.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum multiflorum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum nepalense* MEISSN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum paronychioides* MEYER EX HOHEN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum perfoliatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum persicaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum plebeium* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum polystachyum* WALL. EX MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum posumbi* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum pulchrum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum recumbens* ROYLE EX BAB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum roettleri* ROTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum rumicifolium* ROY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum serrulatum* LAGASCA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum sphaerostachyum* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.)

STEWART stagninum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum stewartianum* DIELS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum strigosum* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum tenellum* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum tomentosum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum tortuosum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum vacciniifolium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum virginianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygonum viviparum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polypodium irioides* LAMK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polypodium quercifolium* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polypodium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyporus anthelminticus* BERK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyporus officinalis* FRIES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyscias fruticosa* (L.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polysolenia wallichii* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polystichum aculeatum* (L.) ROTH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polystichum biaristatum* (BLUME) MOORE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polystichum squarrosum* (D.DON) FEE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polytoca barbata* STAPF and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polytrichum juniperinum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pometia pinnata* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ponerorchis chusua* (D.DON) SOO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pongamia glabra* VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pongamia pinnata* (L.) PIERRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pontederia vaginalis* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Populus alba* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Populus caspica* BORNM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Populus ciliata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Populus euphratica* OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Populus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Porana paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Porphyra umbilicalis* (L.) AG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Porphyra vulgaris* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca grandiflora* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca quadrifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca meridiana* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca pilosa* LINN. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca quadrifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca sativa* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca tuberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla anserina* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla arbuscula* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla argyrophylla* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla atosanguinea* LODD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla bifurca* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla fragarioides* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla fruticosa* L. rigida (LEHM.) WOLF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla fulgens* WALL. EX HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla gerardiana* LINDL. EX LEHM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla kleiniana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla lineata* TREVIR EX REICH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla mooniana* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calophyllum inophyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calophyllum polyanthum* Wall.ex Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia cowa* Roxb. ex DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia gummi-gutta* (L.) Robs. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia mangostana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia morella* (Gaertn.) Desr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia papilla* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia rubro-echinata* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia spicata* (Wight & Arn.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia talbotii* Raiz. ex Sant and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia wightii* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Garcinia xanthochymus* Hook. f. ex. T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum androsaemum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum humifusum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum japonicum* Thunb. ex Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum mysurense* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum patulum* Thunb ex Murray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum uralum* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hypericum wightianum* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mesua ferrea* L. subsp. *ferrea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque

var. pulchella and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poeciloneuron indicum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Poeciloneuron pauciflorum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Camellia japonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Camellia sinensis* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eurya nitida* Korth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gordonia obtusa* Wall ex Wight Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schima wallichii* (DC.) Korth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ternstroemia japonica* (Thunb.) Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saurauia fasciculata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saurauia napaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dipterocarpus indicus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea erosa* (Bedd.) van Sloot. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea glabra* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea parviflora* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea ponga* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hopea utilis* (Bedd.) Bole and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Shorea roxburghii* G. Don. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vateria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ancistrocladus heyneanus* Wall. ex Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abelmoschus angulosus* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abelmoschus esculentus* (L.) Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abelmoschus ficulneus* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abelmoschus manihot* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss. Waalk and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon crispum* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon hirtum* (Lam.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon indicum* (L.) Sweet subsp. *indicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon neilgherrense* Munro ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon pannosum* (Forst. f.) Schlect and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon persicum* (Burm. F.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon ramosum* (Cav.) Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon striatum* Dickson ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Abutilon theophrastii* Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alcea rosea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Decaschistia crotonifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Decaschistia rufo* Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium arboreum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium barbadense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium herbaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gossypium hirsutum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus canescens* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus cannabinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus furcatus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus hirtus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus lobatus* (Murr.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus lunariifolius* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus mutabilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus micranthus* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus panduriformis* Burm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus platanifolius* (Willd.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus radiatus* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus rosa-sinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus sabdariffa* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus schizopetalus* (Mast.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus surattensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus syriacus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus tiliaceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus trionum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hibiscus vitifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kydia calycina* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malachra capitata* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malva parviflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malva sylvestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malva verticillata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malvastrum coromandelianum* (L.) Garcke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malvaviscus arboreus* Cav. var. *arboreus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Modiola caroliniana* (L.) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavonia odorata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pavonia zeylanica* (L.) Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Plagianthus pulchellus* A. Gray and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida acuta* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida cordata* (Burm. f.) Borssum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida mysorensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida rhombifolia* L. var. *rhombifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida schimperiana* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thespesia populnea* (L.) Soland ex Correa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urena lobata* L. subsp. *lobata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Adansonia digitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bombax ceiba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bombax ellipticum* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bombax insigne* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ceiba pentandra* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chorisia speciosa* St. Hil. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cullenia exarillata* Robyns and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Durio zibethinus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Byttneria herbacea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cola acuminata* (P. Beauv.) Schott & Endlicher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dombeya acutangula* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dombeya burgessiae* Gerr. ex Harv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dombeya mastersii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dombeya mollis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dombeya platanifolia* Boj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dombeya spectabilis* Boj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dombeya wallichii* (Lindl.) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriolaena hookeriana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriolaena lushingtonii* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriolaena quinquelocularis* (Wight & Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eriolaena stocksii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Firmiana colorata* (Roxb.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Guazuma ulmifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Helicteres isora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Heritiera papilio* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kleinhovia hospita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Leptonychia moacurroides* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melhania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melhania cannabina* Wight ex Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melhania hamiltoniana* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melhania incana* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melochia corchorifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melochia nodiflora* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Melochia pyramidata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pentapetes phoenicea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum acerifolium* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum canescens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum diversifolium* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum obtusifolium* Wight ex Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum reticulatum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterygota alata* (Roxb.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia balanghas* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia guttata* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia urens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia villosa* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Theobroma cacao* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Waltheria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berrya cordifolia* (Willd.) Burret. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berrya javanica* (Turez.) Burret. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus aestuans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus capsularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus fascicularis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus olitorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus tridens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus trilocularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corchorus urticifolius* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia abutilifolia* Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia abutilifolia* Vent. ex Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia barberi* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia bracteata* Roth. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia damine* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia flavescens* Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia gamblei* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia heterotricha* Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia hirsuta* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia lanceaefolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia nervosa* (Lour.) Panigr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia oppositifolia* Buch - Ham ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia orbiculata* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia pKalamica* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia rhamnifolia* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia rothii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia serrulata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia tenax* (Forsk.) Fiori and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia tiliifolia* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia umbellifera* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Grewia villosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Muntingia calabura* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta pentandra* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta pilosa* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta rhomboidea* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta rotundifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus amoenus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus blascoi* Weibeln and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus lanceifolius* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus munronii* (Wight) Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus recurvatus* Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus rugosus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus serratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus glandulosus* Wall. ex Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus tuberculatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elaeocarpus venustus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hugonia mystax* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Linum mysurense* Heyne ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Linum usitatissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reinwardtia indica* Dumort. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum coca* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum lanceolatum* (Wight) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum monogynum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum moonii* Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erythroxylum obtusifolium* (Wight) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aspidopterys canarensis* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aspidopterys indica* (Roxb.) Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Galphimia gracilis* Bartl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hiptage benghalensis* (L.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hiptage obtusifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hiptage parvifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malpighia coccigera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malpighia glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malpighia heterantha* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Malpighia puniceifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tristellateia australasiae* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Balanites aegyptiaca* (L.) Del. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fagonia cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Guaiacum officinale* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tribulus lanuginosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tribulus subramanii* P. Singh, Giri & V. Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Erodium moschatum* (L.) L' Herit and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Geranium nepalense* Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pelargonium capitatum* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pelargonium cucullatum* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pelargonium x domesticum* L.H.Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pelargonium graveolens* L' Herit and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pelargonium grossularioides* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pelargonium x hortorum* L.H.Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pelargonium inquinans* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pelargonium peltatum* Soland. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tropaeolum majus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tropaeolum pentaphyllum* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Limnanthes douglasii* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum insignis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum longibracteatum* Tad. & Jacob and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum nudum* (Arn.) Wight and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum polyphyllum* Munro and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum proliferum* (Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum reinwardtii* (Zucc.) Klotzsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew. & Hook.f and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis cernua* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis corniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis corymbosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis deppei* Lodd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis latifolia* H. B. K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis pubescens* H. B. K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oxalis variabilis* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Averrhoa bilimbi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Averrhoa carambola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydrocera triflora* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens acaulis* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens auriculata* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens balsamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Impatiens campanulata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla multifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla nepalensis* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla reptans* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla salesoviana* STEPH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla sericea* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla sibbaldi* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla sundaica* (BL.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Potentilla supina* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pothomorphe subpeltata* (WILLD.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pothos cathcarti* SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pothos kunstleri* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pothos officinalis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pothos scandens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia bennettiana* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia frondosa* (DON) KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia hirta* HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia indica* GAUD. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia quinquenervis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia sanguinea* (BL.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia viminea* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pouzolzia zeylanica* (L.) BENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prangos pabularia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pratia begonifolia* (WALL.) LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pratia nummularia* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna barbata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna coriacea* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna corymbosa* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna divaricata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna esculenta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna flavescens* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna integrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna macrophylla* WALL. EX SCHAUER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna mucronata* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna obtusifolia* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna parasitica* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna serratifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna spinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna thyrsoidea* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna tomentosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Premna villosa* CLARKE IN HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Primula denticulata* HK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Primula macrophylla* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Primula reticulata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prinsepia utilis* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prismatomeris tetrandra* K.SCHUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Priva cordifolia* (L.F.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Priva leptostachya* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pronephrium nudatum* (ROXB. EX GRIFF.) HOLTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prosopis chilensis* (MOLINA) STUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prosopis cineraria* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prosopis juliflora* (SW.) DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prosopis spicigera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Protium kataf* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Protium pubescens* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Protium serratum* (COLEBR) ENGLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus amygdalus* BATSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus armeniaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus avium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus carmesiana* HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus cerasoides* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus cerasus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus ceylanica* (WT.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus communis* FRITSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus communis* HUDS. insitia and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus cornuta* (ROYLE) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus domestica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus dulcis* (MILLER) D.A. WEBB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus insititia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus mahaleb* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus malus* L. NULL and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus persica* BATSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus puddum* (WALL.) ROXB. EX BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus salicina* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus triflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Prunus undulata* HAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Przewalskia tangutica* MAXIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psalliotia campestris* L FR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psammogeton bitermatus* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psammogeton canescens* (DC.) VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudarthria viscida* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudodissochaeta assamica* (CL.) NAYAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudodrynaria caronas* (WALL. EX METT.) CHING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseudognaphalium luteoalbum* (L.) HILL. & BURTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pseuduvaria prainii* (KING) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psidium cattleyanum* SABINE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psidium guajava* L. *pomiferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psidium guajava* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psidium pomiferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psidium pyriferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psidium quajava* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psilotrichum trichotomum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psilotum nudum* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psophocarpus tetragonolobus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psoralea corylifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psoralea plicata* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psoralea tetragonoloba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria calocarpa* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria curviflora* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria dalzellii* J. HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria glandulosa* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria ipecacuanha* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria montana* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria sarmentosa* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria viridiflora* REINW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Psychotria andryaloides* (DC) NOVOP. EX KRASH. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pteridium aquilinum* (L.) KUHN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pteris aquilina* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pteris biaurita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pteris cretica* L.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pteris ensiformis* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pteris longipes* DON F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pteris multifida* POIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pteris vitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pteris wallichiana* AGARDH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pternandra coerulescens* JACK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterocarpus dalbergioides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterocarpus indicus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterocarpus marsupium* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterocarpus santalinus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterocymbium javanicum* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pteropyrum olivierii* JAUB. & SPACH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum acerifolium* WILLD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum canescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum diversifolium* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum heyneanum* WALL. EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum suberifolium* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pterygota alata* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ptesmonium margaritifera* (ROXB.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ptychopetalum olacoides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ptychopetalum uncinatum* ANSELMINO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ptychotis ajowan* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pueraria hirsuta* (THUNB.) SCHU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pueraria lobata* (WILLD.) OHWI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pueraria phaseoloides* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pueraria tuberosa* (ROXB. EX. WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pulicaria crispa* SCH.-BIP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pulicaria dysenterica* (L.) GAERTN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pulicaria glaucescens* JAUB. & SPACH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Puneria coagulans* STOCKS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Punica granatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pupalia lappacea* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pupalia orbiculata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Putranjiva roxburghii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Putranjiva zeylanica* MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycnocycla aucheriana* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycnocycla glauca* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pycnospora lutescens* (POIR.) SCHINDLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pygeum gardneri* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pygeum wightianum* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pygmaeopremna herbacea* (ROXB.) MOLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pygmaeopremna pyrifolia* - culta NAKAI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrethrum indicum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrethrum umbeliferum* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrola rotundifolia* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrrosia adnascens* (SW.) CHING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrrosia heterophylla* (L.) ORUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrrosia lanceolata* (L.) FARWELL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrrosia mannii* (GIES.) CHING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrrosia penangiana* (HK.) HOLTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrus aucuparia* GAERTN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrus chinensis* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrus cydonia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrus lindleyi* REHD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrus malus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrus pashia* BUCH.-HAM EX DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pyrus tomentosa* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quamoclit coccinea* MOENCH.METH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quamoclit phoenicea* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quamoclit pinnata* BOJER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quamoclit vulgaris* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quassia indica* (GAERTN.) NOOTEBOOM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus acutissima* CARR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus floribunda* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus ilex* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus incana* ROXB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus infectoria* OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus lamellosa* SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus leucotrichophora* A. CAMUS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus pachyphylla* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus robur* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quercus truncata* KING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Quisqualis indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Radermachera xylocarpa* (ROXB.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia cochinchinensis* (LOUR.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia densiflora* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia dumetorum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia fasciculata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia longiflora* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia longispina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia malabaricum* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia rugulosa* (THW.) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia spinosa* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia tetrasperma* BENTH. & HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia tomentosa* HOOK.F. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Randia uliginosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus aquatilis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus cantoniensis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus diffusus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus falcatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus hirtellus* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus hyperboreus* ROTLB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus laetus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus lingua* L. SP. PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus muricatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus pensylvanicus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus sceleratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus tricuspidatus* MAXIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Raphanus caudatus* ALEF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Raphanus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia canescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia micrantha* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia reflexa* T. & B. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rauvolfia tetraphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ravenala madagascarensis* SONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reaumuria hypericoides* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reinwardtia indica* DUMORT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reinwardtia trigyna* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reissantia arborea* (ROXB) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reissantia grahamii* (WIGHT) DING.HOU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reissantia indica* (WILLD.) HALLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Remirea maritima* AUBL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Remusatia vivipara* SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reseda odorata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhabdia lycioides* SENU CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus dahuricus* PALL. REISE RUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus nepalensis* WALL. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus prostrata* JACQ. EX PAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus purpurea* EDGEW. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus purshiana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus triquetra* (WALL.) BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus virgatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhamnus wightii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhaphidophora decursiva* SCHOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhaphidophora laciniata* (BURM.F.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhaphidophora pertusa* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhazya stricta* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum acuminatum* HK. F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum australe* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum emodi* WALL. EX MEIM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum moorcroftianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum nobile* HOOK.F. & THOMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum officinale* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum palmatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum rhaponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum spiciforme* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum spiciforme* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum undulatum* PALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rheum webbianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhinacanthus calcaratus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhinacanthus communis* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhinacanthus nasuta* (L.) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchoglossum obliquum* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhizophora apiculata* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhizophora mangle* Roxb. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhizophora mucronata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhodamnia trinervia* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhodiola imbricata* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron anthopogon* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron arboreum* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron barbatum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron campanulatum* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron chrysanthum* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron cinnabarinum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron decipiens* LACAITA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron falconeri* HOOK. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron javanicum* BENN. PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron lepidotum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron ponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron setosum* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhododendron thomsonii* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhodomyrtus parviflora* ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhodomyrtus semialata* MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhodomyrtus tomentosa* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus chinensis* MILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus coriaria* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus hookeri* SAHNI & BAHADUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus insignis* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus javanica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus punjabensis* J.L. STEW. EX BRAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus semialata* MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus succedanea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhus wallichii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosarpha foetida* SCHRAD NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchoglossum obliquum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia minima* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosia nummularia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchospermum verticillatum* REIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rhynchosyris retusa* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ribes alpestre* WALL. EX DECNE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ribes emodense* REHDER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ribes grossularia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ribes himalense* ROYLE EX DECNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ribes nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ribes orientale* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ribes rubrum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Richardia scabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ricinus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Riedlea corchorifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Riklrella squarrosa* (L.) RAYNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rivea hypocrateriformis* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rivea ornata* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Roccella montagnei* BEL. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rorippa islandica* (OEDER) BORBAS SCHINZ & THELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rorippa dubia* HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rorippa indica* (L.) HIERN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rorippa indieca* HIERN. APETALA HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rorippa islandica* (OED.) BORBASS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rorippa montana* SMALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa banksiae* AIT. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa brunonii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa centifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa chinensis* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa eglanteria* MILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa foetida* HERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa gallica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa macrophylla* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa moschata* HERRM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa multiflora* THUNB. EX J. MURR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa rubra* BLACKW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa sericea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosa webbiana* WALL. EX ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Roscoea alpina* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Roscoea procera* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Roscoea purpurea* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosmarinus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rostellularia procumbens* (L.) NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rosularia rosulata* (EDGEW.) OHBA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala baccifera* KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala densiflora* (ROTH) KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala indica* (WILLD.) KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotala rotundifolia* KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rothia indica* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rotula aquatica* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rourea mimosoides* PLANCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rourea minor* (GAERTN.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rourea santaloides* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Roylea cinerea* (DON) BAILL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Roylea elegans* WALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubia cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubia munjista* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubia sikkimensis* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubia tinctorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus biflorus* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus contennifer* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus ellipticus* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus fruticosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus idaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus lasiocarpus* SMITH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus lucens* FOCKE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus moluccanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus niveus* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus paniculata* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus rugosus* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus saxatilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus strigosus* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rubus ulmifolius* SCHOTT NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rudolphia frondosa* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruellia patula* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruellia prostrata* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruellia secunda* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruellia strepens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruellia suffruticosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruellia tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex crispus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex dentatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex hastatus* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex hymenosepalus* TORR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex maritimus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex nepalensis* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex orientalis* BERNH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex paulsenianus* RECH. F. FEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex scutatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumex vesicarius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rumphia amboinensis* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia parviflora* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia pectinata* (L.) NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rungia repens* (L.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruscus aculeatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Russelia equisetiformis* SCHL. & CHAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruta angustifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruta chalepensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruta graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ruta tuberculata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rytidix granularis* (L.) SKEELS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sabia lanceolata* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sabia robusta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharomyces cerevisiae* MEYEN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum arundinaceum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum bengalense* RETZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum ciliare* ANDERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum fuscum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum munja* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum officinarum* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum robustum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum sara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum sinense* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccharum spontaneum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sacciolepis indica* CHASE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sacciolepis interrupta* (WILLD.) STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccolabium guttatum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccolabium papillosum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saccolabium praemorsum* HOOK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sageraea dalzelli* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sageraea laurifolia* (GRAHAM) BLATTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sagina saginoides* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sagittaria sagittifolia* L. *sagittifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saguerus rumphii* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia fruticosa* HEYNE EX LAWS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia grandiflora* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia macrophylla* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia macrosperma* WT. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia oblonga* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salacia reticulata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salicornia brachiata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salicornia indica* DREGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix acmophylla* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix acutifolia* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix babylonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix caprea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix daphnoides* VILL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix elegans* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix pychnostachya* ANDERSS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salix tetrasperma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salmalia malabarica* SCHOTT & ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salomonium cantoniensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salsola baryosma* (R. & S.) DANDY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salsola foetida* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salsola kali* LINN. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvadora indica* ROYLE NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvadora oleoides* DECNE and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvadora persica* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvadora persica* L. *wightiana* (PLANCH EX THW.) VERDC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvadora wightiana* PLANCH. EX THW. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia aegyptiaca* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia bengalensis* KOENIG and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia cabulica* BENTH. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia coccinea* BUCHOZ EX ETLINGA and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia glutinosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia haematodes* W. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia hians* ROYLE EX BTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia lanata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia macrosiphon* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia moorcroftiana* WALL. EX BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia mukerjeea* BENNET & RAIZADA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia plebeia* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia pumila* BENTH. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia sclarea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvia spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Salvinia cucullata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalamdera indica* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalamdera lucida* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Kalamnea Kalamn* (JACQ.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sambucus ebulus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sambucus hookeri* REHDER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sambucus javanica* REINW. EX BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sambucus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sambucus wightiana* WALL. EX WGT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sandoricum indicum* CAV. DISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sandoricum koetjape* (BURM.F.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sanguinaria canadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sanicula europaea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria cylindrica* BOJ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria ebracteata* (CAV.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria hyacinthoides* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria lanuginosa* WILLD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria roxburghiana* SCHULT. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria trifasciata* HORT. EX PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sansevieria zeylanica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Santaloides minus* SCHELLENB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Santalum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Santalum flonum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Santolina chamaecyparissus* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapindus emarginatus* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapindus laurifolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapindus mukorossi* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapindus trifoliatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapium indicum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapium insigne* TRIMEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sapium sebiferum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saponaria vaccaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saraca asoca* (ROXB.) DE WILDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saraca indica* AUCT. NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcandra glabra* (THUNB.) NAKAI and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcocephalus cordatus* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcocephalus missionis* HAVILAND REV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcolobus globosus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma acidium* (ROXB.) VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma acidium* VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma brevistigma* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma brunonianum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma intermedium* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma secamone* (L.) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostemma stocksii* HK. F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sarcostigma kleinii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sassafras albidum* (NUTT.) NESS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sassafras officinale* NEES. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Satureja hortensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Satureja montana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Satyrium nepalense* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saurauia armata* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saurauia macrotricha* KURZ and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saurauia napaulensis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saurauia nepalensis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saurauia robusta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saurauia roxburghii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sauromatum guttatum* (WALL.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sauromatum pedatum* (WILLD.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sauromatum venosum* (AIT.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sauropus androgynus* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sauropus quadrangularis* MUELL. ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea affinis* SPR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea albescens* (DC.) SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea auriculata* (DC.) SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea bracteata* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea candicans* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea ceratocarpa* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea costus* (FALC.) LIPSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea gossypiphora* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea gracilis* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea heteromalla* (DON) HAND.-MAZZ. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea hypoleuca* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea lappa* C.B.CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea obvallata* (DC.) EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea sacra* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea schultzei* H.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saussurea taraxacifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saxifraga diversifolia* WALL. EX SER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saxifraga imbricata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saxifraga ligulata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scabiosa speciosa* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scaevola frutescens* KRAUSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scaevola koenigii* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scaevola sericea* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scaevola taccada* (GAERTN.) ROXB. N and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scaphium affine* RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scaphium wallichii* SCHOTT & ENDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scapiflora species* (ROXB.) ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera elliptica* (BL.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera hypoleuca* (KURZ) HARMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera shypoleucoids* HARMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera stellata* (GAERTN.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera venulosa* (WIGHT & ARN.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schefflera venulosum* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schima wallichii* (DC.) KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schinus molle* HORT. EX ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schisandra chinensis* (TURCZ.) BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schisandra neglecta* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schizachyrium exile* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schizaea dichotoma* (L.) SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schizandra neglecta* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schizophyllum commune* FR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schleichera oleosa* (LOUR.) OKEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schleichera trijuga* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schlerichera trijuga* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schrebera swietenoides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schultzia benthami* C.B.CLARKE and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schumannianthus virgatus* (ROXB.) ROLFE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schweinfurthia papilionacea* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Schweinfurthia sphaerocarpa* A.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scilla coromandeliana* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scilla hohenackeri* FISCHET MAY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scilla hyacinthina* (ROTH.) MAC BRIDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scilla indica* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scindapsus officinalis* SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus articulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus barbatus* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus corymbosus* HEYNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus grossus* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus kysoor* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus lacustris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus maritimus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scirpus tuberosus* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria hebecarpa* NEES and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria levis* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria lithosperma* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria pergracilis* (NEES) KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria poaeformis* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleria terrestris* (L.) FASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sclerocarya birrea* HOCHST and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleropyrum pentandrum* (DENNST.) MABBERLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scolopia aculeata* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scopolia crenata* CLOS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scoparia dulcis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scopolia lurida* DUNAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scopolia stramonifolia* (WALL.) SHRESTHA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scorzonera virgata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scrophularia koelzii* PENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scrophularia variegata* M.B. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scurrula parasitica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scurrula philippensis* (CH. & SCH.) DON. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria angulosa* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria assamica* MUKHERJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria discolor* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria galericulata* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria glandulosa* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria heydei* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutellaria indica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutia indica* BRONG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scutia myrtina* (N.BURM.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scyphiphora hydrophyllacea* GAERTN.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sebastiania chamaelea* MUELL.ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Secamone emetica* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sechium edule* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Securinega leucopyrus* (WILLD.) MUELL.ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Securinega suffruticosa* (PALL.) REHDER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Securinega virosa* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sedum asiaticum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sedum crassipes* WALL. EX HOOK. F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sedum ewersii* LEDEB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sedum multicaule* WALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sedum quadrifidum* PALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sedum tibeticum* HOOK.F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sedum tillacoides* DUTHIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sedum trifidum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sedum wallichianum* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella bryopteris* (L.) BAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella chrysocaulos* (HOOK. & GREV.)SPRING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella ciliaris* (RETZ.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella involvens* SPRENG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella krausiana* A.BR.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella monosperma* SPRING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella plumosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella repKalam* (DESV. EX POIR.) SPRENG NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella rupestris* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selaginella willdenowii* (POIR.) BAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selenicereus grandiflorus* (LINN.) BRITT. & ROSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selinum candollei* DC. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selinum filicifolium* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selinum striatum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selinum tenuifolium* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Selinum vaginatum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Semecarpus anacardium* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Semecarpus heterophylla* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Semecarpus kurzii* ENGLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Semecarpus travancorica* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sempervium sedoides* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senebiera didyma* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio aureus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio bhutanicus* BALAK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio cappa* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio graciliflorus* . DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio hohenackeri* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio jacquemontianus* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio kraschennikovii* SCHICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio laetus* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio nudicaulis* HAM. EX D. DON NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio quinquelobus* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio scandens* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio tenuifolius* BURM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senecio vulgaris* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Senna prostrata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Serenoa repens* (BARTR.) SMALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesamum indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesamum laciniatum* KLEIN EX. WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesamum orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesamum prostratum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania aculeata* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania aegyptiaca* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania bispinosa* (JACQ.) W.F. WIGHT *bispinosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania cannabina* RETZ. POIRET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania grandiflora* (L.) POIRET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania paludosa* PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania sesban* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania sesban* (L.) MERR. *bicolor* and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania sesban* (L.) MERR. picta (CON.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania sesban* (L.) MERR. typica and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania sesban* (L.) MERR. sesban sesban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesbania speciosa* TAUB. EX ENGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Seseli diffusum* (ROXB. EX. SM.) SAMT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Seseli indicum* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Seseli sibiricum* BENTH. EX CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sesuvium portulacastrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria glauca* BEAUV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria italica* (L.) BEAUV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria planifolia* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria plicata* (LAM.) COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria verticillata* (L.) P. BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Setaria viridis* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Shorea robusta* GAERTN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Shorea roxburghii* G.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Shorea tumbaggaia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida acuminata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida acuta* BURM. F. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida carpinifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida cordata* (BURM.F.) BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida humilis* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida lanceolata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida mauritiana* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida orientalis* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida ovata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida retusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida rhombifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida rhombifolia* L. *retusa* (L.) MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida rhombifolia* L. *rhombifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida rhomboidea* ROXB. EX FLEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sida veronicaefolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sideroxylon spinosum* WILLD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sideroxylon tomentosum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Siegesbeckia orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sigesbeckia orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Silene apetala* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Silene inflata* SM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Silene laxantha* MAJUMDAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Silene moorcroftiana* WALL. EX BTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Silene vulgaris* (MOENCH) GARCKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Silybum marianum* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sinapis alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sinapis chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sinapis juncea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sinapis ramosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sison ammi* HERB. MADR. EX WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sisymbrium altissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sisymbrium irio* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sisymbrium loeselii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sisymbrium orientale* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sisymbrium sophia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sium latjugam* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Skimmia arborescens* T.ANDERS EX. GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Skimmia laureola* (DC.) ZUCC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax china* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax glabra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax glaucophylla* KLOTZSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax lanceifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax macrophylla* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax ocreata* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax ovalifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax parvifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax perfoliata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax proliferata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax pseudo-china* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax wightii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smilax zeylanica* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia conferta* J.E. SMITH and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia geminiflora* ROTH and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Smithia sensitiva* AIT. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum aculeatissimum* JACQ. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum albicaule* KOTSCHY EX DUNAL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum americanum* MILL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum anguivi* LAM. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum aviculare* FORST. F. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum capsicoides* ALL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum ciliatum* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum denticulatum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum dulcamara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum erianthum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum ferox* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum giganteum* JACQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum gracilipes* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum hirsutum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum incanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum indicum* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum insanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum jacquini* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum khasianum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum kurzii* PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum laciniatum* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum lasiocarpum* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum lycopersicum* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum mauritianum* SCORP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum melongena* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum melongena* L. *incanum* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum myriacanthum* DUNAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum pseudocapsicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum pubescens* HEYNE. EX WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum sarmentosum* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum seforthianum* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum sisymbriifolium* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum spirale* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum surattense* BURM. F. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum torvum* SWARTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum trilobatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum tuberosum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum verbascifolium* AUCTION L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum viarum* DUNAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum villosum* SCHUR. *puniceum* (KRISCHLEGER) EDMONDS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum violaceum* ORTEGA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum virginianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solanum xanthocarpum* SCHRAD & WENDL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solena amplexicaulis* (LAM.) GANDHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Solena heterophylla* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonchus arvensis* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonchus asper* (L.) HILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonchus brachytus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonchus maritimus* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonchus oleraceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonchus wightianus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila maculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila rheedei* WALL. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonerila tenera* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonneratia acida* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonneratia apetala* BUCH.-HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonneratia caseolaris* (L.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sonneratia griffithii* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sophora glauca* LESCH. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sophora griffithii* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sophora mollis* (GRAH. EX ROYLE) BAK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sophora tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sophora wightii* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sopubia delphinifolia* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorbaria tomentosa* (LINDL.) REHDER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorbus aucuparia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorbus tianshanica* RUPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum bicolor* MOENCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum halepense* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum saccharatum* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sorghum vulgare* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Soymida febrifuga* (ROXB.) A.JUSS. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sparganium stoloniferum* BUCH.- HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spathodea campanulata* P. BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spathoglottis plicata* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spatholobus parviflorus* (ROXB.) KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spatholobus roxburghii* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spergula arvensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce articularis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermacoce hispida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spermatocytus suaveolens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaeranthus africanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaeranthus amaranthoides* BURM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaeranthus hirtus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaeranthus indicus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaeranthus microcephalus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaeranthus senegalensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphenoclea zeylanica* GAERTN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphenodesme pentandra* JACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphenomeris chinensis* (L.) MAXON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphenomeris chusana* COPELAND NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sphyrnthera lutescens* (KURZ) PAX & HOFFER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spilanthes acmella* MURR. olerace and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spilanthes calva* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spilanthes oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spilanthes paniculata* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spinacia oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spinifex littoreus* (N.BURM.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiraea aruncus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiraea bella* SIMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiraea canescens* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spiraea lindleyana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spondias acuminata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spondias mangifera* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spondias mombin* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spondias pinnata* (L.F.) KURZ. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachyphrynium spicatum* (ROXB.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachys floccosa* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachys officinalis* (L.) TREV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachys palustris* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachys parviflora* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachys sylvatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachys tuberosa* LOUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachytarpheta indica* (L.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachytarpheta jamaicensis* (L.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachytarpheta mutabilis* (JACQ.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Statice aegyptica* DELILE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stauranthera grandifolia* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stauranthera umbrosa* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stellaria alsine* GRIMM. *undulata* (THUNB.) OHWI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stellaria aquatica* SCOP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stellaria media* WIGHT EX EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stellera chamaejasme* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stemodia viscosa* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stemona tuberosa* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenochlaena palustris* (N.BURM.) BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenolobium stans* SEE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenoloma chinensis* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stenotaphrum dimidiatum* (L.) BRONGN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephania glabra* (THUNB.) MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephania glandulifera* MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephania hernandifolia* (WILLD.) WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephania japonica* (THUNB.) MIERS discolour (BLUME.) FORMAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephania japonica* (THUNB.) MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephania japonica* (THUNB.) MIERS. *japonica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephania rotunda* LOUR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephania wightii* (A.) DUN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephegyne parvifolia* KORTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia alata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia balanghas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia guttata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia rubiginosa* VENT. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia scaphigera* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia urens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sterculia villosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stereospermum chelonoides* (L.F.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stereospermum colais* (DILLWYN) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stereospermum neuranthrum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stereospermum personatum* (HASSK.) CHATTERJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stereospermum suaveolens* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stereospermum tetragonum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stereospermum xylocarpum* WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Steudnera virosa* (KUNTH) PRAIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stichoneuron caudatum* RIDLEY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stictocardia campanulata* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stipa capensis* THUNB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stipa capillata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stipa sibirica* (L.) LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stipa tortilis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stranvaesia glaucescens* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Streblus asper* LOUR. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Striga asiatica* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Striga gesnerioides* (WILLD.) VATKE and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Striga lutea* LOUR and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Striga orobanchoides* BENTH. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthesacrocephalus* T. AND. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes auriculatus* NEES and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes callosus* NEES and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes ciliatus* NEES and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes consanguineus* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes dalhousianus* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes flaccidifolius* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes heyneanus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes kunthiana* T. ANDERS. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes lupulinus* NEES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes nobilis* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes wallichii* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strobilanthes wightianus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stroemia tetrandra* VAHL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strophanthus dichotomus* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strophanthus wallichii* A. DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strophanthus wightianus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos aenea* A.W. HILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos axillaris* COLEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos cinnamomifolia* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos colubrina* AUCTION. PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos gaultheriana* PIER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos ignatia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos ignatii* BERG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos maingayi* CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos minor* DENNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos nux-bi* Kalam A.W.Hill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos nux-vomica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos potatorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos rheedei* CL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Strychnos wallichiana* STEUD. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stylocoryne lucens* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stylophorum lactuoides* (HOOK. F. & THOMS.) BENTH. &

HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stylosanthes fruticosa* (RETZ.) ALST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Styrax benzoin* DRYAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Styrax hookeri* CLARKE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Styrax officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Styrax serrulatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Styrax tonkinensis* CRAIB EX. HARTWICH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Suaeda fruticosa* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Suaeda monoica* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Suregada multiflora* (JUSS.) BAILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia affinis* CLARKE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia alata* ROYLE EX. D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia angustifolia* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia ciliata* (G.DON) BURTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia cordata* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia decussata* NIMNO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia densiflora* (GRISEB.) KASHYAPPA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia densifolia* (GRISEB.) KASHYAPA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia lawii* BURKILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia minor* (GRISEB.) KNOBL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia paniculata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia perennis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia petiolata* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia pulchella* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia purpurascens* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swertia thomsonii* CL. EX HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swietenia febrifuga* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swietenia macrophylla* KING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Swietenia mahagoni* (L.) JACQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symphorema involucreatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symphorema polyandrum* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symphytum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos beddomei* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos caudata* WALL. EX. G.DON and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos chinensis* (LOUR.) DRUCE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos cochinchinensis* S.MOORE *laurina laurina* (RETZ.) NOOTEBOOM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos cochinchinensis* S.MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos crataegoides* BUCH.-HAM. EX.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos laurina* WALL. EX REHD. & E. H. WILS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos monantha* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos paniculata* (THUNB.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos racemosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos spicata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos sumuntia* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Symplocos theaefolia* BUCH.-HAM. EX DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Synadenium grantii* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Synantherias sylvatica* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Synapis dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Synedrella nodiflora* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syringa emodi* WALL. EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syringa persica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium alternifolium* (WT.) WALL. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium aromaticum* (L.) MERRILL & PERRY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium caryophyllaeum* AUCTION GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium caryophyllatum* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium cerasoides* (ROXB.) CHATT. & KANJI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium cerasoideum* (ROXB.) RAIZADA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium cumini* (L.) SKEELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium hemisphericum* (WIGHT) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium heyneanum* WALL. EX DUTHIE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium jambolana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium jambolanum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium jambos* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium malaccense* (L.) MERR. & MERR. & PERRY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium neyneanum* (DUTHIE) GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium operculatum* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium travancoricum* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Syzygium zeylanicum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana alternifolia* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana coronaria* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana crispa* ROBT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana heyneana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana sphaerocarpa* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tabernaemontana wallichiana* STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tacca aspera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tacca integrifolia* KER-GAWL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tacca leontopetaloides* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tacca pinnatifida* J.R. & G. FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tagetes erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tagetes minuta* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tagetes patula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarindus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarix aphylla* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarix ariculata* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarix dioica* ROXB. EX. ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarix ericoides* ROTTL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarix gallica* AUCT. NON.L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarix indica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarix troupia* HOLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum dolichophyllum* KITAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum fruticosum* LEDEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum gracile* HOOK. F. & TH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum longifolium* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum parthenium* (L.) SCHULTZ BIP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum tenuifolium* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum tibeticum* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum tomentosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tanacetum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taraktogenos kurzii* KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taraxacum officinale* WIGGERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taraxacum officinale* WIGG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tarenna asiatica* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taverniera cuneifolia* (ROTH) ARN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taverniera nummularia* BAKER NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taxillus umbellifer* (SCHULTES) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taxus baccata* L. *wallichiana* Zucc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Taxus wallichiana* ZUCC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tecoma capensis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tecoma grandiflora* LOISEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tecoma radicans* JUSS. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tecoma stans* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tecoma undulata* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tecomella undulata* (SM.)SEEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tectaria coadunata* (WALL.) CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tectaria macrodonta* (FEE) CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tectaria polymorpha* (WALL. & HOOK.) COPEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tectona grandis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Telosma minor* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Telosma pallida* (ROXB.) CRAIB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teona ciliata* ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia candida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia hamiltonii* J.R.DRUMM NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia petrosa* BLATTER & HALBB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia procumbens* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia purpurea* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia purpurea* PERS. *pumila* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia rheedei* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia senticosa* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia spinosa* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia tinctoria* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia uniflora* PERS. *petrosa* (BLATT. & HALLB.) GILLET & ALI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia uniflora* PERS. *petrosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tephrosia villosa* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teramnus labialis* (L.F.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teramnus mollis* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia alata* HEYNE EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia bellerica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia bellerica* ROXB. *laurinoides* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia bellirica* (GAERTN.) ROXB. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia bialata* STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia catappa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia chebula* RETZ. *typica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia chebula* RETZ. & WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia citrina* FLEMING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia coriacea* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia crenulata* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia manii* KING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia oSkini* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia pallida* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia paniculata* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia pyrifolia* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia reticulata* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Terminalia travancorensis* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Termitomyces microcarpus* (BERK. & BR.) HEIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ternstroemia japonica* AUCT.NON THUNB) NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetracera akara* (N.BURM.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetracera indica* (HOUTT. EX CHRISTM. & PAUZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetracera laevis* AUCT. NON VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetracera scandens* (L.) MERR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetrameles nudiflora* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetranthera roxburghii* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetrastigma lanceolarium* (ROXB.) PLANCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetrastigma leucostaphylum* (DENNST.) ALSTON EX MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetrastigma serrulata* (ROXB.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teucrium chamaedrys* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teucrium polium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teucrium scordium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Teucrium stocksianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum alpinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum cultratum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum daltzelli* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum foetidum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum foliolosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum javanicum* BI. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum minus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum pauciflorum* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum pedunculatum* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum reniforme* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thamnia vermicularis* (SWARTZ) ACH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thea assamica* J.W.MAST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thecagonium biflorum* (L.) BABU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thelypteris gracilescens* (BI.) CHING. glandulysis KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Themeda arguens* (L.) HACK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Themeda arundinacea* (ROXB.) RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Themeda gigantea* HACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Themeda triandra* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Theobroma cacao* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Theriophonum infaustum* N.E. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Theriophonum minutum* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thespesia populnea* (L.) SOL.EX. CORREA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thevetia neriifolia* JUSS. EX. STEUDEL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thevetia peruviana* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thlaspi arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thlaspi kotschyannum* BOISS. & HOHEN BROIGAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thlaspi tetragona* HK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thomsonia nepalensis* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thonningia axillaris* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thottea siliquosa* (LAM.) DING HOU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thuja orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia alata* BOJER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia erecta* (BENTH.) T. ANDERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia fragrans* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia grandiflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia hawtayneana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thunbergia laurifolia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thymus linearis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thymus serpyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thymus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thysanolaena acarifera* NEES. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thysanolaena agrostis* NEES. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thysanolaena maxima* (ROXB.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thysanolaena procera* MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tiaridium indicum* LEHM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tiliacora acuminata* MIERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tiliacora racemosa* COLEBR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tinospora crispa* (L.) HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tinospora sinensis* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tithonia diversifolia* (HEMSLEY) A. GRAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tithonia tagetiflora* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toddalia aculeata* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toddalia asiatica* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toddalia bilocularis* W. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tonningia axillaris* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toona ciliata* ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia bicolor* DALZ. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia parviflora* BUCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia polygonoides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia thouarsii* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia travancorica* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Torenia vagans* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tournefortia candollii* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tournefortia montana* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tovara virginiana* (LINN.) RAFIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Toxocarpus villosus* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachelospermum fragrans* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachelospermum lucidum* (DON) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachycarpus martianus* H.WANDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachydium lehmanni* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachyspermum ammi* (L.) SPRAGUE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachyspermum khasianum* (CI.) WOLFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trachyspermum roxburghianum* (DC.) CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tradescantia axillaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia bicolor* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia cannabina* L.F. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia cordata* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia cordifolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia involucrata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia muelleriana* PAX & HOFFM. *unicolor* (MUELL. ARG.) PAX & HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragia plukenetii* A. RADCLIFFE-SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragopogon gracilis* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragopogon porrifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tragopogon pratensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trapa bicornis* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trapa bispinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trapa natans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trapa natans* L. *bispinosa* (ROXB.) NAKIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trema cannabina* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trema orientalis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trevesia palmata* (ROXB.) VIS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trewia nudiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trewia polycarpa* BTH. & HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trianthema decandra* L. MANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trianthema govindia* BUCH-HAM EX G. DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trianthema monogyna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trianthema pentandra* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trianthema portulacastrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trianthema triquetra* ROTTL. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tribulus alatus* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tribulus lanuginosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tribulus terrestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tricalysia singularis* (KORTH.) K. SCHUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichilia spinosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichodesma africanum* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichodesma indicum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichodesma zeylanicum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tricholepis angustifolia* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tricholepis glaberrima* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tricholepis montana* DLAZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tricholepis procumbens* WIGHT. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichomanes javanicum* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichopus zeylanicus* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichopus zeylanicus* GAERTN. *travancoricus* (BED and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes anaimalaiensis* BEDDOME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes anguina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes bracteata* (LAM.) VOIGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes cordata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes cucumerina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes dioica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes incisa* ROTTL. EX ROSENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes laciniosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes lobata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes nervifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes palmata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes tricuspidata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trichosanthes wallichiana* (SERINGE) WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tridax procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium alexandrinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium alexandrium* L. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium fragiferum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium indicum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium officinalis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trifolium pratense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triglochin maritima* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triglochin palustris* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonella corniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonella emodi* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonella foenum-graecum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonella hamosa* (L.) WILLD. *uncata* (BOISS. & BOE) TOWNSEND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonella incisa* BENTHA. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonella occulta* DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonella polycerata* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonella uncata* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trigonostemon longifolius* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trillium govanianum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trimufetta rhomboidea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH

inodorum (LINN.) HYL. EX VAAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triticum aestivum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triticum amyleum* SER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triticum durum* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triticum pilosum* (DALZ. & GIBS) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triticum sativum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triticum spelta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triticum vulgare* WILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta bartramia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta rhomboidea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta rotundifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta semitriloba* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Triumfetta tomentosa* NORONHA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tropaeolum minus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Trophis aspera* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tropidia curculigoides* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tuber cibarium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tulipa stellata* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turbina corymbosa* (L.) RAV. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turnera angustifolia* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turnera diffusa* WILLD. *APHRODISIACA* (L.F. WARD)URB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turnera ulmifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turpinia nepalensis* WALL. EX WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turpinia pomifera* (ROXB.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Turraea villosa* BENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tussilago farfara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora asthmatica* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora dalzellii* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora hirsuta* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora indica* (BURM.F.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora tenuis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tylophora tetrapetala* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Typha angustata* BORY & CHAUB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Typha angustifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Typha australis* SCHUM. & THONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Typha elephantina* GRAH, NON ROXB. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Typha laxmannii* LEPECH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Typhonium divaricatum* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Typhonium flagelliforme* (LODD.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Typhonium roxburghii* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Typhonium trilobatum* (L.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ulmus campestris* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ulmus wallichiana* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uncaria cordata* (LOUR.) MERR. ferruginea (BL.) RIDSD. FORMA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uncaria gambier* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uncaria sessilifructus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Unona narum* DUN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uraria alopecuroides* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uraria crinita* DESV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uraria hamosa* WALL. EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uraria lagopodioides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uraria picta* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uraria prunellaefolia* GREH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uraria rufescens* (DC.) SCHINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urena lobata* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urena repKalam* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urena simiata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urena sinuata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urginea coromandeliana* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urginea indica* (ROXB) KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urginea maritima* (L.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urginea nagarjunae* Hemadri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urtica ardens* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urtica dioica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urtica hyperborea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urtica parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Urtica pilulifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Usnea sikkimensis* BISWAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Usnea flexilis* STIRT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Usnea florida* (L.) WIGG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Usnea hirta* (L.) WIGG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Usnea longissima* ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Usnea rubicunda* STIRT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Usnea sikkimensis* BISPAS. SP. NOV. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Usnea venosa* MOT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utereria sallicifolia* BEDD. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utereria salicifolia* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia bifida* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia gibbosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia reticulata* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Utricularia stellaris* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uvaria dulcis* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uvaria ebracteolata* PRESL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uvaria hookeri* KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uvaria micrantha* (A.DC.)Hook.f.Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uvaria narum* (DUNAL) WALL EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uvaria zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vaccaria pyramidata* MEDIC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vaccinium leschenaultii* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vaccinium macrocarpon* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana brunoniana* W. & A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana dubia* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana hardwickii* WALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana jatamansi* JONES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana pyrolaefolia* DENE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Valeriana wallichii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vallisneria heynei* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vallisneria pergulanus* BURM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vallisneria solanacea* (ROTH.) KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vallisneria spiralis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam coerulea* GRIFF. EX LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam parviflora* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam roxburghii* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam spathulata* (L.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam teres* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam tessellata* (ROXB.) DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *VKalam testacea* (LINDL.) REICHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vandellia erecta* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vandellia pedunculata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vandellia pyxidaria* MAXIM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vangueria pubescens* KUNTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vangueria spinosa* SENSU HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vanilla planifolia* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vanilla wightiana* LINDL. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vateria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vateria macrocarpa* B.L. GUPTA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vateria malabarica* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vatica lancaefolia* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ventilago calycina* TUL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ventilago calyculata* TULASNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ventilago denticulata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ventilago madraspatana* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veratrum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veratrum viride* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbascum chinense* (L.) SANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbascum coromandelianum* (VAHL) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbascum thapsus* PLENK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbena nodiflora* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verbesina calandulacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Verchellia farnesiana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia albicans* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia anthelmintica* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia arborea* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia aspera* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia cinerea* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia patula* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia pyramidale* (L.) DON MITRA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia revoluta* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia roxburghii* LESS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia squarrosa* (D.DON) LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vernonia teres* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica agrestis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica anagallis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica arvensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica beccabunga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica biloba* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica hederifolia* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Veronica serpyllifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vetiveria zizanioides* (L.) NASH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum acuminatum* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum colebrookianum* WALL. EX CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum coriaceum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum corylifolium* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum cotinifolium* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum cylindricum* BUCH.-HAM. EX D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum foetidum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum hebanthum* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum nervosum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum obovatum* WALT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viburnum punctatum* BUCH.- HAM, EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vicia faba* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vicia hirsuta* KOCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vicia sativa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vicoa auriculata* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vicoa indica* (L.) DC. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna aconitifolia* (JACQ.) MARECHAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna adenantha* (MEYER) MARECHAI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna angularis* (WILLD.) OHWI. & OHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna catjang* ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna cylindrica* SKEELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna dalzelliana* (O.KTZE) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna grahmiana* (WT. & ARN.) VERD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna mungo* (L.) HEPPER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna pilosa* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna radiata* (L.) R. WILCZEK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna radiata* (L.) WILEZ sublobata (ROXB.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna trilobata* (L.) VERDCOURT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna unguicula* (L.) WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vigna vexillata* (L.) A. RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vinca major* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vinca minor* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vinca parviflora* RETZ. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vinca pusilla* MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vinca rosea* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vincetoxicum album* (MILL.)ASCHERS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola biflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola caespitosa* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola canescens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola cinerea* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola diffusa* GING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola odorata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola patrinii* GING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola pilosa* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola serpens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola suffruticosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola sylvestris* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola tricolor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum articulatum* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum monoicum* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum nepalense* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viscum orientale* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex agnus-castus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex altissima* L.F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex glabrata* F. MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex leucoxydon* SCHAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex negundo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex negundo* L. *incisa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex negundo* L. *negundo* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex paniculata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex peduncularis* WALL . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex pinnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex pubescens* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitex trifolia* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis adnata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis carnosa* (ROXB.) WALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis hastata* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis heyneana* ROEM. & SCULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis indica* W. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis lanata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis objecta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis pallida* W. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis parvifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis pedata* VAHL EX WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis planicaulis* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis polystachya* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis quadrangularis* WALT EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis repens* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis setosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis tomentosa* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis trifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis vinifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vitis vitifolia* HAINES. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vittaria elongata* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vittaria zosterifolia* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viverra zibetha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Volkameria inermis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Volutarella divaricata* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wagatea spicata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wahlenbergia marginata* (THUNB.) A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Waldheimia glabra* (DECNE) REGEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Waldheimia stoliczki* (CL.) OSTENF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Waltheimia tomentosa* (DECNE) REGEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wallichia disticha* T. ANDERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Walsura piscidia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Walsura trifoliata* (A.JUSS) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Waltheria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wattakaka volubilis* (L.F.) STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Webera corymbosa* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Webera tetrandra* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wedelia biflora* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wedelia calendulacea* LESS. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wedelia chinensis* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wedelia wallichii* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wendlandia exerta* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wendlandia heynei* (R. & S.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wendlandia notoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wendlandia pendula* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wendlandia tinctoria* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wikstroemia canescens* MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wikstroemia indica* (L.) C. A. MEY. *viridiflora* (MEISSN.) HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wikstroemia ridleyi* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wikstroemia viridiflora* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Willughbeia edulis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Withania coagulans* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Withania somnifera* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wolffia globosa* (ROXB.) HARTOG & PLAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wollastonia biflora* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Woodfordia floribunda* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Woodfordia fruticosa* (L.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wrightia antidysenterica* GRAH. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wrightia arborea* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wrightia coccinea* SIMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wrightia tinctoria* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wrightia tomentosa* R.& S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Wrightia zeylanica* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xanthium indicum* KOEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xanthium strumarium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xanthophyllum arnottianum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xanthophyllum flavescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xanthoxylum fraxineum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xantolis tomentosa* (ROXB.) RAF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xeromphis spinosa* (THUNB.) KEAY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xeromphis uliginosa* (RETZ.) MAHESH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ximenia aegyptiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ximenia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xylaria polymorpha* PERS. EX MERAT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xylia dolabriformis* BENTH.& HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xylia xylocarpa* (ROXB.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xylocarpus granatum* KOEN. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xylopia parvifolia* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xylosma longifolium* CLOS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xyris anceps* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xyris auceps* AUCT. NON LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xyris complanata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xyris indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xyris pauciflora* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Youngia japonica* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Yucca aloifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Yucca filamentosa* WOOD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Yucca gloriosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zaleya decandra* (L.) BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zaleya govindia* (DON) NAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zaleya pentandra* (L.) JEFFREY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zalia decandra* (L.) BURM. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zannichellia indica* ROTTLE. EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanonia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zantedeschia aethiopica* (L.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum acanthopodium* DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum alatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum armatum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum budrunga* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum hamiltonianum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum hostile* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum limonella* (DENNST.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum nitidum* (ROXB.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum ovalifolium* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum oxphyllum* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum rhetsa* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum tetraspermum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zanthoxylum triphyllum* WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zataria multiflora* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zea mays* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zehneria hookeriana* ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zehneria indica* (LOUR.) KERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zehneria maysorensis* (WT. & ARN.) ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zehneria scabra* (L.F.) SOND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zehneria umbellata* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zephyranthes ajax* SPRENGER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zephyranthes grandiflora* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zephyranthes rosea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zeuxine strateumatica* (L.) SCHLECHTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zeuxine sulcata* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber capitatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber cassumunar* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber cernuum* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber chrysanthum* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber mioga* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber officinale* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber officinalis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber purpureum* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber roseum* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber rubens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber squarrosus* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zingiber zerumbet* ROSC. EX SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zinnia elegans* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zizania caduciflora* HAND.-MAZZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zizania latifolia* TURCZ. EX STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphora clinopodioides* M.BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphora tenuior* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus glaberrata* HEYNE, EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus glabrata* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus jujuba* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus mauritiana* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus napeca* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus nummularia* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus oenoplia* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus oxyphylla* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus rugosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus rugosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus sativa* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus sororia* ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus trinervia* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus trinervius* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anemone rivularis* Buch.- Ham.ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aquilegia vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis gouriana* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis munroiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis smilacifolia* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis theobromina* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Clematis wightiana* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Consolida ambigua* (L.) P. W. Ball and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Delphinium elatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Naravelia zeylanica* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus diffusus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus muricatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus reniformis* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ranunculus wallichianus* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum foliolosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum javanicum* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thalictrum saniculaeforme* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Chimonanthus praecox*(L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Acrotrema arnottianum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dillenia bracteata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dillenia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dillenia pentagyna* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dillenia retusa* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dillenia suffruticosa* (Griffith) Martelli and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tetracera akara* (Burm. f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Magnolia campbellii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Magnolia grandiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Magnolia liliflora* Desr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Magnolia x alba* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Michelia champaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Michelia nilagirica* Zenk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alphonsea sclerocarpa* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Alphonsea zeylanica* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Annona cherimola* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Annona muricata* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Annona reticulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Annona squamosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artabotrys hexapetalus* (L. f.) BhKalamri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Artabotrys zeylanicus* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cananga odorata* (Lam.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmos lawii* (Hook. f. & Thoms.) Safford and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Desmos viridiflorus* (Bedd.) Safford and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goniothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goniothalamus rhynchantherus* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goniothalamus salicina* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goniothalamus thwaitesii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goniothalamus wightii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Goniothalamus wynadensis* (Bedd.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meiogyne pannosa* (Dalz.) Sinclair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Meiogyne ramarowii* (Dunn) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Miliusa eriocarpa* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Miliusa montana* Gard. ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Miliusa nilagirica* Bedd. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Miliusa tomentosa* (Roxb.) Sinclair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Miliusa wightiana* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mitrephora heyneana* (Hook. f. & Thoms.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orophea erythrocarpa* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orophea thomsonii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Orophea uniflora* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia cerasoides* (Roxb.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia fragrans* (Diaz.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia korintii* (Dunal) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia longifolia* (Sonner.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia rufescens* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia suberosa* (Roxb.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polyalthia tirunelveli*ensis M. B. Viswan. & ManikKalamn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Popowia beddomeana* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sageraea dalzellii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uvaria macropoda* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Uvaria zeylanica* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xylopiia parvifolia* (Wight) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Anamirta cocculus* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cissampelos pareira* L. var. *hirsuta* (Buch.-Ham. ex DC.) Forman and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus hirsutus* (L.) Diels and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus laurifolius* DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cocculus pendulus* (Forst.) Diels and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coscinium fenestratum* (Gaertn.) Coleb. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclea arnottii* Miers and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Diploclisia glaucescens* (Blume) Diels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephania japonica* (Thunb.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stephania wightii* (Arn.) Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tinospora sinensis* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis lycium* Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis nilghiriensis* Ahrendt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis tinctoria* Lesch. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Berberis wightiana* Schneid and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nelumbo nucifera* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea nouchali* Burm. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea pubescens* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Nymphaea rubra* Roxb. ex Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Argemone mexicana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Eschscholzia californica* Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Mecanopsis wallichii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver caucasicum* Bait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver fugax* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver rhoeas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Papaver somniferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Romneya coulteri* Harv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Corydalis lutea* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dicentra scandens* (D. Don.) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fumaria indica* (Hassk.) Pugsley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Fumaria officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barbarea intermedia* Boreau and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barbarea verna* (Miller) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Barbarea vulgaris* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica juncea* (L.) Czern. & Coss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica nigra* (L.) Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica oleracea* L. var. *botrytis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica oleracea* L. var. *capitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica oleracea* L. var. *gemmifera* Zenk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica oleracea* L. var. *gongylodes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Brassica rapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capsella bursa-pastoris* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardamine africana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardamine hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cardamine trichocarpa* Hochst. ex A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cheiranthus cheiri* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Coronopus didymus* (L.) Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iberis amara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Iberis umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium ruderae* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium sativum* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lepidium virginicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lobularia maritima* (L.) Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Matthiola incana* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Raphanus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rorippa indica* (L.) Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Rorippa nasturtium - aquaticum* (L.) Hayek and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sisymbrium volgense* Ledeb. ex Shmal. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Thlaspi arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cadaba fruticosa* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cadaba trifoliata* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis brevispina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis decidua* (Forsk.) Edgew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis divaricata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis diversifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis fusifera* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis grandis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis kollimalayana* Viswanathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis moonii* Wight and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis rheedii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis rotundifolia* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis sepiaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis shevaroyensis* Sundararaghavan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Capparis zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome angustifolia* Forsk and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome aspera* Koen ex. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome burmannii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome chelidonii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome felina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome hassleriana* Chod. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome monophylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome rutidosperma* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome speciosa* Raf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cleome viscosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Crateva magna* (Lour.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gynandropsis gynandra* (L.) Briq and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maerua apetala* (Roth) Jacobs and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Maerua oblongifolia* (Forsk.) A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Steriphoma clemoides* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reseda alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Reseda luteola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hybanthus enneaspermus* (L.) F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hybanthus travancoricus* (Bedd.) Melch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola arcuata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola canescens* Wall. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola hamiltoniana* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Viola pilosa* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bixa orellana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cochlospermum religiosum* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Aphloia theiformis* (Vahl) Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia championii* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia graveolens* Dalz. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia ovata* (Lam.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia rubescens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia thwaitesii* Briq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia tomentosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Casearia wynadensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flacourtia indica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flacourtia jangomas* (Lour.) Raeusch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Flacourtia montana* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Homalium jainii* A. N. Henry & Swamin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Homalium travancoricum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Homalium ceylanicum* (Gard.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus alpina* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus macrocarpa* (Bedd.) Warb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Oncoba spinosa* Forsk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xylosma latifolium* Hoof. F. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xylosma longifolia* Clos and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Hymenosporem flavum* (Hook.) F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum anamallayense* Nayar & Giri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum bicolor* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum ceylanicum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum crassifolium* Soland.ex Putterl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum dasycaulon* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum eugenioides* A. Cunn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum napaulense* (DC.) Rehder & Wilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum neelgherrense* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum tetraspermum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum tobira* (Thunb.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum umbellatum* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum undulatum* Vent and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sollya heterophylla* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Muraltia juniperifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala arillata* Buch.-Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala arvensis* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala bolbothrix* Dunn and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala elongata* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala erioptera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala jacobii* Chandrasekhar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala javana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala longifolia* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala myrtifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala persicariifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala rosmarinifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala sibirica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala telephioides* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala virgata* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polygala wightiana* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Securidaca bracteata* Bennett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xanthophyllum flavescens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Xanthophyllum manickamii* Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Arenaria neelgerrensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerastium glomeratum* Thuill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Cerastium indicum* Wight & Arn. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Dianthus caryophyllus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Drymaria villosa* Cham. & Schlect. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Gypsophila elegans* M. Bieb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Lychnis coronaria* (L.) Desr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polycarpaea aurea* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polycarpaea corymbosa* (L.) Lam. var. *corymbosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polycarpaea diffusa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polycarpha spicata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Polycarpon tetraphyllum* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Sagina saginoides* (L.) Karsten, Deutsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Saponaria officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Scleranthus annuus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Silene armeria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Silene coeli - rosa* (L.) Godron and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Silene gallica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Spergula arvensis* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stellaria media* (L.) Vill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Stellaria vestita* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Vaccaria pyramidata* Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca oleracea* L. var. *oleracea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca pilosa* L. subsp. *pilosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca quadrifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulaca wightiana* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Portulacaria afra* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Talinum triangulare* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarix aphylla* (L.) Karsten and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarix ericoides* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Tamarix indica* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergia ammannioides* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Bergia capensis* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatine ambigua* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Elatine triandra* Schkuhr and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calophyllum apetalum* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Calophyllum austroindicum* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus vulgaris* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Ziziphus xylopyrus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zornia diphylla* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zornia gibbosa* SPAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zosima absinthifolia* (VENT.) LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium aloifolium* (L.) Sw., *Zosima orientalis* HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>,

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com